


FOOD TECHNOLOGY

DOCUMENTATION LIST

1973




1973

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA



FOOD TECHNOLOGY

DOCUMENTATION LIST



JANUARY 1973

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-2A, INDIA

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, JANUARY 1973

Volume: 8, Number: 1

C O N T E N T S

=====

	<u>Page</u>
Food (General)	1- 2
Cereal	2- 3
Millet	4
Pulse	4- 5
Nut	5
Vegetable	5- 6
Fruit	6- 7
Starch, Sugar, Confectionery	7- 8
Dairy product	8-10
Meat and meat product	11-14
Fish	14-15
Microbiological product	15
Beverage	16
Spice	16

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, JANUARY 1973

Volume: 8, Number: 1

F8,3 Food

- 1 N72 BUDAVARI (J): Scope of activities and several criteria of efficient food research. Husipar 21(4); 1972; 164
- 2 FARRER (KTH): Interaction of food science, technology and nutrition. Food Tech Austral 24(8); 1972; 394

F8,3:7;Z1 Food, Packaging

- 3 BRODY (AL): Aseptic packaging of foods. Food Tech 26(8); 1972; 70

F8,3;eF30 Food, Sensory, Property

- 4 LAVERY (H): Subjective and sensory assessment of flavour. J Soc Dairy Tech 25(3); 1972; 115

F8,3;eF31 Food, Sensory, Property

- 5 EVANS (EW): Instrumental and analytical assessment of flavour. J Soc Dairy Tech 25(3); 1972; 125

F8,3;k2 Food, Nutritional Quality

- 6 BENARDE (A) and JEROME (NW): Food quality and the consumer - A decalog: Pub Health 62(9); 1972; 1199
- 7 FORBES (AL): The role of the food and drug administration in the nutritional quality of foods. Pub Health 62(9); 1972; 1207

F8,3;(z5b1);b12 Food, Fluoride, Content

- 8 N72 NANDA (RS): Fluoride content of north Indian foods. Ind J Med Res 60(10); 1972; 1470

F8,3;z1Se;b12 Food, Selenium content

- 9 ARTHUR (D): Selenium content of Canadian foods. Can Inst Fd Sci & Tech 5(3); 1972; 165

F8,3;F2B Food, Toxification (by) Botulin

- 10 TORRE (GD): Food toxoinfection by botulin. Indus Alim No.84; 1972; 85

F8,3;F2STA Food, Poisoning

- 11 CASMAN (EP): Staphylococcal food poisoning. Food Tech Austral 24(8); 1972; 432

F8,3;R73;C1 Food, Lysine, Chemical Activity

- 12 BEN-GERA (I) and ZIMMERMAN (G): Changes in the Nitrogenous constituents of staple foods and feeds during storage. I. Decrease in the chemical availability of lysine. J Fd Sci & Tech 9(3); 1972; 113

F8,3-O(a2;4P);b2:g Food, Pre-digested, Nutritional, Evaluation

- 13 NARAYANA RAO (N) and RAMACHANDRA RAO (TN): Nutritional evaluation of pre-digested protein rich foods - III. J Fd Sci and Tech 9(3); 1972; 127

F8,3-11F Food, (for) Weaning

- 14 PAYUMO (EM), et al: Development of weaning foods Phil J Nutr 25(2); 1972; 95

F8,3x;P768 Cereals, Starch

- 15 PALMER (GH): Morphology of starch granules in cereal grains and malts. J Inst Brew 78(4); 1972; 326.

F8,3x-O(a2;3L);Zj Cereal, Flour, Vitamin

- 16 N72 BAINS (T): Vitamins, minerals, etc. of Indian commercial flours. Indian Miller 29(5&6); 1972; 28

F8,3y;B15:6 Paddy, Moist, Preservation

- 17 SHIVANNA (CS) and KUDARTHULLA (B): Studies on preservation of moist paddy after harvest. J Fd Sci and Tech 9(3); 1972; 129

F8,31;Ce Rice, Physico-chemical property

- 18 CHAKRABARTHY (TK), et al: Studies on physico-chemical properties of some varieties of rice J Fd Sci & Tech 9(3); 1972; 140

F8,31;C64 Rice, Waxy

- 19 SOWBHAGYA (CM): A simple Iodine test for waxy rice. J Fd Sci & Tech 9(3); 1972; 150

F8,31:f Rice, Research

- 20 PADMANABHAN (SY): Rice research and development Indian Farming 22(5); 1972; 65

F8,32;a06 Wheat, Quality

- 21 BOND (EE): Wheat quality- yesterday, today and tomorrow - 1971 Farrer memorial oration. Food Tech Austral 24(8); 1972; 380

- 22 PUSHMAN (FM): Improvement in the bread making quality of wheat. Milling 154(8); 1972; 26

F8,32:f Wheat, Research

- 23 RAO (MV): Wheat research in India. Indian Farming. 22(5); 1972; 69

F8,36;UIP;a06 Barley, Peptidases, Activity

- 24 MIKOLA (J), et al: Activities of various peptidases in barley, green malt and malt. J Inst Brew 78(5); 1972; 388

F8,37M:f Maize, Research

- 25 N72 SINGH (J): Maize research in India. Indian Farming 22(5); 1972; 113

F8,38;m2 Ragi, Culinary Property

- 26 DESIKACHAR (HSR): Effect of wet heat treatment on the culinary qualities of Ragi (Eleusine Coracana) J Fd Sci & Tech 9(3); 1972; 149

F8,39b Pea

- 27 SINGH (J) and TALLURI (BR): Studies on the relative resistance of some varieties of pea (Pisum sativum) to Callosobruchus chinensis (L). Bull Grain Tech 10(1); 1972; 37

F8,39f;g Bean, Biological value

- 28 GONZALES (JM), et al: Biological value of some beans. Phil J Nutr 25(2); 1972; 103

F8,39h;F;CF Soyabean, Protein, Texture

- 29 CUMMING (DB), et al: Texture - Structure relationships in texturized soy protein: II Textural properties and ultrastructure of an extruded soybean product. Can Inst Fd Sci & Tech J 5(3); 1972; 124

F8,39h;T Soya, Protein

- 30 KADANE (VV): Soy proteins in food industry. Indus Alim No.85; 1972; 91

F8,39h;T;CF Soyabean, Protein, Texture

- 31 STANLEY (DW), et al: Texture - Structure relationships in texturized soy protein. I Textural properties and ultrastructure of rehydrated spun soy fibers. Can Inst Fd Sci Tech J 5(3); 1972; 118.

F8,39k:2 Cottonseed, Processing

- 32 N72 SIRUR (ND): Cottonseed, Ricebran processing Units: Growth in South India. Oils and Oil-seeds J 25(4); 1972; 24

F8,39k;zxG;b12:fD Cottonseed, Gossypol

- 33 MATHUR (JMS), et al: A rapid spectrophotometric method for gossypol in cottonseeds. J Fd Sci and Tech 9(3); 1972; 138

F8,39On;Ve;a86 Peanut, Fatty, Acid Composition, Variation

- 34 SEKHON (KS), et al: Variability in fatty acid composition in peanut. I. Bunch group. J Sci Food Agri 23(8); 1972; 919

F8,390A:2 Cashewnut processing

- 35 SANKARAN NAMBU DIRI (E) and LAKSHMINARAYANA (SK) Studies on improvement in Cashewnut processing J Fd Sci & Tech 9(3); 1972; 124.

F8,39E1-ZG:x5 Potato, Sprouting Control

- 36 WU (MT) and SALUNKHE (DK): Control of chlorophyll and solanine syntheses and sprouting of potato tubers by hot paraffin wax. J Fd Sci 37(4); 1972; 629

F8,39H1;Ce;a86:2 Tomato, Physico-Chemical characteristics, (during) processing

- 37 ROY (SK) and CHUDHURY (B): Studies on physico chemical characteristics of a few varieties of tomato in relation to processing. J Fd Sci & Tech 9(3); 1972; 151.

F8,39H1;ZLZ;b12 Tomato, Carotenoid content

- 38 BALI (AS) and ZITNAK (A): Blossom colour and carotenoid content of crimson tomatoes. Can Inst Fd Sci & Tech 5(3); 1972; 170.

F8,39H1-ZT Tomato fruit, Ripening

- 39 N72 DAVIES (JN) and MAW (GA): Metabolism of citric and malic acids during ripening of tomato fruit. J Sc Food Agri 23(8); 1972; 969.

F8,39P15;ZB Raspberry, Anthocyanin

- 40 FRANCIS (FJ): Anthocyanins of 'Durham' and 'Heritage' raspberry fruits. Hort Science 7(4); 1972; 398

F8,39PM-ZT Grape, Ripening

- 41 SKIRVIN (RM) and HULL (JW): Gibberellic acid, seed number and rate of maturation as related to uneven-ripening 'Concord' grapes. Hort Science 7(4); 1972; 391

F8,39Q-O(a6;Q-OR3) Citrus Fruit, Wax Coated

- 42 RAJZMAN (A) and HELLER (H): Fate of sodium 2-phenylphenate and biphenyl applied to citrus fruit in wax coatings. Pesticide Sc 3(4); 1972; 457

F8,39QB;T;a86 Orange, Protein, Behaviour

- 43 CANTAGALLI (P), et al: Immunochemical behaviour of the proteins of the orange. J Sc Food Agri 23(7); 1972; 905

F8,39R1-O(a6;P):g Mango, Ionizing Radiation, Evaluation

- 44 PABLO (IS), et al: Evaluation of the effect of ionizing radiation on mango. Phil J Nutr 25(2); 1972; 113.

F8,39R6-ZU Peach, Maturity

- 45 STEMBRIDGE (GE), et al: Measuring uniformity of peach maturity. Hort Science 7(4); 1972; 387.

F8,39S1;ZP Apple, Volatile Compound

- 46 N72 NURSTEN (HE) and WOOLFE (ML): Examination of the volatile compounds present in cooked Bramley's seedling apples and the changes they undergo on processing. J Sc Food Agri 23(7); 1972; 803

F8,39Zd Starch

- 47 BANKS (W), et al: Edinburgh (Scotland): Physico chemical studies on starches. Part 63. The molecular size and shape of amylopectin. die Starke 24(8); 1972; 245

- 48 COLLISON (R), et al: Reaction between cross-linked starch and iodine. Die Starke 24(8); 1972; 258

F8,39Zd;4 Starch, Damaged

- 49 COLLINS (TH): Importance of damaged starch. Indian Miller 2(5 & 6); 1972; 23

F8,39ZA:6;C Bakery products, Freezing

- 50 CRIVELLI (G): Freezing process for bakery products. Indus Alim No. 85; 1972; 62

F8,39ZA;(C:8;Z1);b12:fD Baked Goods, Milk lid, Quantity, Determination

- 51 LEE (JW) and RONALDS (JA): Interference by lactase in the determination of milk solids in baked goods. Austral J Dairy Tech 27(3); 1972; 88

F8,39ZC:Z Bread, Production

- 52 MARTINI (G): Phenomena concerning the bread making. Indus Alim No.84; 1972; 103

F8,39ZC-O(a2;3L);e Bread, Dough, Chemical Development

- 53 GIACANELLI (E): Mechanical and chemical development of the bread dough. III note. Indus Alim No.84; 1972; 93

DLFT 8(1), Jan. 1973

F8,39ZE:2 Biscuit, Manufacture

- 54 WADE (P): Technology of biscuit manufacture: Investigation of the role of fermentation in the manufacture of cream crackers. J Sc Food Agri 23(8); 1972; 1021

F8,39(K)-O(ab;4) Khichdi, Dehydrated

- 55 MATHUR (VK), et al: Dehydrated khichdi and pulav. J Fd Sci & Tech 9(3); 1972; 148

F8,39(P);433:k5 Papad, Mold Growth, Prevention

- 56 NARASIMHAN (KS), et al: Use of fumigants in prevention of insect infestation and mould growth in Papads. J Fd Sci & Tech 9(3); 1972; 134

F8,3C:2;5F1 Milk, Reverse Osmosis

- 57 NIELSEN (IK), et al: Reverse osmosis of milk and whey. Process Biochem 7(9); 1972; 17

F8,3C;a06:g Milk, Quality, Evaluation

- 58 MERGL (M), et al: Evaluating the quality of fresh milk. Prumysl Potravin 23(7); 1972; 202

F8,3C;424;b12 Milk, Bacteria, Quantity

- 59 MOATS (WA): Comparison of three staining methods for direct microscopic counting of bacteria in milk. J Milk Food Tech 35(8); 1972; 496

F8,3C;F2P;b12:fd Milk, Pseudomonads, Quantity Analysis

- 60 DRIESSEN (FM) and STADHOUDERS (J): Suitability of four different media for the enumeration of pseudomonads in milk. Nether Milk Dairy J 26(2); 1972; 91

F8,3C;F38CHL;b12:FD Milk Chlorinated
Hydrocarbon, Pesticide, Residue
Quantity, Analysis

- 61 N72 SMART (NA), et al: Residues of some chlorinated hydrocarbon pesticides in milk and milk products after their addition to the feed of cows. Pesticide Sc 3(4); 1972; 415.

F8,3C;T Milk, Protein

- 62 SINGH (H) and KHANNA (ND): Milk protein polymorphism in Haryana cattle: A note. Indian J Animal Sc 42(7); 1972; 468

F8,3C;TC;b12:FD Milk, Casein, Quantity
Analysis

- 63 McGANN (TCA), et al: Applications of the Pro-Milk MK II Part III Rapid estimation of casein in milk and protein in wheys. Lab Practice 21(9); 1972; 628

F8,3C;U Milk, Enzyme

- 64 VANDERPOORTEN (R) and WECKX (M): Breakdown of rennet and microbial milk-Clotting enzymes. Nether Milk Dairy J 26(2); 1972; 47

F8,3C;U35;b12 Milk, Proteolytic enzyme

- 65 PATEL (GB), et al: A heat stable microbial proteolytic enzyme produced in milk. Can Inst Fd Sci & Tech J 5(3); 1972; 145

F8,3C-O(a2;5M-3L);T;b12:FD Milk, Skimmed,
Protein, Quantity, Analysis

- 66 O'CONNELL (JA) and McGANN (TCA): Applications of the pro-milk Mk II, Lab Pract 21(8); 1972; 552

F8,3C-O(a2;5M);F2SAL:2;1 Milk, Skimmed,
Salmonella Typhimurium(during) Fermentation

- 67 PARK (HS) and MARTH(EH): Behavior of Salmonella typhimurium in skimmilk during fermentation by lactic acid bacteria. J Milk Food Tech 35(8); 1972; 482

F8,3C-O(a6;4):7;Z1 Milk products, Dried,
Packaging

- 68 N72 LOVELL (HR): Packaging of dried milk products.
J Soc Dairy Tech 25(3); 1972; 148

F8,3C-O(a6;4-zb6) Milk, Spray Dried

- 69 BUMA (GJ): Cause of particle porosity of spray-dried milk. Nether Milk Dairy J 26(2); 1972; 60

F8,3C-O(a6;C);F2SAL;b12 Milk, Refrigerated,
Salmonella, typhimurium, Quantity

- 70 PARK (HS) and MARTH (EH): Survival of salmonella typhimurium in refrigerated cultured milks.
J Milk Food Tech 35(8); 1972; 489

F8,3C-Zb;a06 Milk, Raw, Quality

- 71 STADHOUDERS (J): Technological aspects of the quality of raw milk. Nether Milk Dairy J 26(2); 1972; 68

F8,3C15;z1 Cow's milk, Inorganic constituents

- 72 SABARWAL (PK), et al: Inorganic constituents of casein micelles from cow and buffalo milk. J Fd Sci and Tech 9(3); 1972; 144

F8,3F;CL Curd, Tension

- 73 ELLIS (NJS): Adapted technique for the measurement of curd tension. Austral J Dairy Tech 27(3); 1972; 89

F8,3K-O(a2;3L);C:fD Whey, Powder, Chemical, Analysis

- 74 WYETH (TC): Chemical analysis of whey powders.
J Soc Dairy Tech 25(3); 1972; 136.

F8,3Za;CF Meat, Texture

- 75 N72 BAILEY (AJ): Basis of meat texture. J Sc Food Agri 23(8); 1972; 995

F8,3Za;k2 Meat, Nutritive value

- 76 DWIVEDI (BK), et al: Nutritive value of meat substitute prepared from brewer's yeast and isolated soy protein. Can Inst Fd Sci & Tech J 5(3); 1972; 155

F8,3Za;4 Meat, Spoilage

- 77 JAY (JM): Mechanism and detection of microbial spoilage in meats at low temperatures: A status report. J Milk Food Tech 35(8); 1972; 467

F8,3Za-O(a6;C) Meat, Frozen

- 78 VANDEKERCKHOVE (P), et al: Evaluation of a method to differentiate between nonfrozen and thawed meat. J Fd Sci 37(4); 1972; 636.

F8,3Zb1:8 Meat, Storage

- 79 LEDWARD (DA): Metmyoglobin reduction and formation in beef during aerobic storage at 1°C. J Fd Sci 37(4); 1972; 634

F8,3Zb1;CF3;eF31:b1 Beef, Tenderness, Sensory, Determination

- 80 LARBOND (E), et al: Relationship between warner bratzler and sensory determinations of beef tenderness by the method of paired comparisons. Can Inst Fd Sci & Tech J 5(3); 1972; 138

F8,3Zb1-Zb-O(a7;Z1);424;a86 Beef, Raw, Vacuum Packaged, Bacterial Flora

- 81 ROTH (LA) and CLARK (DS): Studies on the bacterial flora of vacuum packaged fresh beef. Can J Micro 18(11); 1972; 1761.

F8,3Zb1-Zb;F2SAL Beef, Raw, Salmonella,
Growth

- 82 N72 TIWARI (NP) and MAXCY (RB): Comparative growth of salmonellae coliforms, and others members of the microflora of raw and radurized ground beef. J Milk Food Tech 35(8); 1972; 455

F8,3Zb1=3;CF Bovine muscle, Tenderness

- 83 DIKEMAN (ME), et al: Evaluation of the tenderometer for predicting bovine muscle tenderness J Animal Sc 34(6); 1972; 960

F8,3Zb1=B;CF2 Beef, carcass, Cutability

- 84 SKELLEY (GC), et al: Relationship between certain bone measurements and cutability of beef carcasses. J Animal Sc 35(3); 1972; 518

F8,3Zb1=B;z1K;b12 Beef, Carcass, Pottasium

- 85 CLARK (JL), et al: Level and distribution of potassium in beef carcasses. J Animal Sci 35(3); 1972; 542.

F8,3Zb31;eF6 Lamb, Palatability

- 86 JEREMIAH (LE), et al: Ovine yield grades. II. Palatability attributes within various quality grades. J Animal Sc 34(2); 1972; 196

- 87 KEMP (JD), et al: Effects of castration and slaughter weight on fatness, cooking losses and palatability of lamb. J Animal Sc 34(4); 1972; 560

F8,3Zb31=B Lamb Carcass

- 88 SHELTON (M) and CARPENTER (ZL): Influence of sex, stilbestrol treatment and slaughter weight on performance and carcass traits of slaughter lambs. J Animal Sc 34(2); 1972; 203

F8,3Zb4;a06 Pigmeat, Quality

- 89 VAGVOLGYI (O): Effect of modern pig-raising on meat quality. Husipar 21(3); 1972; 139.

F8,3Zb4=3 Porcine muscle

- 90 N72 GILBREATH (RL), et al: Influence of dietary protein on the soluble collagen of porcine skin and muscle. J Animal Sc 34(6);1972;952

F8,3Zb4=3;a01 Pig muscle, Characteristic

- 91 BIDNER (TD), et al: Effect of a combination of diethylstilbestrol and methyltestosterone on performance, carcass traits, serum and muscle characteristics of pigs. J Animal Sc 35(3); 1972; 525

F8,3Zb4=B;Va Porcine carcass, fat

- 92 MARTIN (AH), et al: Distribution and composition of porcine carcass fat. J Animal Sc 35(3); 1972; 534.

F8,3Zb4=E5;CF Pork Loin, Tenderness

- 93 RUST (RE), et al: Pork loins: Effect of location of chops in the medial loin region and position of cores in cross section of the Longissimus muscle on tenderness and juiciness. J Animal Sc 35(3); 1972; 548

F8,3Zb41:6;J Bacon, Curing

- 94 UTHUP (KL) and RANGANATHAN (M): Studies on Bacon curing. J Fd Sci & Tech 9(3); 1972; 118

F8,3Zb41-O(a6;4);ac Ham, Dried, Chemical Composition

- 95 CANTONI (C), et al: Chemical composition of fresh and dry hams: Guanidinium and mineral compounds. Indus Alim No.85; 1972; 67

F8,3Zb42=B Swine carcass

- 96 ADAMS (JP), et al: Live and carcass measurements as indicators of lean cut yield in swine. J Animal Sc 35(1); 1972; 25

DLFT 8(1), Jan. 1973

F8,3Zd1:6 Poultry, preservation

- 97 N72 POLITI (PG): Microbiology and preservation of poultry rolls - simonetta d'Aubert. Indus Alim No.85; 1972; 87

F8,3Zd1;F38C;b12:fD Broilers, Organochlorine Pesticide Residue, Quantity Analysis

- 98 de VOS (RH), et al: Residues of organochlorine pesticides in broilers from feed fortified with known levels of these compounds. Pesticide Sc 3(4); 1972; 421

F8,3Zn Fishery products

- 99 GROINGER (HS): Better utilization of fishery products through improved and new handling and processing concepts. J Milk Food Tech 35(8); 1972; 479

F8,3Zn:f Fishery products, Research

- 100 RAGHU PRASAD (R) and TAMPI (PRS): Fisheries research in India. Indian Farming 22(5);1972; 62

F8,3Zn:2 Fish, processing

- 101 GOPALAKRISHNA IYER (TS) and KANDORAN (MK): A proforma for assessment of the levels of Sanitation in fish processing establishments. Fishery Tech 9(2); 1972; 109

F8,3Zn;eF310:g Fishery products, Sensory Evaluation

- 102 KRISHNA IYER (H): Sensory evaluation problems with special reference to fishery products. Fishery Tech 9(2); 1972; 104

F8,3Zn;F2SAL;b12 Fish, Salmonella, Quantity

- 103 JAMES (MA) and IYER (KM): Studies on isolation of salmonella from sea foods. 1.Comparison of enrichment and selective media for recovery of salmonella from fish. Fishery Tech 9(2); 1972; 115.

F8,3Zv5 Sardine

- 104 N72 SEN (DP): Oil sardine - A growing industry in India. J Indus Tr 22(11); 1972; 74

F8,3Zv9k;eF316;a86&gF8,3:6;K Trout, Muddy Odor, Variation (influenced by,) Smoking

- 105 IREDALE (DG) and RIGBY (D): Effect of smoke-processing on muddy odor and taste in rainbow trout. (Salmo gairdneri) J Fisheries Res Bd Canada 29(9); 1972; 1365-1366

F8,3Zv9A=3;g77:2 Cod muscle, Stability (during) processing

- 106 DYER (WJ), et al: Stability of elemental phosphorus in edible muscle tissue of cod during processing including icing, freezing and thawing, frozen storage, salting, and cooking J Fish Res Board Can 29(7); 1972; 1053

F8,3ZvA-O(a6;G);ZP Rockfish, Stored (in) Ice, Volatile compounds

- 107 MILLER (A), et al: Volatile compounds produced in ground muscle tissue of canary rockfish (Sebastes pinniger), stored on ice. J Fish Res Board Can 29(8); 1972; 1125

F8,3Zz9x-O(a2;1);433 Sausage, Fermented Mold infested

- 108 CIEGLER (A), et al: Potential production and detoxification of penicillie acid in mold-fermented sausage (Salami) Appld Micro 24(1) 1972; 114

F8,3Zz9x-O(a2;47);Zj;b12 Sausages, Cooked, Vitamin, Level

- 109 MINOCCHERI (F) and CANTONI (C): Vitamin B-1, B-12 levels in Italian cooked sausages. Indus Aliment No.84; 1972; 81

F8,3Z01 Yeast

- 110 BUI (KN) and INGLEDEW (WM): Viability of commercial "Household" yeast preparations. Can Inst Fd Sci & Tech 5(3); 1972; 173.

F8,3Z9b2;eF43;b12:b1 Beer, Bitterness
Quality, Determination

- 111 N72 FISHER (A): A semi-automatic method for the determination of beer bitterness. J Inst Brew 78(5); 1972; 407

F8,3Z9b2;z1N Beer, Nitrogenous, Substances

- 112 WENN (RV): Isoelectrophoretic separation of complex nitrogenous substances of beer and brewing materials. J Inst Brew 78(5); 1972; 377

F8,3Z9b2;z1N;b12 Beer, Nitrogen, Quality

- 113 WENN (RV): 'Foam Loving' complex nitrogen materials in beer. J Inst Brew 78(5); 1972; 404

F8,3Z9b2;(z5dM);b12:fD Beer, P-hydroxybenzylamine, Quantity, Analysis

- 114 SLAUGHTER (JC) and UVGARD (ARA): Estimation of P-hydroxybenzylamine in beer. J Inst Brew 78(4); 1972; 322

F8,3Z9b2;424:fR Beer, Microbiological, Testing

- 115 HENSON (MG): A pack stability method for microbiological testing of large cans of beer. J Inst Brew 78(5); 1972; 409

F8,3ZB;eF316 Spice, Flavour

- 116 MIHALYI (V) and ZUKAL (E): Using the flavour profile analysis in the examination of spices and spice extracts. Husipar 21(3); 1972; 127

F8,3ZG1:6;4 Ginger, Dehydration

- 117 NATARAJAN (CP), et al: Chemical composition of Ginger varieties and dehydration studies on Ginger. J Fd Sci & Tech 9(3); 1972; 120.

I N D E X

Anthocyanin, Raspberry 40
Apple 46

Bacon 94
Bacteria, Milk 59
Bacterial flora, Vacuum, Packaged, Raw, Beef 81
Baked goods 51
Bakery products 50
Barley 24
Bean 28
Beef 80 - 85
—— Carcass 84, 85
Beer 111 - 115
Biological value, Bean 28
Biscuit 54
Bitterness, Beer 111
Botulin (by), Toxification, Food 10
Bovine muscle 83
Bread 52, 53
Broilers 98

Carotenoid content, Tomato 38
Casein, Milk 63
Cashewnut 35
Cereals 15 - 16
Characteristic, pig, muscle 91
Chemical activity, Lysine, Food 12
—— analysis, powder, whey 74
—— composition, Dried, Ham 95
—— development, Dough, Bread 53
Chlorinated hydrocarbon pesticide residues,
Milk 61
Citrus fruit 42
Cod muscle 106
Cooked, Sausage 109
Cottonseed 32, 33
Cow's milk 72
Culinary property, Ragi 26
Curd 73
Curing, Bacon 94
Cutability, Carcass, Beef 84

Damaged, Starch 49
Dehydrated, Khichdi 55
Dehydration, Ginger 117
Dough, Bread 53
Dried, Ham 95
——, Milk products 68

Enzyme, Milk 64

Fat, Porcine carcass 92

Contd.'R

Rice 18-20
Ripening, Grape 41
———, Tomato fruit 39

Salmonella, Fish 103
——— growth, Raw, Beef 82
——— typhimurium, Refrigerated, Milk 70
———, Skimmed, Milk 67
Sardine 104
Sausage 108, 109
Selenium content, Food 9
Sensory determination, Tenderness, Beef 80
——— evaluation, Fishery products 102
——— property, Food, 4,5
Skimmed, Milk 66, 67
Smoking (influenced by), Variation, Muddy
Odour, Trout 105
Spice 116
Spoilage, Meat 77
Spray dried, Milk 69
Sprouting control, Potato 36
Stability, Cod muscle 106
Starch 47-49
———, Cereals 15
Storage, Meat 79
Swine carcass 95

Tenderness, Beef 80
———, Bovine muscle 83
———, Pork loin 93
Tension, curd 73
Texture, Meat 75
———, Protein, Soyabean 29, 31
Tomato 37-39
Toxification, Food 10
Trout 105

Vitamin, Flour, Cereal 16
——— level, Cooked, Sausage 109
Volatile compound, Apple 46
———s, Ice (stored in), Rock fish 107

Wax coated, citrus fruit 42
Waxy, Rice 19
Weaning (for), Food 14
Wheat 21-23
Whey 74

Yeast 110

FOOD TECHNOLOGY

DOCUMENTATION LIST



FEBRUARY 1973.

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-2A, INDIA

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, FEBRUARY 1975

Volume: 8, Number: 2

C O N T E N T S

=====

	<u>Page</u>
Food (General)	1- 3
Cereal	4- 5
Pulse	5
Nut	5
Vegetable	5- 7
Fruit	7-10
Sugar, Starch, Confectionery	10
Bakery products	10-11
Milk and Milk products	11-16
Meat and Meat products	16-17
Fish	17-19
Egg	19
Beverage	20
Alcoholic beverage	20

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, FEBRUARY 73

Volume: 8, Number: 2

-0-

F8,3:2 Food, Processing

- 118 N72 SCHWIMMER (S): Cell disruption and its consequences in food processing. J Fd Sci 37(4); 1972; 530

F8,3:6;44 Food, Heating

- 119 HAYAKAWA (KI): Estimating temperatures of foods during various heating or cooling treatments. Ashrae J 14(9); 1972; 65

F8,3;(0a) Additives

- 120 DeMAN (JM): ADDITIVES - Where do we stand now? Indian Dairyman 24(3); 1972; 61

F8,3;(LZ);g77 Food, Emulsions, Stability

- 121 VAKALERIS (DG) and SABHARWAL (K): Stability of Fluid food emulsions II. Interacting effects of electrolytes sodium caseinate and emulsifiers. J Dairy Sci 55(3); 1972; 283

F8,3;(M5) Food, Carrageenan

- 122 PAYENS (TAJ): Light scattering of protein reactivity of polysaccharides especially of carrageenans. J Dairy Sci 55(2); 1972; 141

F8,3;a06 Food, Quality

- 123 RANGI (AS) and JAINT (SO): Modern concept of food quality and its importance in future agricultural research in India. Part 1 Importance and modern concept of food quality. Ind Fd Pac 26(4); 1972; 24

F8,3;eF31 Food, Flavour

- 124 McGUCAN (WA) and HOWSAM (SG): Loss of flavor components of Glc columns and a test for its occurrence. J Agri Food Chem 20(5); 1972; 1039

F8,3;eF31:g Food, Organoleptic, Evaluation

- 125 N72 HERRMANN (J): New methods for the evaluation and the analysis of organoleptic qualities of foodstuffs and for the forecast of their changes. Part 4. Organoleptic scales for odour and flavour concentrations. Die Nahrung 16(3); 1972; 205

F8,3;fZ Food, Biochemical property

- 126 HOLTIN (HO) and HAARD (NF): Biochemical control systems in food tissues: Introduction. J Fd Sci 37(4); 1972; 503

F8,3;eF31:g Food, Organoleptic Evaluation

- 127 HERRMANN (J): New methods for the evaluation and the interpretation of organoleptic qualities of foodstuffs and for the forecast of their changes. Part 5. Organoleptic "relative" scales for sucrose and common salt concentrations, and calculation of the "relative" sweetness of sweetening agents. Die Nahrung 16(3); 1972; 215

F8,3;F(E,191) Food, Ferromagnetic particles

- 128 CUNNINGHAM (HM), et al: Ferromagnetic particles in foods. J Fd Sci 37(4); 1972; 572

F8,3;F2STA Food, Staphylococci

- 129 WILLIAMS (MLB): Note on the development of a polymyxin-mannitol-phenolphthalein diposphate agar for the selective enumeration of coagulase positive staphylococci in foods. J Appl Bacteriol 35(1); 1972; 139

F8,3;T;a06 Food, Protein Quality

- 130 RUSTOW (B) and HOCK (A): The influence of food protein quality on hydrolases in the digestive tract. Part 7. The effect of food protein quality on the electrophoretic heterogeneity of the amino acid aryl amidase of the mucosa of the small intestine of the rat. Die Nahrung 16(3); 1972; 235.

F8,3;Ve Food, Fatty Acid

- 131 N72 GUILD (L), et al: Fatty acids in foods served in a university food service. J Ame Dietet Assn 61(2); 1972; 149

F8,3;Zc;b12 Food, Cholesterol Content

- 132 FEELY (RM), et al: Cholesterol content of foods. J Ame Dietet Assn 61(2); 1972; 134

F8,3;Zj;b12:fD Food, Vitamin, Quantity, Analysis

- 133 GASSMANN (B), et al: Problems and limitations of the standardization methods for the determination of vitamins in foods. Die Nahrung 16(3); 1972; 245

F8,3;ZB;a24 Food, Anthocyanins Degradation

- 134 ERLANDSON (JA) and WOOLSTAD (RE): Degradation of anthocyanins at limited water concentration. J Fd Sci 37(4); 1972; 592

F8,3-O(a2);F2E Food, Processed, Enterobacteriaceae

- 135 DRION (EF) and MOSSEL (DAA): Mathematical-ecological aspects of the examination for enterobacteriaceae of foods processed for safety. J Appl Bacteriol 35(2); 1972; 233

F8,3-O(a6;G) Food, Dehydrated

- 136 WOLF (M), et al: Water vapor sorption hysteresis in dehydrated food. J Agri Food Chem 20(5); 1972; 1073

F8,3-O(a7;ZI);424 Food, Canned, Microbiol Spoilage

- 137 PUT (HMC), et al: Mechanism of microbiological leaker spoilage of canned foods: A review J Appl Bacteriol 35(1); 1972; 7

F8,3x;P768;a24 Cereal, Starch, Degradation

- 138 N72 MARSHALL (JJ): The structure, function and metabolism of the cereal carbohydrates. Part I. The biosynthesis and enzymatic degradation of starch. Wallerstein Lab Comms 35(116); 1972; 49

F8,3x;T14;C4 Cereal, Glutelin, Rheology

- 139 EWART (JAD): A modified hypothesis for the structure and rheology of glutelins. J Sci Fd & Agr 23(6); 1972; 687

F8,31:2 Rice, Processing

- 140 SHIVANNA (CS): Processing of rice. Fd Ind J 5(7); 1972; 11

F8,31:6;4 Rice, Drying

- 141 SHIVANNA (CS): Advantages of modern methods of parboiling and mechanical drying of rice. Food Indus J 5(8); 1972; 5

F8,31;m311 Rice, Quick cooking quality

- 142 BHAT (BP), et al: Technology of quick-cooking rice. Indian Food Packer 26(5); 1972; 16

F8,32 Wheat

- 143 EWART (JAD): Isolation of an albumin from Cappelle-Desprez and Manitou wheats. J Sci Fd & Agr 23(6); 1972; 701

F8,32;F38;b12 Wheat, Pesticide

- 144 DALVI (RR), et al: Influence of selected pesticides on germination and associated metabolic changes in wheat and mung bean seeds. J Agri Food Chem 20(5); 1972; 1000

F8,32;F38D Wheat, Dichlorvos

- 145 GUNDURAO (HR) and HAREIN (PK): Dichlorvos as an inhibitor of aflatoxin production on wheat, corn, rice and peanuts. J Eco Entmy 65(4); 1972; 988

F8,32-O(a2;3L);eH71L Wheat, Quality
Lipoxygenase

- 146 N72 FREIMUTH (U), et al: Behaviour of lipoxygenase
in wheaten flours and doughs. Die Nahrung
16(3); 1972; 149

F8,32-O(a2;3L);Za;a86:8: Wheat, Flour, Lipid,
Variation, (during) Storage

- 147 CLAYTON (TA) and MORRISON (WR): Changes in γ
flour lipids during the storage of wheat
flour. J Sci Fd & Agr 23(6); 1972; 721

F8,39b:6;4 Pea, Dehydration

- 148 KHURDIYA (DS), et al: Varietal trial on dehy-
dration of peas. Ind Fd Pac 26(4);1972;5

F8,39h;Va:2;512 Soybean, Oil, Extraction

- 149 STOREY (CL), et al: Fate of EDC- CCl_4 (75:25)
Residues during milling and oil extraction
of soybeans. J Eco Entmgy 65(4);1972; 1126

F8,39m Sunflower

- 150 BURNS (EE), et al: Sunflower utilization in
human foods. Cereal Sci today 17(9);1972;287

F8,39zH-O(a2;4E);ZP Filberts, Roasted,
Volatile component

- 151 KINLIN (TE), et al: Volatile components of
roasted filberts. J Agri Food Chem 20(5);
1972; 1021

F8,39A;z1Pb;b12:fD Vegetable, Lead, Quality,
Analysis

- 152 PIETRO DAMIANI: Lead determination in comesti-
ble vegetables by atomic absorption analysis
Indus Aliment 11(9)878; 1972; 106

F8,39A;z1eU;b12 Vegetable, Copper content

- 153 BARAKAT (MZ):et al: Ascorbimetry, the determi-
nation of ferric iron and cupric copper
content of certain vegetables. J Sci Fd &
Agr 23(6); 1972; 685

F8,39D4;eH71P Radish, Peroxidase, Isozyme

- 154 N72 WANG (SS) and DIMARCO (GR): Isolation and characterization of the native, thermally inactivated and regenerated horse radish peroxidase isozymes. J Fd Sci 37(4); 1972; 579

F8,39D4-O(a8);a06 Radish, Stored, Quality

- 155 LIPTON (WJ): Market quality of radishes stored in Low O₂-Atmospheres. J Amer Soc Hort Sci 97(2); 1972; 164

F8,39E1-O(a2;3C):2;92 Potato, Chip, Oxidation

- 156 QUAST (DG) and KAREL (M): Effects of environmental factors on the oxidation of potato chips. J Fd Sci 37(4); 1972; 584

F8,39E1=W;R Potato Waste, Amino Acid

- 157 HEISLER (EG), et al: Potato starch factory waste effluents. II. Development of a process for recovery of amino acids, protein and potassium. J Sci Fd & Agr 23(6); 1972; 745

F8,39E2-O(e)-O(a6;4) Sweet Potato Flake, Dehydrated

- 158 WALTER (WM), et al: Autoxidation of dehydrated sweet potato flakes. The effect of solvent extraction on flake stability. J Agri Food Chem 20(5); 1972; 1060

F8,39F-O(a6;C)-O(a7;Z1);k2 Greens, Frozen, Canned, Nutritive value

- 159 SMITH (JW) and KRAMER (A): Palatability and nutritive value of fresh, canned, and frozen collard greens. J Amer Soc Hort Sci 97(2); 1972; 161

F8,39F17-O(a6;4);cFk Celery, Dehydrated, Texture

- 160 SHIPMAN (JW), et al: Improvement of the texture of dehydrated celery by glycerol treatment. J Fd Sci 37(4); 1972; 568.

F8,39H1:6;44 Tomato, Heating

- 161 N72 DEKAZOS (ED): Callose formation by bruising and heating of tomatoes and its presence in processed products. J Fd Sci 37(4); 1972; 562

F8,39H1;a06 Tomato, Fruit, Quality

- 162 KOSKITALO (LN) and ORMROD (DP): Effects of sub-optimal ripening temperatures on tomato fruit quality. J Amer Soc Hort Sci 97(1); 1972; 13

F8,39H1-ZT;F2 Tomato, Ripe, Bacterial soft Rot

- 163 PARSONS (CS) and SPALDING (DH): Influence of a controlled atmosphere temperature, and ripeness on bacterial soft rot of tomatoes. J Amer Soc Hort Sci 97(3); 1972; 297

F8,39H1-O(a6;P) Tomato, Irradiated

- 164 AHMED (EM), et al: Swelling of mitochondria isolated from irradiated tomato fruits. J Amer Soc Hort Sci 97(3); 1972; 289

F8,39N:6 Fruit, Preservation

- 165 DILLEY (DR): Postharvest fruit preservation: Protein synthesis, ripening and senescence. J Fd Sci 37(4); 1972; 518

F8,39N:eF31 Fruit, Flavour

- 166 ABRAHAM (KO), et al: Fruit flavours. Ind Fd Pac 26(4); 1972; 13

F8,39N;F38F Fruit, Fenitrothion Residue

- 167 CERNA (V) and VENES (V): Fenitrothion residues on fruits and vegetables. Die Nahrung 16(3); 1972; 179

F8,39PM Grape

- 168 KHURDIYA (DS), et al: Studies on juice making qualities of some varieties of grapes grown in North India. Indian Fd Pac 26(5); 1972; 9

DLFT 8(2), Feb. 1973

F8,39PM;a86:6;C Grape, Variation (during)
Cold Storage

- 169 N72 POOL (RM), et al: The effect of growth regulators on changes in fruits of 'Thompson seedless' grapes during cold storage. J Amer Soc Hort Sci 97(1); 1972; 67

F8,39PR Banana

- 170 MADHAVA RAO(VN) and RAMAN (KR): Banana research in Tamil Nadu. Fd Ind J 5(7); 1972; 15

- 171 PEACOCK (BC): Effect of light on preclimacteric life of bananas. Q J Agri & Anml Sci 29(3); 1972; 199

F8,39Q:6;Q Citrus, Coating

- 172 RAJZMAN (A): Investigation of the uniformity of coating citrus by spraying with a wax deposit. Fruits 27(6); 1972; 433-436

F8,39Q7;eF31;b12:fD Lemon, Flavour, Quality
Analysis

- 173 MOSHONAS (MG) and SHAW (PE): Analysis of flavour constituents from lemon and lime essence. J Agri Fd Chem 20(5); 1972; 1029

F8,39R1 Mango

- 174 ROY (SK), et al: Studies on evaluation some of mango varieties of North India for processing as nectars. Ind Fd Pac 26(5); 1972; 5

F8,39R1;a06:2 Mango, Suitability (for)
processing

- 175 SATYAVATI (AV), et al: Studies on the suitability of different varieties of mangoes of Kerala for processing. Ind Fd Pac 26(4); 1972; 8

F8,39R3-O(a7;Z1);a06 Apricot, Canned, Quality

- 176 CLAYPOOL (LL) and PANGBORN (RM): Influence of controlled atmosphere storage on quality of canned apricots. J Amer Soc Hort Sci 97(5); 1972; 636

F8,39R5 Cherry

- 177 N72 MUTHUKRISHNAN (CR) and PALANISWAMY (KP): A study of the West Indian cherry products. Ind Fd Pac 26(4); 1972; 34

F8,39R6-0(a2);eE2;a86&gF8,NP Peaches, Processed, Colour, Variation(influenced by) Succinic Acid

- 178 BAUMGARDNER (RA), et al: Effects of succinic acid-2, 2-Dimethylhydrazide on the color, firmness, and Uniformity of processing peaches. J Amer Soc Hort Sci 97(4); 1972;485

F8,39R6-ZT;zp Peach, Ripening, Firmness

- 179 SHEWFELT (AL) and SMIT (CJB): Estimate of the relationship between firmness and soluble pectin of individual peaches during ripening Food Sc + Tech 5(5); 1972; 175

F8,39R8;ZLZ Avacado, Carotonoid

- 180 GROSS (J), et al: The carotenoids of the avacado pear persea americana, Nabal variety. J Fd Sci 37(4); 1972; 589

F8,39S1;F38E;b12:fD Apple, Ethylenethiourea Residues, Quantity Analysis

- 181 NEWSOME (WH): Determination of ethylenethiourea residues in apples. J Agri Food Chem 20(5); 1972; 967

F8,39S1;NP;b12 Apple, Succinic Acid, Level

- 182 LOONEY (NE), et al: Factors influencing the level of succinic acid-2, 2-Dimethylhydrazide residues in apple fruits. J Amer Soc Hort Sci 97(3); 1972; 323

F8,39S1-0(a8);a24 Apple, Stored, Disorder

- 183 ANET (EFLJ): Superficial scald, a functional disorder of stored apples. IX. Effect of maturity and ventilation. J Sci Fd & Agr 23(6); 1972; 763.

F8,39S3-ZU&bF8,3;aC Pear, Maturation
(in relation to) Chemical Composition

- 184 N72 WANG (CY), et al: Maturation of 'Anjou' pears
in relation to chemical composition and re-
action to ethylene. J Amer Soc Hort Sci 97
(1); 1972; 9

F8,39P5;ZP Passion fruit, Volatile consti-
tuents

- 185 PARLIMENT (TH): Some volatile constituents of
passion fruit. J Agri Food Chem 20(5); 1972;
1043

F8,39S8-ZT;fZ Guava, Ripening, Biochemical
Studies

- 186 GANGWAR (BM): Biochemical studies on growth
and ripening of guava. Ind Fd Pac 26(5);
1972; 13

F8,39Zb;eF4 Sugar, Taste

- 187 MOSKOWITZ (HR): Perceptual attributes of the
taste of sugars. J Fd Sci 37(4); 1972; 624

F8,39Zf;eF31 Confectionery, Flavour

- 188 PERRY (F): Essences, flavours and colours for
confectionery. Indian Sugar 22(9); 1972; 727

F8,39ZJ Cake

- 189 HODGE (DG), et al: Sponge cake technology-
Establishment of a small scale test produce
and the effects of changes in conditions of
continuous mixing. Fd Tr Rev 42(10); 1972; 9

F8,39ZA:b;C Bakery Products, Freezing

- 190 FRITCH (CF): Freezing bakery products with
liquid nitrogen. Indus Aliment 11(9)(87);
1972; 119.

F8,39ZA;eF31 Baked products, Flavour

- 191 N72 VERMA (NS) and CANNON (RY): Effect of processing variation in the preparation of anhydrous milk fat on flavour of baked and fried foods Food Indus J 5(8); 1972; 8

F8,39ZC-0(a2;3L) Bread dough, Microstructure

- 192 MOSS (R): Study of the microstructure of bread doughs. Food Res Q 32(3); 1972; 50

F8,39EE:2 Biscuit, Manufacture

- 193 WADE (P): Flour properties and the manufacture of semi sweet biscuits. J Sci Fd & Agr 23(6); 1972; 737

F8,3C Milk

- 194 GANGULI (NC): Imitation milk: Can it be a substitute for milk. Indian Dairyman 23(12); 1971; 249

- 195 N71 KURIEN (Dr V): Milk starts a revolution. Indian Dairyman 23(12); 1971; 241

F8,3C:8 Milk, Storage

- 196 N72 NAGASAWA (T), et al: Changes of disc gel electrophoretic patterns of human milk protein with duration and temperature of storage of the milk. J Dairy Sci 55(3); 1972; 289

F8,3C;g7 Milk, Shelf life

- 197 BARNARD (SE): Importance of shelf life for consumers of milk. J Dairy Sci 55(1); 1972 134

F8,3C;424 Milk, Bacterial Contamination

- 198 DRUCE (RG) and THOMAS (SB): Bacteriological studies on bulk milk collection: Pipeline milking plants and bulk milk tanks as sources of bacterial contamination of milk. A review. J Appl Bacteriol 35(2); 1972; 253

F8,3C;C Milk, Chemical Factors

- 199 N72 KALAB (M) and EMMONS (DB): Heat-induced milk gels. V. Some chemical factors influencing the firmness. J Dairy Sci 55(9); 1972; 1225

F8,3C;F2B;b12 Milk, Bacteriophage

- 200 NARAYAN RAJ and CHAVAN (IG): Bacteriophage from milk. Indian J Dairy Sci 25(3); 1972; 191

F8,3C;F2P Milk, Pseudomonas Bacteria

- 201 SAMAGH (BS) and CUNNINGHAM (JD): Numerical Taxonomy of the Genus Pseudomonas from milk and milk products. J Dairy Sci 55(1); 1972; 19

F8,3C;F31 Milk, Herbicide Residues

- 202 BJERKE (EL), et al: Residue study of phenoxy herbicides in milk and cream. J Agri Food Chem 20(5); 1972; 963

F8,3C;F38M;b12:fD Milk, Methyl-prednisolone Residues, Quantity Analysis

- 203 KRZEMINSKI (LF), et al: Determination of methylprednisolone (Medrol) residues in milk by highpressure liquid chromatography. J Agri Food Chem 20(5); 1972; 970

F8,3C;Va;b12:fD Milk, Fat, Content, Analysis

- 204 CHAKRABARTHI (SR), and ROY (MK): On the estimation of fat and solids not fat recombined milk Indian Dairyman 24(11); 1972; 309

F8,3C;Vk Milk, Unsaturated Fatty Acid

- 205 PLOWMAN (RD), et al: Milk fat with increased polyunsaturated fatty acids. J Dairy Sci 55(2); 1972; 204

F8,3C;T Milk, Protein

- 206 CHANDRA (RK): Allergy to milk proteins. Indian Dairyman 14(3); 1972; 64

- F8,3C;Za;ac Milk, Lipid, Composition
- 207 N72 BRACCO (U), et al: Lipid composition of the fat globule membrane of human and bovine milk. J Dairy Sci 55(2); 1972; 165
- F8,3C-O(a2;3L-44) Milk, Dry powder
- 208 CORNELL (DG), et al: Action of ammonium sulfate solution on dry milk powders. J Dairy Sci 55(2); 1972; 173
- F8,3C-O(a2;5M);z1Ca Milk, Skimmed, Calcium
- 209 MULDOON (PJ) and LISKA (BJ): Effects of heat treatment and subsequent storage on the concentration of ionized calcium in skim milk. J Dairy Sci 55(1); 1972; 35
- F8,3C-O(a2;5M);T Milk, Skimmed, Protein
- 210 DILL (CW), et al: Distribution changes in bovine skimmilk proteins during forced milk release. J Dairy Sci 55(2); 1972; 200
- F8,3C-O(a2;5M);TC Milk, Skimmed, Casein
- 211 NAKAHORI (C) and NAKAI (S): Fractionation of Caseins directly from skimmilk by gel, chromatography. 1. Ellution with sodium dodecyl-sulfate. J Dairy Sci 55(1); 1972; 25.
- 212 NAKAI (S), et al: Fraction of caseins directly from skimmilk by Gel, chromatography. J Dairy Science 55(1); 1972; 30
- F8,3C-O(a2;5M)-O(a6;E) Milk, Skimmed, Freeze-Dried
- 213 GENTZLER (GL) and SCHMIDT (FW): Determination of thermal conductivity values of freeze dried evaporated skim milk. J Fd Sci 37() 1972; 554
- F8,3C11;F2:FR Cows milk, Bacterial, Test
- 214 VEDANAYAKAM (AR), et al: Rapid bacterial ring test for distinguishing cow and buffalo milk Indian Veter J 49(12); 1972; 1236

F8,3C15;z1N;a86 Buffalo milk, Nitrogen, Variation

- 215 N72 TANDON (KC) and GANGULI (NC): Studies on the effect of graded sterilization on the various nitrogen fractions in buffalo milk. Indian J Dairy Sci 25(3); 1972; 179

F8,3C15;Ve;a86 Buffalo milk, Fatty Acid, Variation

- 216 El-SADEK (G), et al: Distribution of fatty acids in buffalo milk fat. Ind J Dairy Sci 25(3) 1972; 167

F8,3C15C:2 Chhana, Production

- 217 KUNDU (SS) and De (S): Chhana production from buffalo milk. Indian J Dairy Sci 25(3); 1972; 159

F8,3D-0(a2;9M)-0(a3;2-OT);c63;a86:8 Cream, Condensed, Sweetened, Viscosity, Variation (during) Storage

- 218 BHANUMURTHI (JL), et al: Viscosity changes in sweetened condensed full cream buffalo milk during storage. Ind J Dairy Sci 25(3); 1972; 164

F8,3F;eF316 Curd, Aroma

- 219 KULKARNI (MB): Volatile acids level and panel preferences for aroma of curd (Dahi) Indian Dairyman 24(1); 1972; 18

F8,39F4;T;eM Alfalfa, Protein, Extractability

- 220 KNUCKLES (BE), et al: PRO-XAN process: Methods for increasing protein recovery from alfalfa J Agri Food Chem 20(5); 1972; 1055

F8,3G;Va;a86 Dahi, Fat, Distribution

- 221 OOMMEN (S): The distribution of fat and fat globules in dahi. Indian J Dairy Sci 25(3) 1972; 184

F8,3J;(9On) Butter (made of) Peanut

- 222 N72 ELLIGER (CA), et al: Thickening action of hydroxystearates in peanut butter. J Amer Oil Chem Soc 49(9); 1972; 536

F8,3K;aC Whey, Composition

- 223 CERBULIS (J), et al: Composition of commercial wheys. J Agri Food Chem 20(5); 1972; 1057

F8,3K;ZkF Whey, Riboflavin

- 224 BREWINGTON (CR) and SCHWARTZ (DP): Simple method for the isolation of riboflavin from whey. J Dairy Sci 55(2); 1972; 263

F8,3K;T Whey, Protein

- 225 DELANEY (RAM), et al: Manufacture of undenatured whey protein concentrates by ultrafiltration and spray drying. 1. Low-protein powders. Irish J Agri Res 11(2); 1972; 181

F8,3M Cheese

- 226 BHATTACHARYA (DC), et al: A technique for large scale production of surati cheese. Ind Fd Pac 26(4); 1972; 28

- 227 HALL (DM) and CREAMER (LK): A study of the sub-microscopic structure of cheddar, cheshire and gouda cheese by electron microscopy. New Zealand J Dairy Sci & Tech 7(3); 1972; 95

- 228 SULLIVAN (A) and INFANTINO (DG): Carbohydrate metabolism in cheese. II. Coenzymes, 2-Deoxy D-Ribose, and 2-Deoxy-D-Ribose-5-Phosphate. J Dairy Sci 55(1); 1972; 1

F8,3M:L Cheese, Production

- 229 N71 DE (S), et al: Production of soft cheese (Paneer) from high-acid milk. Indian Dairyman 23(11) 1971; 224

F8,3M;T Whey, Protein

- 230 N72 KUMAR (S) and MIKOLAJCIK (EM): Electrophoretic immuno-electrophoretic and ultracentrifugal characterization of proteins in whey fractions prepared by salt fractionation. J Dairy Sci 55(9); 1972; 1237

F8,3M-ZT;U35;a86 Cheese, Ripening Proteose-peptone, Variation

- 231 SINGH (A) and GANGULI (NC): Changes in proteose-peptone level in cheese during ripening. Indian J Dairy Sci 25(3); 1972; 171

F8,3Za;eF31 Meat, Flavour

- 232 GORDON (A): Meat and poultry flavour. Flavour Indus 3(9); 1972; 445

F8,3Za-O(a2;3L);F2C Meat, Minced, Clostridium

- 233 LOWIK (JAM) and ANEMA (PJ): Effect of pH on the heat resistance of Clostridium sporogenes spores in minced meat. J Appl Bacteriol 35(1); 1972; 119

F8,3Za-O(a6);F2CL+B:x5 Meat, Semi-preserved Clostridium botulinum infection, control

- 234 RIEMANN (H), et al: Control of clostridium botulinum and staphylococcus aureus in semi-preserved meat products. J Milk & Fd Tech 35(9); 1972; 514

F8,3Zb1;m31;a86&gF8,3;Va;b12 Beef, cooking Quality, variation influenced by Fat

- 235 FUNK (K) and BOYLE (MA): Beef cooking rates and losses. Effect on fat content. J American Dietetic Assoc 61(4); 1972; 404

F8,3Zb1=3;a01 Bovine muscle, Mechanical property

- 236 BOUTON (PE) and HARRIS (PV): The effects of some post-slaughter treatments on the mechanical properties of bovine and ovine muscle J Fd Sci 37(4); 1972; 539

F8,3Zb4=3L Porcine Longissimus muscle

- 237 N72 TSAI (R), et al: Studies on nucleotide metabolism in porcine longissimus muscle postmortem
J Fd Sci 37(4); 1972; 612

F8,3Zd1;a06 Poultry, Quality

- 238 DIMICK (PS), et al: Poultry product quality, carbonyl composition and organoleptic evaluation of mechanically deboned poultry meat
J Fd Sci 37(4); 1972; 544

F8,3Zd1;cF Poultry meat, Tenderness

- 239 NAKAMURA (R): Postmortem change in the tensile strength of muscle fibers and their relation to tenderness of poultry meat. J Agri Food Chem 20(5); 1972; 1087

F8,3Zn.44 Fish, Indian

- 240 GOVINDAN (TK): A highly relished food fish of India. Seafood export J 4(11); 1972; 27

F8,3Zn:6;C Fish, Freezing

- 241 SREENIVASAN (N) and HIREMATH (GG): Food freezing in India - An industry with a bright future. Seafood Export J 4(11); 1972; 33

F8,3Zn:6;J-zH Fish, Curing (by) Salt

- 242 ANDERSON (ML) and MENDELSON (JM): A rapid salt-curing technique. J Fd Sci 37(4); 1972; 627

F8,3Zn;T Fish, Protein

- 243 SPINELLI (J), et al: Approaches to the utilization of fish for the preparation of protein isolates. Isolation and properties of myofibrillar and sarcoplasmic fish proteins
J Fd Sci 37(4); 1972; 599

- 244 SPINELLI (J), et al: Approaches to the utilization of fish for the preparation of protein isolates. Enzymic modifications of myofibrillar fish proteins. J Fd Sci 37(4); 1972; 604

- 245 N72 McPHEE (AD) and DUBROW (DL): Application of ternary equilibrium data to the production of protein concentrate. J Amer Oil Chem Soc 49(9); 1972; 501
- F8,3Zn-O(a2;3L);X3 Fish, Minced, Acceptability
- 246 CRAWFORD (DL), et al: Yield and acceptability of machine separated minced flesh from some marine food fish. J Fd Sci 37(4);1972; 551
- F8,3Zn=B-W;k2 Fish Carcass waste, Nutritional value
- 247 CRAWFORD (D), et al: Nutritional characteristics of marine food fish carcass waste and machine separated flesh. J Agri Food Chem 20(5); 1972; 1048.
- F8,3Zn=E51-Zc;eF48 Fish fillet, Fresh Rancidity
- 248 MENDENHALL (VT): Oxidative rancidity in raw fish fillets harvested from the gulf of mexico J Fd Sci 37(4); 1972; 547
- F8,3Zr9A=E51-O(a7;Z1) Cod fillet, Prepacked
- 249 DEBEVERE (JM) and VOETS (JP): Influence of some preservatives on the quality of prepacked cod fillets in relation to the oxygen permeability of the film. J Appl Bacteriol 35(2);1972;351
- F8,3Zr9E=3;T;eM Hake muscle, Protein, Extractability
- 250 BABBITT (JK), et al: Decomposition of trimethylamine oxide and changes in protein extractability during frozen storage of minced and intake hake (Merluccius productus) Muscle. J Agri Food Chem 20(5); 1972; 1052
- F8,3Zv9R:6;P-of4 Tuna, Gamma, Irradiation
- 251 HILKER (DM), et al: The effect of gamma irradiation on the antithiamine activity of skipjack tuna. J Fd Sci 37(4); 1972; 596

F8,3Zt1.44 Prawn, India

- 252 N72 SUBRAHMANYAM (M): Growth in the Indian prawn *penaeus indicus*, and possibility of its culture in the godavary estuarine system. Seafood export J 4(11); 1972; 9
- F8,3Zt1-0(a2;6-47) Prawn, Dressed, Cooked
- 253 GOVINDAN (TK) and PERIGREEN (PA): Dressed and cooked yields of prawns in relation to duration of holding in ice. Ind Fd Pac 26(5); 1972; 36
- F8,3Zt1-0(a7;Z1);eE2 Prawn, Canned, Colour
- 254 MATHEN (C): A method for prevention of blackening and improvement of colour in canned prawns. Seafood Export J 4(11); 1972; 7
- F8,3Zt8;fZ;a86 Shrimp, Biochemical Variation
- 255 FLICK (GJ) and LOVELL (RT): Post-mortem biochemical changes in the muscle of Gulf shrimp, *penaeus aztecus*. J Fd Sci 37(4); 1972; 609
- F8,3Zt8;g7 Shrimp, Shelf life
- 256 VYNCKE (W) and DECLERCK (D): Extending the shelf life of brown shrimps (*Crangon vulgaris* Fabr.) by Gamma irradiation. Fd Sc + Tech 5(5); 1972; 15
- F8,3Zz1;a06 Egg, Quality
- 257 KNIGHT (DW), et al: Preservation of internal egg quality using silicone fluids. Brit Poult Sci 13(6); 1972; 587
- 258 PANDA (PC): Maintenance of quality of shell eggs Indian Fd Pac 26(5); 1972; 28
- F8,3Zz1;F2;b12 Egg, Microbiological, Quality
- 259 SEVIOUR (EM), et al: Microbiological survey of the incubated eggs of chickens and water-fowl. Brit Poult Sc 13(5); 1972; 549
- F8,3Zz1=85;e354 Egg white, Coagulation
- 260 SINDER (DW) and COTTERILL (OJ): Hydrogen peroxide oxidation and coagulation of egg white. J Fd Sci 37(4); 1972; 558

DLFT 8(2), Feb. 1973

F8,3Zz9x-O(a2;47)-O(a6;4);a06 Sausages,
Cooked, Dried, Quality

- 261 N72 DEL BONO (G) and RINDI (S): Quality of some
fresh, dried and cooked sausages. Indus
Aliment 11(9)(87); 1972; 143

F8,3zZ9F;eF31;a86&gF8,0CB1 Frank Furters,
Flavour, variation influenced by Sodium
Nitrite

- 262 WASSERMAN (AE) and TALLEY (F): The effect of
sodium nitrite on the flavor of frank furters.
J Fd Sci 37(4); 1972; 536

F8,3Z2 Soft Drink

- 263 BAMBHA (PP), et al: "Whevit - A nourishing soft
drink. Ind Dairyman 24(7); 1972; 153

F8,3Z481;F4e;b12 Coffee, Caffeine, content

- 264 SYLVAIN (PG): Problem of caffeine content in
coffee. Ind Coffee 36(11&12); 1972; 393

F8,3Z9b1;ZB;b12:FD Wine, Anthocyanin,
Quantity, Analysis

- 265 HRAZDINA (G): Quantitative analysis of the antho-
cyanin content in grape juices and wines. Fd
Sc + Tech 5(5); 1972; 163

F8,3Z9b2 Beer

- 266 SCHERRER (A): Acetoin and 2, 3-Butanediol in
wort and beer. Wallenstein Lab Comms
35(116); 1972; 5

F8,3Z9e Gin

- 267 CLUTTON (DW): History of gin. Flavour Indus
3(9); 1972; 454.

-: end :-

I N D E X

Acceptability, Minced, Fish 246
Additives, Food 120
Alfalfa 220
Amino acid, Potato waste 157
Anthocyannins, Food 134
Anthocyanin, Wine 265
Apple 181-183
Apricot 176
Avocado 180

Bacterial contamination, Milk 198
----- soft rot, Ripe, Tomato 163
----- test, Cow's milk 214
Bacteriophage, Milk 200
Bakery products 190, 191
Banana 170, 171
Beef 235
Beer 266
Biochemical property, Food 126
----- studies, Ripening, Guava 186
----- variation, shrimp 255
Biscuit 193
Bovine muscle 236
Bread dough 192
Buffalo milk 215, 216
Butter 222

Caffeine content, coffee 264
Cake 189
Calcium, skimmed, Milk 209
Canned, Apricot 176
-----, Food 137
-----, Frozen, Greens 159
-----, Prawn 254
Carotenoid, Avocado 180
Carrageenan, Food 122
Casein, Skimmed, Milk 211, 212
Celery 160
Cereal 138, 139
Cheese 226-231
Chemical factors, Milk 199
----- composition (in relation to)
 Maturation, Pear 184
Cherry 177
Chip, potato 156
Cholesterol content, Food 132
Clostridium botulinum infection, Semi-
 preserved, Meat 234
Clostridium, Minced, Meat 233
Coagulation, Egg white 260

Contd. 'C

Contd. 'C

Coagualition, Egg white 260
Coating, Citrus 172
Cod fillet 249
Coffee 264
Cold storage (during), variation, Grape 169
Colour, Canned, Prawn 254
——, Processed, Peaches 178
Condensed, Cream 218
Confectionnary 188
Cooked, Dressed, Prawn 253
——, Sausages 261
Cooking, Beef 235
Copper content, Vegetable 153
Cow's milk 214
Cream 218
Curing, Fish 242

Dahi 221
Degradation, Anthocyannins, Food 134
Degradation, Starch, cereal 138
Dehydrated, celery 160
——, Flake, sweet Potato 158
——, Food 136
Dehydration, Pea 148
Dichloruos, Wheat 145
Disorder, Stored, Apple 183
Dressed, Prawn 253
Dried, Cooked, Sausages 261
Dry powder, Milk 208
Drying, Rice 141

Egg. 257-259
—— white 260
Emulsions, Food 121
Enterobacteriaceae, Processed, Food 135
Ethylenethiourea residues, Apple 181
Extractability, Protein, Afalfe 220
——, Protein, Hake muscle
Extraction, Oil, Soybean 149

Fat content, Milk 204
——, Dahi 221
—— (influenced by), Variation, Quality,
Cooking, Beef 235
Fatty acid, Buffalo milk 216
——, Food 131
Fenitrothion residues, Fruit 167
Feromagnetic particles, Food 128
Filberts 151
Firmness, Ripening, Peach 179
Fish 240-246
—— carcass waste 247

Contd. 'F

Contd. 'F

Fish fillet 248
Flake, sweet potato 158
Flavour, Baked products 191
———, Confectionary 188
———, Food 124
———, Frankfurter 262
———, Fruit 166
———, Lemon 173
———, Meat 232
———, Wheat 147
Food 118 - 137
Frankfurter 262
Freeze-dried, skimmed, Milk 213
Freezing, Bakery products 190
———, Fish 241
Fresh, Fish fillet 248
Frozen, Greens 159
Fruit 165-167

Gamma irradiation, Tuna 251
Gin 267
Glutein, Cereal 139
Grape 168, 169
Greens 159
Guava 186

Hake muscle 250
Heating, Food 119
———, Tomato 161
Herbicide residues, Milk 202

India, Prawn 252
Indian, Fish 240
Irradiated, Tomato 164
Isozyme, Peroxidase, Radish 154

Lead, Vegetable 152
Lemon 173
Lipid, Flour, Wheat 147
———, Milk 207
Lipoxygenase, Quality, Wheat 146

Mango 174, 175
Manufacture, Biscuit 193
Maturation, Pear 184
Meat 234
Mechanical property, Bovine, muscle 236
Methyl-prednisolone residues, Milk 203
Microbial spoilage, Canned, Food 137
Microbiological quality, Egg 259
Microstructure, Bread dough 192

Contd. 'M

Contd. 'M

Milk 194-213

Minced, Fish 246

———, Meat 233

Nitrogen, Buffalo milk 215

Nutritive value, Canned, Frozen, Greens 159

———, Fish Carcass waste 247

Oil, Soybean 149

Organoleptic evaluation, Food 125, 127

Oxidation, Chip, Potato 156

Passion fruit 185

Pea 148

Peaches 178, 179

Peanut (made of), Butter 222

Pear 184

Peroxidase, Isozyme 154

Pesticide, Wheat 144

Potato 156, 157

Poultry 238, 239

Prawn 252-254

Prepacked, Cod fillet 249

Preservation, Fruit 165

Processed, Food 135

———, Peaches 178

Processing, Food 118

———, Rice 140

———, (for), Suitability, Mango 175

Production, cheese 229

———, Chhana 217

Protein Alfalfa 220

———, Fish 243-245

———, Food 130

———, Hake muscle 250

———, Milk 206

———, Skimmed, Milk 210

———, Whey 225, 230

Proteose-peptone variation, Ripening, Cheese 231

Pseudomonas bacteria, Milk 201

Quality analysis, Flavour, Lemon 173

———, Canned, Apricot 176

———, Cooking, Beef 235

———, Dried, Cooked, Sausage 261

———, Egg 257, 258

———, Food 123

———, Poultry 238

———, Protein, Food 130

———, Stored, Radish 155

———, Tomato fruit 162

———, Wheat 146

Contd. 'Q

Contd. 'Q

Quick cooking quality, Rice 142

Radish 154, 155

Rancidity, Fresh, Fish fillet 248

Rheology, Glutein, Cereal 139

Riboflavin, Whey 224

Rice 140-142

Ripe, Tomato 163

Ripening, Cheese 231

————, Guava 186

————, Peach 179

Roasted, Filberts 151

Salt (by), curing, Fish 242

Sausages 261

Semi-preserved, Meat 234

Shelf-life, Milk 197

————, Shrimp 256

Shrimp 255, 256

Skimmed, Milk 209-213

Sodium nitrite, (influenced by) Variation,

Flavour, Frankfurter 262

Soft drink 263

Soybean 149

Stability, Emulsions, Food 121

Staphylococci, Food 129

Starch, Cereal 138

Storage, Milk 196

———— (during), variation, Lipid, Flour,
Wheat 147

———— (————), Variation, Viscosity, Sweetened,
Condensed, Cream 218

Stored, Apple 183

————, Radish 155

Succinic acid (influenced by) Variation, Colour

Processed, Peaches 178

———— level, Apple 182

Sugar 187

Sunflower 150

Sweet potato 158

Sweetened, Condensed, Cream 218

Taste, Sugar 187

Tenderness, Poultry meat 238

Texture, Dehydrated, Celery 160

Tomato 161-164

Tuna 251

Unsaturated fatty acid, Milk 205

Vegetable 152-153

Contd. 'V

Contd. 'V

Viscosity, Sweetened, Condensed, Cream 218

Vitamin, Food 133

Volatile component, Roasted, Filberts 151

Volatile constituents, Passion fruit 185

Wheat 143-147


Whey 223-225, 230

Wine 265

-000-

sr/14iii

FOOD TECHNOLOGY DOCUMENTATION LIST



MARCH 1973.

No. 3.

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-2A, INDIA

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, MARCH 1973

Volume: 8, Number: 3

C O N T E N T S

+ + + + + + + +

	<u>Page</u>
Food (General)	1 - 2
Cereal	2 - 3
Millet	4
Pulse	4 - 6
Nut	6
Vegetable	6 - 7
Fruit	7
Sugar, Sugar confectionery, Starch	8
Milk and Milk products	8 -11
Meat and Meat products	11 -13
Sea food and fresh water food	13 -14
Egg	14
Beverages	15 -16
Alcoholic beverages	16
Spices, Condiments, Flavours	16

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, MARCH 1973

Volume: 8, Number: 3

-X-

F8,3 Food Science

- 268 N72 BUCHANAN (BF): Mission of food science programs: an industry view. Food Tech 26(10);1972;76

F8,3;a06 Food, Quality

- 269 GOLDBLITH (SA): Quality guarantees - a historical note. Food Tech 26(10); 1972; 40

F8,3;a06;k5 Food, Quality, Control

- 270 RICHARDS (E): Quality control of food products J Soc Dairy Tech 25(4); 1972; 195

F8,3;cF Food, Texture

- 271 ELLIOTT (JH) and GREEN (CE): Modification of food characteristics with cellulose hydrocolloids. II. The modified bingham body - a useful rheological model. J Texture Studies 3(2); 1972; 194
- 272 SZCZESNIAK (AS): Consumer awareness of an attitudes to food texture. II. Children and teenagers. J Texture Studies 3(2); 1972; 206.

F8,3;z1Fe;b12 Food, Iron, Quality

- 273 FRITZ (JC) and PLA (GW): Application of the animal hemoglobin repletion test to measurement of iron availability in foods. JAOAC 55(5); 1972; 1128

F8,3;(9Zg3);b12:fD Food, Nitrosamine, Quantity, Analysis

- 274 ESSIGMANN (JM) and ISSENBERG (P): Gas chromatographic determination of volatile nitrosamines in foods. J Food Sci 37(5); 1972; 684

F8,3;(Za);b12 Food, Meat, Quantity

- 275 N72 HIBBERT (I) and LAWRIE (RA): Identification of meat in food products. J Food Tech 7(3); 1972; 333

F8,3;4;g7 Food, (under going) Spoilage, Storage life

- 276 QUAIST (DG) and KAREL (M): Computer simulation of storage life of foods undergoing spoilage by two interacting mechanisms. J Food Sci 37(5); 1972; 679

F8,3;F2SAL;b12:fD Food, Salmonellae, Quantity, Analysis

- 277 INSALATA (NF), et al: Rapid, direct fluorescent-antibody method for the detection of salmonellae in food and feeds. Appl Microbiol 24(4); 1972; 645

F8,3;T;a24:2 Food, Protein, Damage, (during) Processing

- 278 BENDER (AE): Processing damage to protein food A review. J Food Tech 7(3); 1972; 239

F8,3-72 Food, Supplementary, Protein value

- 279 PARPIA (HAB), et al: Protein value cost index (PVCII) for rating the protein value of processed supplementary foods. Nutr Rep Intern 5(3); 1972; 233

F8,3x Cereal, Uric Acid, Quality, Determination

- 280 LAESSIG (RH), et al: Routine and low-level determination of uric acid in dry milk, flours, and cereal grains. Cereal Sci Today 17(10); 1972; 328

F8,3x;z1Hg;b12:fD Cereal, Mercury residues Quantity, Analysis

- 281 MALAIYANDI (M) and BARRETTE (JP): Wet oxidation method for the determination of submicrogram quantities of mercury in cereal grains. JAOAC 55(5); 1972; 951

F8,3x;R1J;b12:b1 Cereal, Tryptophan,
Quantity Determination

- 282 N72 HOWE (JM), et al: Determination of tryptophan
in cereals. Cereal Chem 49(5); 1972; 566

F8,31;a06 Rice, Quality

- 283 BHATTACHARYA (KR) and SOWBHAGYA (CM): Improved
alkali reaction test for rice quality. J
Food Tech 7(3); 1972; 323

F8,31;ce Rice, Physico chemical property

- 284 BHATTACHARYA (KR), et al: Interrelationship
between certain physicochemical properties
of rice. J Food Sci 37(5); 1972; 733

F8,31;ec Rice, Physio chemical property

- 285 PALMIANO (EP) and JULIANO (BO): Physicochemical
properties of Niigata waxy rices. Agri biol
Chem 36(1); 1972; 157

F8,32 Wheat, Bread making, Quality

- 286 JOHNSON (JA), et al: Wheat cultivars, environ-
ment and bread baking quality. Cereal Sci
Today 17(10); 1972; 323

F8,32;Fd2 Wheat, amylases

- 287 NIKU-PAAVOLA (ML), et al: Isoelectric focusing
electrophoresis of wheat beta-amylases.
Cereal Chem 49(5); 1972; 580

F8,32;P768 Wheat, Starch granules

- 288 BATHGATE (GN) and PALMER (GH): Nutfield, surrey
(England): A reassessment of the chemical
structure of barley and wheat starch granules.
Die Starke 24(10); 1972; 336

F8,32;T Wheat, Protein, (effect of) Gamma
Radiation

- 289 SPRINIVAS (H), et al: Effect of gamma radiation
on wheat proteins. J Fd Sci 37(5); 1972; 715

F8,32-O(a2;3L);P768 Wheat, Flour, Starch,
Damaged

- 290 N72 TARA (KA), et al: Damaged starch and protein contents in relation to water absorption of flours of Indian wheats. Die Starke 24(10); 1972; 342

F8,32-O(a2;42);R73;b12:b1 Wheat, Fortified,
Lysine

- 291 FINLEY (JW), et al: Determination of added lysine in fortified wheat and bulgur. Cereal Chem 49(5); 1972; 514

F8,32-G7-O(a2;3L);ac Wheat Germ, Flours,
Composition

- 292 GARCIA (WJ), et al: Composition of air-classified defatted corn and wheat germ flours. Cereal Chem 49(5); 1972; 499

F8,36;R;ac Barley, Amino Acid, Composition

- 293 POMERANZ (Y) and ROBBINS (GS): Amino acid composition of maturing barley. Cereal Chem 49(5); 1972; 560

F8,37M;R73;b12 Maize, Lysine, Quantity

- 294 TSAI (CY), et al: Colorimetric method of screening maize seeds for lysine content. Cereal Chem 49(5); 1972; 572

F8,37M-O(a2;3L) Corn, Meal, Cooked, Fortified
(with) Legume, Flours, Palatability

- 295 GUADAGNI (DG) and VENSTROM (D): Palatability of pancakes and cooked corn meal fortified with legume flours. J Food Sci 37(5); 1972; 774

F8,39f-O(a6;4)-O(a2;47);cF Bean, Dried,
Cooked, Texture

- 296 BOURNE (MC): Texture measurement of individual cooked dry beans by the puncture test. J Food Sci 37(5); 1972; 751

F8,39h;eH71P Soyabean, Peroxidase Activity

- 297 N72 RACKIS (JJ), et al: Lipoxygenase and peroxidase activities of soybeans as related to the flavor profile during maturation. Cereal Chem 49(5); 1972; 586

F8,39h(OV5) Soyabean, Ribonucleic acid

- 298 YOKOYAMA (Z), et al: Characterization of ribonucleic acids in the protein bodies from soybean seeds. Agri Biol Chem 36(1); 1972; 33

F9,39h;F4A Soyabean, Aflatoxin

- 299 BEAN (GA), et al: Occurrence of aflatoxins and aflatoxin producing strains of Aspergillus spp. in soybeans. Appl Microbiol 24(3); 1972; 437

F8,39h;T Soybean, Protein

- 300 KOSHIYAMA (I): Comparison of soybean globulins and the protein bodies in the protein composition. Agri Biol Chem 36(1); 1972; 62
- 301 NAKADAI (T), et al: Action of peptidases from Aspergillus oryzae in digestion of soybean proteins. Agri Biol Chem 36(2); 1972; 261.

F8,39k;F4A;b12:fD Cotton seed products, Aflatoxin, Quantity, Analysis

- 302 CUCULLU (AF), et al: Fast screening method for detection of aflatoxin contamination in cottonseed products. JAOAC 55(5); 1972; 1114

F8,39k-O(a2;3L) Cottonseed, Flour, Protein concentrate, Evaluation

- 303 LAWHON (JT), et al: Evaluation of a protein concentrate produced from glandless cottonseed flour by a wet-extraction process. J Food Sci 37(5); 1972; 778

F8,39m;z15;b12 Sunflower seed, Products Moisture, Quantity

- 304 KILARA (A), et al: Nitrogen extractability and moisture adsorption characteristics of sunflower seed products. J Food Sci 37(5); 1972; 771

F8,39m;T;eE2 Sunflower Seed, Protein, Colour

- 305 N72 CATER (CM), et al: Effect of chlorogenic, quinic, and Caffeic acids on the solubility and color of protein isolates, especially from sunflower seed. Cereal Chem 49(5); 1972; 508

F8,39On;RA;b12 Peanut, Arginine, Quality

- 306 YOUNG (CT) and MASON (ME): Free arginine content of peanuts (*Arachis hypogaea* L.) as a measure of seed maturity. J Food Sci 37(5); 1972; 722

F8,39D3;cF Carrot, Texture

- 307 SCHUTZ (HG), et al: Predicting hedonic ratings of raw carrot texture by sensory analysis. J Texture Studies 3(2); 1972; 227

F8,39E1:2;53 Potato peeling

- 308 McFARLAND (DM) and THOMSON (WJ): Rate limiting mechanisms in caustic potato peeling. J Food Sci 37(5); 1972; 754

F8,39E1-O(a2;3C)-O(a2;92) Potato, Chip, Oxidation

- 309 QUAST (DG), et al: Development of a mathematical model for oxidation of potato chips as a function of oxygen pressure, extent of oxidation and equilibrium relative humidity. J Food Sci 37(5); 1972; 673

F8,39E2-O(a6;G) Sweet Potato, Chilled, Biochemical mechanism

- 310 YAMAKI (S) and URITANI (I): Mechanism of chilling injury in sweet potatoes. Part V. Biochemical mechanism of chilling injury with special reference to mitochondrial lipid components. Agri Biol Chem 36(1); 1972; 47

F8,39F12;(OC8) Spinach, Nitrate, Quality Analysis

- 311 N72 HAWAT (H) and ACHTZEHN (MK): Photometric nitrate determination in spinach and spinach products by means of rhenium and alpha-furyldioxime. Die Nahrung 16(4); 1972; 359

F8,39H1;eH71P Tomato, Pectinesterase

- 312 PRESSEY (R) and ADVANTS (JK): Multiple forms of pectinesterase in tomatoes. Phytochem 11(11); 1972; 3139

F8,39K23;eF31 Muskmelon, Flavour

- 313 KEMP (TR), et al: cis-6-Nonenal: a flavour component of muskmelon fruit. Phytochem 11(11); 1972; 3321

F8,39P14;cF Strawberry, Texture

- 314 AHMED (EM) and FLUCK (RC): Puncture testing of Toga strawberries. J Texture Studies 3(2); 1972; 165

F8,39R1;g7 Mango, Shelf life

- 315 DEOL (IS) and BHULLAR (SS): Effect of wrappers and growth regulators on the storage life of mango fruit. Punjab Hortic J 12(2 & 3); 1972; 114

F8,39R6-ZT;fZ Peach, Ripening, Biochemical, Variation

- 316 GANGWAR (BM) and TRIPATHI (RS): Study on biochemical changes during ripening and storage of peach. Punjab Hortic J 12(2&3); 1972; 89

F8,39S7-O(r) Papaya puree

- 317 BREKKE (JE) and CHAN (HT): Papaya puree: a tropical flavor ingredient. Food Prod Develop 6(6); 1972; 36

F8,39ZC;(OC5);b12:fD Bread, Sorbic Acid,
Quality, Analysis

- 318 N72 GRAVELAND (A): Gas chromatographic determination of propionic, sorbic and benzoic acids in rye bread and margarine. JAOAC 55(5); 1972; 1024

F8,39ZC;T;b12 Bread, Protein, Quantity

- 319 SMAK (C): New approach to determine the brownness of bread crust. Correlation between crust color and protein content. Cereal Chem 49(5); 1972; 554

F8,39ZC-OT:2 Bread, Protein, Production

- 320 LORENZ (K) and MAGA (J): Production of high-protein breads under reduced atmospheric pressures. Cereal Chem 49(5); 1972; 522

F8,39ZG:2 Crackers, Production

- 321 WADE (P): Technology of biscuit manufacture: investigation of the process for making cream crackers. J Sci Fd Agri 23(10); 1972; 1213

F8,39ZG-O(a2;3L);a01 Crackers, Flours,
Property

- 322 WADE (P): Flour properties and the manufacture of cream crackers. J Sci Fd Agri 23(10); 1972; 1221

F8,39ZS;(5) Noodles (made of)Triticale

- 323 LORENZ (K), et al: Evaluation of triticale for the manufacture of noodles. J Food Sci 37(5); 1972; 764

F8,3B Dairy Products

- 324 FRANCIS (FJ) and CLYDESDALE (FM): Miscellaneous: Part VI. Dairy products, cocoa, chocolate, peanut butter. Food Prod Develop 6(6); 1972; 78

F8,3B;E1CH;b12:fD Dairy Products,
Cholestrol, Quantity Analysis

- 325 LaCROIX (DE), et al: Comparison of two extrac-
tion procedures for the determination of cho-
lesterol in dary products. JAOAC 55(5);
1972; 972

F8,3C Milk, Marketing

- 326 BROCHWICZ-LEWINSKI (AK): Marketing of milk
products. J Soc Dairy Tech 25(4); 1972;190

F8,3C:6;4 Milk, Continuous Vacuum, Foam
Drying

- 327 ACETO (NC), et al: Continuous vacuum foam drying
of whole milk under simulated commercial scale
conditions. J Dairy Sci 55(6); 1972; 875

F8,3C:7;M Milk, Packaging

- 328 ASHTON (TR) and HALL (HS): International dairy
federation seminar on the packaging of milk
and milk products. Milk Industry 71(4);
1972; 38

F8,3C;eF31 Milk, Flavour

- 329 KELLER (WJ), Jr. and KLEYN (DH): Headspace gas
chromatography for objectively determining
intensity of haylage flavor in raw milk.
J Dairy Sci 55(5); 1972; 574

F8,3C;eF31;a86 Milk, Flavour, Variation

- 330 MCGILLIARD (ML) and FREEMAN (AE): Variation of
milk flavor. J Dairy Sci 55(4); 1972; 419

F8,3C;F38C;b12:fD Milk, Chlorobutanol
residues, Quantity, Analysis

- 331 WISKERCHEN (JE) and WEISHAAR (J): Quantitative
determination of chlorobutanol in milk by
gas-liquid chromatography. JAOAC 55(5);
1972; 948

DLFT 8(3), March 1973

F8,3C;T Milk, Protease, Decomposition

- 332 N72 KAMINOGAWA (S) and YAMAUCHI (K): Decomposition of beta-casein by milk protease similarity of the decomposed products to temperature-sensitive and R-caseins. Agri Biol Chem 36(2); 1972; 255

- 333 YAMAUCHI (K) and KAMINOGAWA (S): Decomposition of milk proteins by milk protease. Agri Biol Chem 36(2); 1972; 249

F8,3C;TC Milk, Trypsin

- 334 DIANA LIM and SHIPE (WF): Proposed mechanism for the antioxygenic action of trypsin milk. J Dairy Sci 55(6); 1972; 753

F8,3C;TC;C11;a86:8;A Milk, Casein, Weight, Variation (during) Storage

- 335 ANDREWS (AT) and CHEESEMAN (GC): Properties of aseptically packed ultra-high temperature milk. II. Molecular weight changes of the casein components during storage. J Dairy Res 39(3); 1972; 395

F8,3C;Va;b12:b1 Milk, Fat, Quantity, Determination

- 336 STOOKEY (L), et al: Automated determination of milk fat in milk. J Dairy Sci 55(4); 1972; 403

F8,3C-O(a6;44) Milk, Heated

- 337 WILSON (GA) and WHEELOCK (JV): Factors affecting the action of rennin in heated milk. J Dairy Res 39(3); 1972; 413

F8,3C-O(a6;G) Milk, Chilled

- 338 SABARWAL (PK) and GANGULI (NC): Status of casein micelles in chilled milk from the buffalo and the cow. J Dairy Res 39(3); 1972; 345

F8,3J:2 Butter, Production

- 339 MCCARTNEY (AS): Continuous buttermaking. J Soc Dairy Tech 25(4); 1972; 205

DLFT 8(3); Mar. 1973

F8,3J4;BICU;b12:fD Butteroil, Copper,
Quantity, Analysis

- 340 N72 ROSCHNIK (RK): Determination of copper in butter-oil by atomic absorption spectroscopy. J Dairy Sci 55(6); 1972; 750

F8,3K;T Whey, Protein

- 341 COONEY (CM) and MORR (CV): Hydrogen peroxide alteration of whey proteins in whey and concentrated whey systems. J Dairy Sci 55(5); 1972; 567

- 342 DEMOTT (BJ): Nutritional value of casein and whey protein. Food Prod Develop 6(6); 1972; 86

F8,3M:2 Cheese, Production

- 343 SCOTT (R): Cheesemaking-Enzymology or bacteriology ? Process Biochem 7(11); 1972; 33

F8,3M;eF31 Cheese, Flavour

- 344 HARWALKER (VR): Characterization of an astringent flavor fraction from cheddar cheese. J Dairy Sci 55(6); 1972; 735

- 345 HARWALKAR (VR): Influence of hydrogen ion concentration on extractability and flavor of bitter and astringent flavor components from cheddar cheese and cultured milk. J Dairy Sci 55(6); 1972; 742

- 346 SINGH (S) and KRISTOFFERSEN (T): Cheese flavor development using direct acidified curd. J Dairy Sci 55(6); 1972; 744

F8,3Zb-OT;eF31 Animal, Protein Food, Flavour
Sensibility, (to) Gamma Radiation

- 347 SUDARMADJI (S) and URBAIN (WM): Flavor sensitivity of selected animal protein foods to gamma radiation. J Food Sci 37(5); 1972; 671

F8,3Zb1:6;J Beef, Ageing

- 348 MINKS (D) and STRINGER (WC): Influence of aging beef in vacuum. J Food Sci 37(5); 1972; 736

F8,3Zb1:8;M Beef, Packaging (for) Transport

- 349 N72 REA (RH), et al: Protective packaging materials for fresh beef shipments. J Food Sci 37(5); 1972; 739

F8,3Zb1-0(a2;47) Beef, Cooked

- 350 BROWN (DF) and TWEDT (RM): Assessment of the sanitary effectiveness of holding temperatures on beef cooked at low temperature. Appl Microbiology 24(4); 1972; 599

F8,3Zb1-0(a6;E6);eF Beef, Freeze-Dried, Texture

- 351 REIDY (GA) and HELDMAN (DR): Measurement of texture parameters of freeze-dried beef. J Texture Studies 3(2); 1972; 218

F8,3Zb1=B;CF;g Beef Carcass, Tenderness, Evaluation (by) Armour Tenderometer

- 352 HANSEN (LJ): Development of the armour tenderometer for tenderness evaluation of beef carcasses. J Texture Studies 3(2); 1972; 146

F8,3Zb31;eF4:6;G Lamb, Toughness, (during) Chilling

- 353 TAYLOR (AA), et al: Toughness in lamb induced by rapid chilling. J Food Tech 7(3); 1972; 251

F8,3Zb31-0(a6;C) Lamb, Frozen

- 354 VANICHSENI (S), et al: Water- and air-thawing of frozen lamb shoulders. J Food Tech 7(3); 1972; 259

F8,3Zb4-0(a2;47) Pork, Cooked, Binding, Malonaldehyde, (during) Storage

- 355 BIDLACK (WR), et al: Production and binding of malonaldehyde during storage of cooked pork. J Food Sci 37(5); 1972; 664

F8,3Zb4-O(a8;A);g7 Bacon, Stored, Shelf life

- 356 N72 DEMPSTER (JF): Vacuum packaged bacon; the effects of processing and storage temperature on shelf life. J Food Tech 7(3); 1972; 271

F8,3Zd1;a06 Chicken, Quality, (Influenced by) Cooking rate

- 357 BAKER (RC), et al: Effect of rate of cooking on the quality of barbecued chicken. Poultry Sci 51(5); 1972; 1656

F8,3Zd1;e38 Poultry meat, Emulsifying Property

- 358 CUNNINGHAM (FE) and FRONING (GW): Review of factors affecting emulsifying characteristics of poultry meat. Poultry Sci 51(5); 1972; 1714

F8,3Zd17=3 Turkey muscle, Rigor stretched

- 359 HEGARTY (PVJ) and ALLEN (CE): Rigor stretched turkey muscles: Effect of heat on fiber dimensions and shear values. J Food Sc 37(5); 1972; 652

F8,3Zn;z1Hg;b12:FD Fish, Mercury, Quantity, Analysis

- 360 HEITZMAN (MW) and SIMPSON (RE): Neutron activation analysis of mercury in fish, flour, and standard reference orchard leaves by electrodeposition radiochemistry. JAOAC 55(5); 1972; 960

F8,3Zn;T Fish, Protein concentrate

- 361 COBB (PF) and HYDER (K): Development of a process for preparing a fish protein concentrate with rehydration and emulsifying capacities. J Food Sci 37(5); 1972; 743

F8,3Zn-O(a2;47) Fish, Cooked, Cold, Storage Property

- 362 TATTERSON (I) and WINDSOR (ML): Cold storage properties of cooked fish (cod). J Sci Food Agri 23(10); 1972; 1253

F8,3Zn-O(a6;c);4 Fish, Frozen, Deterioration

- 363 N72 DANOPOULOS (AA) and NINNI (VL): Detection of frozen fish deterioration by an ultraviolet spectrophotometric method. J Food Sci 37(5); 1972; 649

F8,3Zn-O(a6;c);T Fish, Frozen, Protein, Denaturation

- 364 LOVE (RM) and MUSLEMUDDIN (M): Protein denaturation in frozen fish. XIII. A modified cell fragility method insensitive to the pH of the fish. J Sci Food Agri 23(10); 1972; 1239

- 365 LOVE (RM) and MUSLEMUDDIN (M): Protein denaturation in frozen fish. XII. The pH effect and cell fragility determinations. J Sc Food Agri 23(10); 1972; 1229

F8,3Zn=3 Fish muscle, Catheptic activity

- 366 REDDI (PK), et al: Catheptic activity of fish muscle. J Food Sci 37(5); 1972; 643

F8,3Zr9E:6 Hake, Preservation

- 367 WESSELS (JPH), et al: Preservation of hake in treated ice. J Food Tech 7(3); 1972; 303

F8,3Zr9E-O(a6;c) Hake, Frozen, Shelf life, stability

- 368 CRAWFORD (DL), et al: Shelf life stability and acceptance of frozen pacific hake (merluccius productus) fillet portions. J Food Sci 37(5); 1972; 801

F8,3Zt8;cF Shrimp, Texture

- 369 AHMED (EM), et al: Factors affecting texture of cocktail shrimp. J Tex Studies 3(2); 1972; 186

F8,3Zz1=86;T:a5 Egg Yolk, Protein, Extraction

- 370 NAVARRO (JG), et al: Extraction of lipid-protein complexes from egg yolk. JAOAC 55(5); 1972; 975

- F8,3Zz9x-0(a2;1) Sausage, Fermented, Nitrite burn
- 371 N72 RACUS (JN) and DEIBEL (RH): Nitrite burn in fermented sausage. Appl Microbiol 24(3);1972;405
- F8,3Zz9F;(Zd1) Frankfurters, (made from) Chicken, Quality (influenced by) Storage
- 372 BAKER (RC), et al: Effect of storage on the quality of chicken frankfurters. Brit Poultry Sci 51(5); 1972; 1620
- F8,3Zz9F;(Zd1) Frankfurters (made from) Chicken, Acceptability
- 373 BAKER (RC), et al: Effect of selective additives on the acceptability of chicken frankfurters. Poultry Sci 51(5); 1972; 1616
- F8,3Z2 Soft Drink, Vegetable Oil Concentration
- 374 TURNER (DL): Determination of brominated vegetable oil concentrations in soft drinks using a specific ion electrode. J Fd Sc 37(5);1972;791
- F8,3Z451:2;1 Tea, Fermentation
- 375 GONZALEZ (JG), et al: Biochemistry of tea fermentation: Formation of t-2 hexenal from linolenic acid. J Food Sci 37(5); 1972; 797
- F8,3Z481:7;M Coffee, Flexible Packaging
- 376 Flexible packaging system allows coffee to breathe Packaging 43(511); 1972; 33
- F8,3Z481-k:2;7 Coffee, Green, Grading
- 377 CLARKE (RJ): Grading green coffee. Process Biochem 7(10); 1972; 18
- F8,3Z482;B2;b12:fD Cocoa Products, Ash, Quantity Analysis
- 378 IVERSON (JL): Collaborative study of a joint AOAC-OICC method for the determination of ash in cacao products. JAOAC 55(5); 1972; 1027

- F8,3Z7;(9S1);ac Fruit Juice,(made of) Apple,
Chemical composition
- 379 N72 RYAN (JJ): Chemical composition of Canadian apple
juice. JAOAC 55(5); 1972; 1104
- F8,3Z7;(9Q)-O(a8;A);4 Fruit Juices (made of)
Citrus, Stored, Deterioration
- 380 DINSMORE (HL) and NAGY (S): Colorimetric furfural
measurement as an index of deterioration in sto
red, citrus juices. J Food Sc 37(5);1972;768
- F8,3Z9b1 Wine, Volatile, Component
- 381 KEPNER (RE), et al: Identification of 4-hydroxy-
3-methyloctanoic acid gamma-lactone (5-butyl-
4-methyl-dihydro-2-(3H)-furanone) as a volatile
component of oak-wood-aged wines of vitis vini-
fera var. 'Cabernet Sauvignon'. Amer J Enol
Vitic 23(3); 1972; 103
- F8,3Z9b1 Wine
- 382 GUYMON (JF) and OUGH (CS): Refermentation of high
alcohol high-sugar blending wine into distill-
ing material for beverage brandy. Amer J Enol
Vitic 23(3); 1972; 124
- F8,3Z9b1;a06 Wine, Quality
- 383 SINGLETON (VL): Effects on red wine quality of
removing juice before fermentation to simulate
variation in berry size. Amer J Enol Vitic
23(3); 1972; 106
- F8,3Z9 Brandy
- 384 GUYMON (JF) and CROWELL (EA): GC-Separated brandy
components derived from French and American
oaks. Amer J Enol Vitic 23(3); 1972; 114
- F8,3ZA;F2;b12 Spices, Microbial, Content
- 385 TJABERG (TB), et al: Effect of ionizing radiation
on the microbiological content and volatile
constituents of spices. J Appl Bac 35(3);1972;
473
- F8,3ZG1:8;A Ginger, Storage
- 386 BROWN (BI) and LLOYD (AC): Investigation of
ginger storage in salt brine. J Food Tech
7(3); 1972; 309

I N D E X

=====

Acceptability, Chicken (made from), Frankfurters
 Aflatoxin, Cotton Seed Products 302 373
 -----, Soyabean 299
 Ageing, Beef 348
 Amino acid, Barley 293
 Amylases, Wheat 287
 Animal meat 347
 Apple (made of), Fruit juice 379
 Arginine, Peanut 306
 Armour tenderometer, Evaluation by, Tenderness,
 Beef Carcass 352
 Ash, Cacao products 378

 Bacon 356
 Barley 293
 Bean 296
 Beef 348-351
 ----- carcass 352
 Biochemical mechanism, Chilled, Sweet potato 310
 ----- variation, Ripening, Peach 316
 Binding, Cooked, Pork 355
 Brandy 384
 Bread 318-320
 Bread making, Wheat 286
 Butter 339-340
 ----- oil 340

 Cacao products 378
 Carrot 307
 Casein, Milk 335
 Catheptic activity, Fish muscle 366
 Cereal 280-282
 Cheese 343-346
 Chemical Composition, Apple (made of), Fruit
 juice 379
 Chicken (made of), Frankfurters 373
 Chilled, Milk 338
 -----, Sweet Potato 310
 Chilling (during), Toughness, Lamb 353
 Chip, Potato 309
 Chlorobutanol residues, Milk 331
 Cholesterol, Dairy, Products, 325
 Citrus (made of), Fruit juices 380
 Coffee 376-377
 Cold, Cooked, Fish 362
 Colour, Protein, Sunflower seed 305
 Cooked, Beef 350
 -----, Dried, Bean 296
 -----, Fish 362
 -----, Meal, Corn 295
 -----, Pork 355
 Cooking rate (influenced by), Quality, Chicken
 357

Contd. 'C

Contd. 'C

Copper, Butter Oil 340
Cottonseed 303
———— products 302
Crackers 321-322

Dairy products 324, 325
Damage, Protein, Food 278
Damaged, Starch, Flour, Wheat 290
Decomposition, Protease, Milk 332, 333
Denaturation, Protein, Frozen, Fish 364, 365
Deterioration, Frozen, Fish 363
————, Stored, Citrus (made of), Fruit
juices 380
Dried, Bean 296

Egg yolk 370
Emulsifying property, Poultry meat 358
Extraction, Protein, Egg yolk 370

Fat, Milk 336
Fermentation, Tea 375
Fermented, Sausage 371
Fish 360-365
—— muscle 366
Flavour, cheese 344-346
——, Milk 329, 330
——, Muskmelon 311
——, Sensibility, Protein food, Animal 347
Flexible packaging, Coffee 376
Flour, Cottonseed 303
——, Crackers 322
——, Legume, Fortified (with) Cooked, Meal,
——, Wheat 290 Corn 295
——, Wheat germ 292
Foam drying, Continuous vacuum, Milk 327
Food 269-279
—— Science 268
Fortified, Cooked, Meal, Corn 295
——, Wheat 291
Frankfurters 372, 373
Frozen, Fish 363-365
——, Hake 368
——, Lamb 354
Fruit juice 379-380

Gamma radiation (to), Flavour Sensibility,
Protein food, Animal 347
—— (effect of), Protein, Wheat 289
Ginger 386
Grading, Green, Coffee 377
Green, Coffee 377

Hake 367-368

Contd. 'H

Contd. 'H

Heated, Milk 337

Iorn, Food 273

Lamb 353, 354

Legumes, Fortified (with), Cooked, Meal, Corn 295

Lysine, Fortified, Wheat 291

———, Maize 294

Maize 294, 295

Malonaldehyde, Binding, Cooked, Pork 355

Mango 315

Marketing, Milk 326

Meal, Corn 295

Meat, Food 275

Mercury, Fish 360

——— residue, Cereal 281

Microbial content, Spices 385

Milk 326-338

Moisture, Sunflower seed products 304

Muskmelon 311

Nitrate, Spinach 311

———, Burn, Fermented, Sausage 371

Nitrosamine, Food 274

Noodles 323

Oxidation, Chip, Potato

Packaging, Beef 349

———, Milk 328

Palatability, Flours, Legume, Fortified (with)

Cooked, Meal, Corn 295

Papaya puree 317

Peanut 306

Pectinesterase, Tomato 312

Peeling, Potato 308

Peroxidase activity, Soyabean 297

Physico-chemical property, Rice 284, 285

Pork 355

Potato 308-309

Poultry meat 358

Preservation, Hake 367

Processing (during), Damage, Protein, Food 278

Production, Butter 339

———, Cheese 343

———, Crackers 321

———, Protein, Bread 320

Property, Flours, Crackers

Protease, Milk 332

Protein, Bread 319, 320

——— Concentrate, Fish 361

———, Flour, Cottonseed 303

———, Egg yolk 370

Contd. 'P

Contd. 'P

Protein, Food 278
———, Animal 347
———, Soyabean 300, 301
———, Sunflower seed 305
——— value, Supplementary, Food 279
———, Wheat 289
———, Whey 341, 342

Quality analysis, Nitrate, Spinach 311
———, Sorbic acid, Bread 318
———, Arginine, Peanut 306
———, Bread making, Wheat 286
———, Chicken 357
———, (made of) Frankfurters 373
———, Food 269
——— Control, Food 270
———, Iron, Food 283
———, Rice 283
———, Uric acid, Cereal 280
———, Wine 383

Ribonucleic acid, Soyabean 298
Rice 283-285
Rigor Stretched, Turkey muscle 359
Ripening, Peach 316

Salmonellae, Food 277
Sausage 371
Shelf life, Frozen, Hake 368
———, Mango 315
———, Stored, Bacon 355
Shrimp 369
Soft drink 374
Sorbic acid, Bread 318
Soyabean 297-301
Spices 385
Spinach 311
Spoilage (under going), Food 276
Stability, Shelf life, Frozen, Hake 368
Starch, Flour, Wheat 290
——— granules, Wheat 288
Storage, Ginger 386
——— (during), Malonaldehyde, Binding,
Cooked, Pork 355
——— (———), Variation, Weight, casein,
Milk 335
S——— (influenced by), Quality, Chicken
(made from), Frankfurter 372
——— life, Spoilage (under going), Food 276
——— property, Cold, Cooked, Fish 362
Stored, Bacon 356
———, Citrus (made of), Fruit juices 380
Strawberry 314

Contd. 'S

Sunflower seed 304, 305
Supplementary, Food 279
Sweet Potato 310

Tea 375
Tenderness, Beef Carcass 352
Texture, Carrot 307
———, Cooked, Dried, Bean 296
———, Food 271, 272
———, Freeze-dried, Beef 351
———, Shrimp 369
———, Strawberry 314
Tomato 312
Toughness, Lamb 353
Transport (for), Packaging, Beef 349
Triticale (made of), Noodles 323
Trypsin, Milk 334
Tryptophan, Cereal 282
Turkey muscle 359


Uric acid, Cereal 280

Vegetable oil concentration, Soft drink 374
Volatile component, Wine 381

Weight, Casein, Milk 335
Wheat 286-291
——— germ 292
Whey 341
Wine 381-383

-000-

FOOD TECHNOLOGY DOCUMENTATION LIST



106.2. APRIL 1973

No 4

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-2A, INDIA

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, APRIL 1973

Vol: 8, No: 4

-000-

C O N T E N T S

= = = = =

Page

Food (General)	1
Cereal	3 - 4
Millet	5
Pulse	5 - 6
Nut	6
Vegetable	7 - 8
Fruit	8 - 10
Bakery products	10
Milk and milk products	10 - 15
Meat and meat products	15 - 17
Sea food and fresh water food	17 - 18
Egg	18
Spices, Condiments, Flavours	18 - 19
Beverage	19
Alcoholic beverage	19

-00-

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, APRIL 1973.

Volume: 8, Number: 4

-Ø-

F8,3 Food Science

- 387 N72 ARTINGSTALL (RW): Developing and marketing a new food product - Consumer research. Food Tr Rev 42(11); 1972; 17

F8,3:6;4 Food, Foam-mat, Drying

- 388 CHANDAK (AJ) and CHIVATE (MR): Recent developments in foam-mat drying. Ind Fd Pac 26(6); 1972; 26

F8,3:7;M-Zg Food, Packaging (in) Plastics

- 389 Trends in packaging foodstuffs in thin walled plastics containers. Packgg Rev 92(11); 1972; 101

F8,3:T;M Food, Packaging

- 390 Date marking packaged foodstuffs. Packgg Rev 92(12); 1972; 20

F8,3;eF31 Food, Flavor

- 391 JENNINGS (WG): Changing field of flavor chemistry. Food Tech 26(11); 1972; 25

F8,3;g74;g7 Food, Perishable, Keeping quality

- 392 HANKIN (L) and STEPHENS (GR): What tests usefully predict keeping quality of perishable foods ? J Milk Food Tech 35(10); 1972; 574

F8,3;(E8P) Food, Pyrazine

- 393 N73 MAGA (JA) and SIZER (CE): Pyrazines in foods. A review. J Agr Food Chem 21(1); 1973; 22

F8,3;E1191 Food, Metal, Detection

- 394 LOCK (AM): Metal detection. Food Proc Ind 42(495); 1973; 35

F8,3;F2B Food, Bacillus cereus

- 395 N72 KIM (HU) and GOEPFERT (JM): Efficacy of a fluorescent-antibody procedure for identifying bacillus cereus in foods. Appl Microbiol 24(5); 1972; 708

F8,3;F33 Food, Fungal poison

- 396 KOBURGER (JA): Fungi in foods. IV. Effect of plating medium pH on counts. J Milk Food Tech 35(11); 1972; 659.

F8,3;MZ Food, Organic

- 397 vonELBE (JH): Organic foods - another consumer hoax? J Milk Food Tech 35(11); 1972; 669

F8,3;ZP Food, Volatiles

- 398 N73 SOLMS (J), et al: The interaction of volatiles with food components. Can Inst Fd Sci & Tech J 6(1); 1973; A10

F8,3-O(a6;C) Food, Frozen

- 399 GAY (RL): Edgall frozen prepared foods. Food Tech Aus 25(2); 1973; 78
- 400 N72 MIDDLEHURST (J), et al: Handling, distribution and retailing of frozen foods. Food Tech Aus 24(11); 1972; 560

F8,3-O(a6;E) Food, Freeze-Dried

- 401 N73 KAREL (M) and ELINK (JM): Influence of frozen state reactions on freeze-dried foods. J Agr Food Chem 21(1); 1973; 16.

F8,3-O(a7;M-Zg) Food, Packaged (in) Plastic, Tolerance Level

- 402 N72 ROY (BR): Tolerance level of migrants from plastics to foods-approach for a methodology. ISI Bull 24(12); 1972; 525.

F8,3-OT Food, Protein, Evaluation

- 403 N72 ALCARAZ-BAYAN (A), et al: An evaluation of MCM as a high protein foods. Philippine J Nutr 25(3); 1972; 191

F8,3-8B Food (for) Breakfast, Protein, Quality

- 404 N73 ALTON MACKEY (MG) and SABRY (JH): Protein value of selected food combinations corresponding to breakfast patterns - Biological evaluation. Can Inst Fd Sci & Tech J 6(1); 1973; 9

F8,3x;F38M Cereal, Malathion residue, Quantity Analysis

- 405 PANEL ON MALATHION AND DECHLORVOS RESIDUES IN GRAIN: The determination of malathion and dichlorvos residues in grain. Analyst 98(1162); 1973; 19

F8,3x-O(a8;A) Cereal, Stored, Infestation

- 406 N72 McFARLANE (JA) and DOBIE (P): Susceptibility of t'ef (*Eragrostis abyssinica* Schrad) to infestation by some insect pests of stored grain. J Stored Prod Res 8(3); 1972; 177

F8,31;T Rice, Protein

- 407 SINGH (CB), et al: Induced variability in the protein and starch properties of Indica and Japonica varieties of rice. Il Riso 21(2); 1972; 117

F8,31-ZB;a24:8;A Rice, Germination, Loss, (during) Storage

- 408 AGRAWAL (PK): Loss of germination in Padma rough rice during storage. Il Riso 21(2); 1972; 173

F8,31-ZD Rice Embryo, Peroxidase, Isoenzyme

- 409 IDA (S), et al: Studies on respiratory enzymes in rice kernel. Part IX. Peroxidase isoenzymes of rice embryo. Agri Biol Chem 36(4); 1972; 611

F8,31-ZD Rice Embryo, Chemical Composition

- 410 N72 MORITA (Y) and HORIKOSHI (M): Studies on γ globulin of rice embryo. Part VI. Molecular dimension and chemical composition of γ_3 globulin. Agri Biol Chem 36(4); 1972; 651

F8,32.44 Wheat, India

- 411 AUSTIN (A) and AHUJA (VP): Need for improvements in Indian wheats. Indian Miller 3(1); 1972; 45

F8,32;a06 Wheat, Quality

- 412 KRISHNAMURTHY (G): Studies on characteristics of wheat varieties. Indian Miller 3(1); 1972; 53

- 413 PINGALE (SV): Quality wheat for industry. Ind Miller 3(1); 1972; 39

F8,32-O(a2;3L) Wheat, Flour (for) Baking

- 414 AHUJA (SP): Flour for baking industry. Ind Miller 3(1); 1972; 19

F8,32-O(a2;3L) Wheat, Flour (for) Biscuit

- 415 KABRA (N): Flour for biscuit making. Indian Miller 3(1); 1972; 7

F8,35 Triticale

- 416 LORENZ (K): Food uses of triticale. Food Tech 26(11); 1972; 66

F8,36;U1 Barley, Amylase

- 417 SHINKE (R) and MUGIBAYASHI (N): Studies on barley and malt amylases. Part XIX. Activation of Zymogen Beta-amylase in vivo and amylase formation in isolated aleurone layers. Agri Biol Chem 36(3); 1972; 378

F8,37 Bajra

- 418 N72 MURTHY (BR): Role of bajra in Indian agriculture.
Indian Farming 22(8); 1972; 29

F8,37M;ac Maize, Chemical composition

- 419 KAPOOR (AC) and GUPTA (YP): Chemical composition and protein quality of hybrid and composite varieties of maize (Zea mays L) Ind J Agr Sci 42(9); 1972; 775

F8,37M;ZM Maize, Carotene, Quality Variation

- 420 SIMON (JA), et al: Changes in carotene content of maize treated with propionic and acetic acids. J Stored Prod Res 8(3); 1972; 161

F8,39b;Zk1 Pea, Ascorbic Acid, Quality

- 421 RAM (K) and SACHAN (BP): Correlation between sugar and ascorbic acid content of different varieties of pea. Ind Fd Pac 26(6); 1972; 18

F8,39h Soyabean, Heat coagulated gel

- 422 YASUMATSU (K), et al: Studies on the functional properties of food-grade soybean products. Part III. Properties of heat-coagulated gels from soybean products. Agri Biol Chem 36(4); 1972; 537

F8,39h;e38 Soyabean, Emulsifying Property

- 423 YASUMATSU (K), et al: Whipping and emulsifying properties of soybean products. Agri biol Chem 36(5); 1972; 719

F8,39h;eF31 Soyabean, Flavour profile

- 424 YASUMATSU (K), et al: Studies on the functional properties of food-grade soybean products. Part II. Flavor profile. Agri biol Chem 36(4); 1972; 532.

F8,39h;T Soyabean, Protein

425. N72 ARAI (S), et al: Glutamyl oligopeptides as factors responsible for tastes of a proteinase-modified soybean protein. Agri biol Chem 36(7); 1972; 1253
- 426 NAKADAI (T), et al: Action of peptidases from *Aspergillus sojae* on soybean proteins. Agri Biol Chem 36(7); 1972; 1239
- 427 YASUMATSU (K), et al: Studies on the functional properties of food-grade soyabean products. Part I. Classification of soybean products by their chemical constituents and protein properties. Agri Biol Chem 36(4); 1972; 523
- 428 YAMASHITA (M), et al: Location and state of methionine residues in a papain-synthesized plastein from a mixture of soybean protein hydrolysate and l-methionine ethyl ester. Agri biol Chem 36(8); 1972; 1353
- F8,39h-O(a2;3L);T Soyabean, Meal, Protein
- 429 DEACON (BD): Rapid determination of protein in soybean meals. J Amer Oil Chem Soc 49(11); 1972; 660
- F8,39k;F4A Cottonseed, Aflatoxin
- 430 WHITTEN (ME) and SMITH (LL): Effect of storage conditions on increase in aflatoxins in cottonseed: A small lot study. J Amer Oil Chem Soc 49(10); 1972; 596
- F8,39On;F4A Peanut, Aflatoxin
- 431 WHITAKER (TB), et al: Comparison of the observed distribution of aflatoxin in shelled peanuts to the negative binomial distribution. J Amer Oil Chem Soc 49(10); 1972; 590
- F8,39On-O(a2;3L);F4A Groundnut, Meal, Aflatoxin
- 432 BASAPPA (SC), et al: Distribution of aflatoxin in the various fractions separated from groundnut meal. Ind J Tech 10(10); 1972; 395

- F8,39A;z1Pb;b12 Vegetable, Lead, Quality
- 433 N72 THOMAS (B), et al: Lead and cadmium content of some vegetable foodstuffs. J Sci Fd & Agr 23(12); 1972; 1493
- F8,39A;F38 Vegetable, Pesticide Residue
- 434 N73 MANKOTIA (MS) and deMAN (JM): Chlorinated hydrocarbon pesticides in some vegetable products. Can Inst Fd Sci & Tech J 6(1); 1973; 6
- F8,39A-OT Vegetable, Protein
- 435 N72 CHILDERS (AB): Vegetable protein foods - a review. J Milk Food Tech 35(10); 1972; 604.
- F8,39E1-O(a2;3C) Potato, Chip, Odour Threshold
- 436 GUADAGNI (DG), et al: Odour thresholds and similarity ratings of some potato chip components. J Sci Fd & Agr 23(12); 1972; 1435
- F8,39E1-O(a2;3C);ZP Potato, Chip, Carbonyl Compound
- 437 N73 BUTTERY (RG): Some unusual volatile carbonyl components of potato chips. J Agri Food Chem 21(1); 1973; 31
- F8,39E1-O(a2;5M3) Potato, Boiled, Indophenol
- 438 N72 NUMA (S): Increase of indophenol reducing value of boiled potato (3). Agr Biol Chem 36(9); 1972; 1603.
- F8,39F;7 Leaf, Protein
- 439 FESTENSTEIN (GN): Water-soluble carbohydrates in extracts from large-scale preparation of leaf protein. J Sci Fd & Agr 23(12); 1972; 1409.

F8,39F12;aC Spinach, Composition

- 440 N72 PEAVY (WS) and GREIG (JK): Organic and mineral fertilizers compared by yield, quality, and composition of spinach. J Amer Soc Hort Sci 97(6); 1972; 718

F8,39F17-0(a8;A) Celery, Stored, Spoilage, Prevention

- 441 BARKI-GOLAN (R) and AHARONI (N): Postharvest thiabendazole treatments to prevent spoilage in stored celery. Israel J Agr Res 22(3); 1972; 157

F8,39G1-0(a6;M) Cauliflower, Canned

- 442 RADHAKRISHNAIAH SETTY (G) and RANJANNA (S): Discolouration and disintegration in canned cauliflower. Ind Fd Pac 26(6); 1972; 5

F8,39H1;eF316 Tomato, Aroma

- 443 GUADAGNI (DG), et al: Contribution of some volatile tomato components and their mixtures to fresh tomato aroma. J Sci Fd & Agr 23(12); 1972; 1445

F8,39N;Zk1;b12 Fruit, Ascorbic Acid, Content

- 444 MANGALAM (N), et al: Market survey of fruits and vegetables for ascorbic acid content. Ind Fd Pac 26(6); 1972; 20

F8,39P14;g7 Strawberry, Shelf life

- 445 WOODWARD (J) and TOPPING (AJ): The influence of controlled atmospheres on the respiration rates and storage behaviour of strawberry fruits. J Hort Sci 47(4); 1972; 547

F8,39P15;a06 Raspberry, Quality

- 446 EAVES (CA), et al: Influence of preharvest sprays of calcium salts and wax on fruit quality of red raspberry. J Amer Soc Hort Sci 97(6); 1972; 706

F8,39PL;a06 Pineapple, Quality

- 447 N72 BHAT (AV), et al: Effect of hydrochloric acid treatment on the crown size and canning quality of pineapple fruit. Ind Fd Pac 26(6); 1972; 23

F8,39PR-O(a6;P) Banana, Irradiated

- 448 N73 SURENDRANATHAN (KK) and MADHUSUDANAN NAIR (P) Alteration in carbohydrate metabolism of irradiated cavendish banana. Phytochem 12(2); 1973; 241

F8,39R6-ZT Peaches, Ripening

- 449 N72 SHERMAN (WB), et al: Two red leaf characters associated with early ripening peaches. Hort Science 7(5); 1972; 507

F8,39R7:6;C Avocado, Refrigerated Storage

- 450 HABEEBUNNISA: Refrigerated storage of avocado (*Persea gratissima*) and coccinia (*Coccinia Indica* Wight and Arn) Ind Fd Pac 26(6); 1972; 3

F8,39S1;F2 Apple, Rot, Patulin, Quality

- 451 N73 HARWIG (J), et al: Occurrence of patulin and patulin-producing strains of *penicillium expansum* in natural rots of apple in Canada. Can Inst Fd Sci & Tech J 6(1); 1973; 22

F8,39S1-O(a2;53) Apple, Peel, Anthocyanin

- 452 N72 WILLS (RBH) and PATTERSON (BD): Anthocyanin content of Jonathan apple peel and the development of low temperature breakdown (Research note) J Hort Sc 47(4); 1972; 555

F8,39S3;eH71 Pears, Enzyme activity, (during) Storage

- 453 PECH (JC) and LACHE (A): Activities of enzymes involved in sugar metabolism in Passe-Crassane pears during cold storage. J Sci Fd & Agr 23(12); 1972; 1499

F8,39S3-ZT Pear, Ripening, Physical Property

- 454 N72 AMEN (RJ) and HAARD (NF): Comparison of chemical and physical indices of maturing and ripening pear fruit. J Hort Sci 47(4); 1972; 509

F8,39ZC-0(a2;3L) Bread, Dough

- 455 YASUMATSU (K), et al: Effects of addition of soybean products on dough properties. Agri biol Chem 36(5); 1972; 729

F8,39(C);(9h:2;3L)--(2:3L) Chapathi (made of) Soyabean Flour, Wheat Flour

- 456 N73 RATHOD (KL) and WILLIAMS (SW): Acceptance of soybean enriched wheat flour for use in chapatis. Ind J Nutr & Dietetics 10(1);1973;18

F8,39(S) Sukhadi

- 457 CHATTERJEE (AC): Sukhadi: A nutritious and cheap food. Food Ind J 5(9); 1973; 3

F8,3B;z11 Dairy products, Mineral

- 458 N72 FEELEY (RM), et al: Major mineral elements in dairy products. J Amer Dietet Assn 61(5); 1972; 505

F8,3C;a24 Milk, Abnormal

- 459 LAWTON (WC) and PACKARD (VS): Evaluation of the abnormal milk control program recommended by the interstate milk shippers conference (IMS) J Milk Fd Tech 35(10); 1972; 582

- 460 SCHULTZE (WD), et al: Collaborative study of some screening tests for detection of abnormal milk. J Milk Fd Tech 35(11); 1972; 638

F8,3C;aC Milk, Composition

- 461 HALLI (IPV) and KESLER (EM): Effect of interrupted milking on milk flow rate, yield and composition. Indian J Dairy Sc 25(4); 1972; 201.

F8,3C;ac;a86 Milk, Composition, Variation
(during) Storage

- 462 N73 BECTOR (BS) and NARAYANAN (KM): Study on the changes in the composition of milk containing formalin during storage. Food Ind J 5(9); 1973; 5

F8,3C;eF31 Milk, Oxidized, Flavour

- 463 N72 HAMMOND (EG) and SEALS (RG): Oxidized flavor in milk and its simulation. J Dairy Sci 55(11); 1972; 1567

F8,3C;eF31;a06 Milk, Flavour, Quality

- 464 HANKIN (L) and DILLMAN (WF): Further studies on the flavor quality of retail milk in Connecticut. J Milk & Fd Tech 35(12); 1972; 710

F8,3C;g7 Milk, Keeping Quality

- 465 POTASHNIK (L), et al: Coliforma and keeping quality of a streptococcus lactis based cultured milk product. Milk Fd Tech 35(11);1972; 651

F8,3C;T Milk, Protein

- 466 GORDIN (S), et al: Fractionation and characterization of milk proteins by column chromatography and electrophoresis. J Dairy Sci 55(11); 1972; 1544

F8,3K;T Whey, Protein

- 467 NAGASAWA (T), et al: Isolation of canine as-casein and major whey protein component and their amino acid composition. J Dairy Sci 55(11); 1972; 1550

F8,3C;TC Milk, Casein, Volatile components
(during) Roasting

- 468 KATO (H), et al: Major volatile components formed from casein during roasting. Agric Biol Chem 36(6); 1972; 951

- 469 N72 JOSEPHSON (RV): Isoelectric focusing of bovine milk caseins. J Dairy Sci 55(11); 1972; 1535

F8,3C;TC;a86 Milk, Casein, Variation (during) Roasting

- 470 FUJIMAKI (M), et al: Studies on roasting changes of proteins. Part I. Changes of casein and lysozyme during roasting. Agri biol Chem 36(3); 1972; 416

F8,3C;TC;e63 Milk, Casein, Viscosity

- 471 PURI (BR), et al: Viscosities and surface tensions of casein solutions in sodium hydroxide. Ind J Dairy Sci 25(4); 1972; 241

F8,3C;U Milk, Enzyme

- 472 SHOVERS (J), et al: Procedure for electrophoretic separation and visualization of milk clotting enzymes in milk coagulants. b J Dairy Sci 55(11); 1972; 1532

F8,3C;Va Milk, Fat

- 473 GABA (KL) and JAIN (MK): Effect of dietary cottonseed oil on the yield and chemical composition of milk fat of sahiwal cows. Ind J Dairy Sci 25(4); 1972; 207

- 474 KANNO (C), et al: Further investigation on naturally occurring tocopherols and tocotrienols in bovine milk fat. Agr & Biol Chem 36(12); 1972; 2067

F8,3C;Za Milk, Phospholipid

- 475 BECTOR (BS) and NARAYANAN (KM): Role of milk phospholipids in the autoxidation of butterfat. Ind J Dairy Sci 25(4); 1972; 222

F8,3C-O(a2;5V) Milk, Skim, Concentration (by) Reverse Osmosis

- 476 FENTON-MAY (RI), et al: Concentration and fractionation of skim milk by reverse osmosis and ultrafiltration. J Dairy Sci 55(11); 1972; 1561.

F8,3C-O(a6;4) Milk, Dry, Astringent
Fraction

- 477 N72 HARWALKAR (VR): Isolation and partial characterization of an astringent fraction from milk and nonfat dry milk. J Dairy Sci 55(10); 1972; 1400

F8,3C-O(a6;4) Milk Product, Dried,
Contaminated

- 478 RAY (B), et al: Isolation of salmonellae from naturally contaminated dried milk products. III. Influence of pre-enrichment conditions. J Milk Food Tech 35(10); 1972; 607

F8,3C-O(a6;4) Milk, Dry, Nitrosamine,
Quality Analysis

- 479 REINECCIUS (GA) and COULTER (ST): Examination of nonfat dry milk for the presence of nitrosamines. J Dairy Sci 55(11); 1972; 1574

F8,3C-O(a6;8-C) Milk, Pasteurized, Refrigerated,
Rancidity Variation

- 480 KASON (CM), et al: Simple test for milk lipolysis and changes in rancidity in refrigerated pasteurized milk. J Dairy Sci 55(10); 1972; 1420

F8,3C-O(a6;C);F2 Milk, Pasteurized, Bacteria

- 481 CREDIT (C), et al: Identification of bacteria isolated from pasteurized milk following refrigerated storage. J Milk & Fd Tech 35(12); 1972; 708

F8,3C11 Cow's milk, Fat globule envelope

- 482 BAUER (H): Ultrastructural observations on the milk fat globule envelope of cow's milk. J Dairy Sci 55(10); 1972; 1375

F8,3D;F2 Cream, Bacteria count

- 483 BRAZIS (AR), et al: A comparative evaluation of official methods for the standard plate count of cream. J Milk & Fd Tech 35(12); 1972; 730

F8,3D;F2STA Cream, Staphylococcus aureus

- 484 N72 MINOR (TE) and MARTH (EH): Staphylococcus aureus and enterotoxin A in cream and butter. J Dairy Sci 55(10); 1972; 1410

F8,3J;Va;Ca Butterfat, Physico-chemical Property

- 485 PANDYA (MP) and PATEL (BM): Effect of prolonged feeding of concentrates on vitamin A and physico-chemical properties of butterfat. Indian J Dairy Sci 25(4); 1972; 215

F8,3J4 Ghee, Esterified, Cholesterol

- 486 BINDAL (MP) and JAIN (MK): Free and esterified cholesterol in Desi ghee prepared from milk of cows and buffaloes. Ind J Dairy Sci 25(4); 1972; 236

F8,3J4;g77 Ghee, Stability

- 487 KUCHROO (TK) and NARAYANAN (KM): Effect of addition of antioxidants on the oxidative stability of buffalo ghee. Ind J Dairy Sci 25(4); 1972; 228

F8,3J4;Ze Ghee, Phospholipid, Quality

- 488 PRUTHI (TD), et al: Phospholipid content of ghee prepared by direct clarification and pre-stratification methods. Ind J Dairy Sci 25(4); 1972; 233

F8,3K-O(a2;3L) Whey, Powder

- 489 HUSTAD (GO) and RICHARDSON (T): Rigid polyurethane foams extended with partially delactosed whey powder. J Dairy Sci 55(10);1972; 1388

F8,3M;ac Cheese, Chemical Composition

- 490 AHMAD (NS), et al: Effect of homogenization on the quality, yield and chemical composition of domiati cheese. Ind J Dairy Sci 25(4); 1972; 246

F8,3M;F2E Cheese, Enterococci

- 491 N72 SARASWAT (DS) and REINBOLD (GW): Role of enterococci and coliform bacteria in gassy cheddar cheese. Indian J Dairy Sci 25(4); 1972; 294

F8,3M;F2M Cheese, Micrococci

- 492 NATH (KR) and LEDFORD (RA): Caseinolytic activity of micrococci isolated from cheddar cheese. J Dairy Sci 55(10); 1972; 1424

F8,3M;F4A Cheese, Aflatoxin

- 493 SHIH (CN) and MARTH (EH): Experimental production of aflatoxin on brick cheese. J Milk Food Tech 35(10); 1972; 585

F8,3R;eF31 Ice cream, Flavour

- 494 JAIN (SC) and VERMA (IS): Study of flavour preference of ice cream. Ind J Dairy Sci 25(4); 1972; 257

F8,3R;F2 Ice cream, Microbial Quality

- 495 BATHLA (JM) and RAO (YS): Studies on the microbial quality of ice cream in Agra city. Ind J Dairy Sci 25(4); 1972; 254

F8,3Za Meat Products

- 496 SZILAGYI (J): New quality standards for meat products. Husipar 21(6); 1972; 250

F8,3Za-O(a2;47)-O(a6;J)-O(a7;M) Meat, Cooked, Cured, Vacuum packed

- 497 N73 DAVIDSON (CM) and WEBB (G): The behaviour of salmonellae in vacuum packaged cooked cured meat products. Can Inst Fd Sci & Tech J 6(1); 1973; 41

F8,3Zb;eF6 Animal, Palatability

- 498 N72 BREKKE (CJ) and WELLINGTON (GH): Effect of animal weight on palatability of veal leg roasts. J Animal Sci 35(5); 1972; 937

F8,3Zb1:2;7 Beef, Grading

- 499 N72 KORMENDY (L), et al: Laboratory methods of beef grading. Husipar 21(6); 1972; 241

F8,3Zb1=3 Beef muscle, Shear force value

- 500 N73 KHAN (AW) and VOISEY (PW): Determination of shear force value of major beef muscles. Can Inst Fd Sci & Tech J 6(1); 1973; 47

F8,3Zb31=B Lamb Carcass, Composition

- 501 N72 JACOBS (JA), et al: Effects of weight and castration on lamb carcass composition and quality. J Animal Sci 35(5); 1972; 926

F8,3Zb4:fR Pork, Testing

- 502 RHODES (DN): Consumer testing of pork from boar and gilt pigs. J Sci Fd & Agr 23(12); 1972; 1483

F8,3Zb4=3 Pork muscle

- 503 SANDOR (I), et al: Comparing muscle fibre thickness in pork from the Hungarian Large white and from the Esthonian breed. Husipar 21(6); 1972; 255

F8,3Zb42=B Swine Carcass

- 504 LIDVALL (ER), et al: Predicting carcass length of swine from live measurements. J Animal Sci 35(5); 1972; 919

F8,3Zd1 Poultry Food, Linoleic acid

- 505 WHITEHEAD (CC): Linoleic acid contents of some British poultry foods. J Sci Fd & Agr 23(12); 1972; 1503

F8,3Zd1;a06 Chicken, Organoleptic Quality

- 506 N73 LARMOND (E), et al: Temperature effect on the organoleptic quality of barbecued chickens. Can Inst Fd Sci & Tech J 6(1); 1973; 29

F8,3Zd1-O(n) Poultry, Loaf, Property

- 507 N72 ACTON (JC) and McCASKILL (LH): Effect of partial protein removal from muscle cubes on properties of poultry meat loaves. J Milk Fd Tech 35(10); 1972; 571

F8,3Zd17=3 Turkey muscle

- 508 WANGEN (RM), et al: Influence of age on the fatty acid composition of breast and thigh muscles of male turkeys. Agr & Biol Chem 36(12); 1972; 2081

F8,3Zn.44 Fishery, India

- 509 N73 PRASAD (RR): Development of fishery resources in India. J Ind Tr 23(2); 1973; 56

F8,3Zn;eF31:g Fish, Flavour, Evaluation

- 510 FARMER (FA), et al: Flavor evaluation by triangle and hedonic scale tests of fish exposed to pulp mill effluents. Can Inst Fd Sci & Tech J 6(1); 1973; 12

F8,3Zn;T Fish, Protein concentrate, Entrotoxin B

- 511 N72 FUNG (DYC): Experimental production of entrotoxin B in fish protein concentrate. J Milk Food Tech 35(10); 1972; 577

- 512 N73 STILLINGS (BR), et al: Further studies on the availability of the fluoride in fish protein concentrate. J Nutrition 103(1); 1973; 26

F8,3Zn-O(q) Fish Paste

- 513 N72 YASUMATSU (K), et al: Utilization of soybean products in fish paste products. Agri biol Chem 36(5); 1972; 737

F8,3Zt8-O(a6;P) Shrimp, Irradiated

- 514 van LOGTEN (MJ), et al: The wholesomeness of irradiated shrimps. Fd & Cosm Tox 10(6); 1972; 781

F8,3Zv3;a06 Scallop, Quality

- 515 N72 WEBB (NB), et al: Evaluation of scallop meat quality by the resazurin reduction technique. J Milk Food Tech 35(11); 1972; 664

F8,3Zv6;Ze Oyster, Phospho-lipid

- 516 TAMARI (M) and KAMETAKA (M): Isolation and identification of ciliatine (2-Aminoethyl-phosphonic acid) from phospholipids of the oyster, crassostrea gigas. Agri biol Chem 36(7); 1972; 1147

F8,3Zz1:6;C Egg, Pasteurization

- 517 KAUFMAN (VF): Model of slug flow holder for commercial egg pasteurization. J Milk & Fd Tech 35(12); 1972; 725

F8,3Zz1=86;C63 Egg, Yolk, Viscosity

- 518 CUNNINGHAM (FE): Viscosity and functional ability of diluted egg yolk. J Milk Food Tech 35(10); 1972; 615

F8,3ZZh8;(9h) Sauce (made of) Soy, Non-Enzymic browning

- 519 HASHIBA (H): Non-enzymic browning of soy sause. Comparison of the browning of soy sauce with that of a sugar-amino acid model system. Agri biol Chem 36(3); 1972; 390

F8,3ZZh8;(9h) Sauce (made of) Soy, Polysaccharide

- 520 KIKUCHI (T) and YOKOTSUKA (T): Studies on the polysaccharides from soy sauce. Part I. Purification and properties of two acidic polysaccharides. Agri biol Chem 36(4); 1972; 544

F8,3ZZh8;(9h) Sauce (made from) soya

- 521 OZAWA (Y), et al: Mapping of peptides in soy sauce by an ion exchange chromatography. Agri biol Chem 36(8); 1972; 1371

F8,3Z451;eF316 Tea, Aroma

- 522 N72 YAMANISHI (T), et al: Constituents and composition of steam volatile aroma from Ceylon tea. Agri biol Chem 36(7); 1972; 1153

F8,3Z7;(9S1)-O(a2;1) Fruit Juice (made of) Apple, Fermented, Patulin, Disappearance

- 523 N73 HARWIG (J), et al: Disappearance of patulin from apple juice fermented by saccharomyces ssp. Can Inst Fd Sci & Tech J 6(1); 1973; 45

F8,3Z9b2;aC Wort, Composition

- 524 N72 JONES (M): The effect of wort composition on yeast behavior and beer quality. Wallerstein Lab Comm 35(117); 1972; 131

- 525 MANDL (B), et al: Wort composition and fermentation glycerol and organic acids. Wallerstein Lab Comm 35(117); 1972; 123

F8,3ZD3;ZP Vinegar, Volatile Components

- 526 KAHN (JH), et al: Identification of volatile components in vinegars by gas chromatography and mass spectrometry. Intern Bot Packer 46(11); 1972; 78

F8,3ZM1-O(a6;G) Pepper fruit, Chilling injury, Chemical studies

- 527 KOZUKUE (N) and OGATA (K): Physiological and chemical studies of chilling injury in pepper fruits. J Food Sci 37(5); 1972; 708.

-: end :-

I N D E X

= = = = =

Abnormal, Milk 459, 460
 Aflatoxin, Cheese 493
 _____, Cotton seed 430
 _____, Meal, Peanut 432
 _____, Peanut 431
 Amylase, Barley 417
 Anthocyanin, Peel, Apple 452
 Apple 451, 452
 _____ peel 452
 _____ (made of), Fruit juice 523
 Aroma, Tea 522
 _____, Tomato 443
 Ascorbic acid, Fruit 444
 _____, Pea 421
 Astringent fraction, Dry, Milk 477
 Avocado 450

 Bacillus cerus, Food 395
 Bacteria, Pasteurized, Milk 481
 _____ count, Cream 483
 Bajra 418
 Baking (for), Flour, Wheat 414
 Banana 448
 Barley 417
 Beef 499
 _____ muscle 500
 Biscuit (for), Flour, Wheat 415
 Boiled, Potato 438
 Bread 455
 Breakfast (for), Food 404
 Butterfat 485

 Canned, Cauliflower 442
 Carbonyl compound, Chip, Potato 437
 Carotene, Maize 420
 Casein, Milk 468-471
 Cauliflower 442
 Celery 441
 Cereal 405, 406
 Chapathi 456
 Cheese 490-493
 Chemical composition, Cheese 490
 _____, Maize 419
 _____, Rice, Embryo 410
 _____ studies, Chilling injury, pepper
 fruit 527

 Chicken 506
 Chilling injury, Pepper fruit 527
 Chip, Potato 436, 437
 Cholesterol, Esterified, Ghee 486

Contd.'C

Composition, Lamb carcass 501
Concentration, Skim, Milk 476
Contaminated, Dried, Milk product 478
Cooked, Meat 497
Cow's milk 482
Cream 483, 484
Cured, Cooked, Meat 497

Dairy products 458
Dough, Bread 455
Dried, Milk product 478
Dry, Milk 477-479

Egg 517
—— yolk 518
Emulsifying property, Soybean 423
Enterococci, Cheese
Enterotoxin B, Protein concentrate, Fish 511, 512
Enzyme activity, Pears 453
—— Milk 472
Esterified, Ghee 486

Fat globule envelop, Cow's milk 482
——, Milk 473-474
Fermented, Apple (made of), Fruit juice 523
Fish 510-512
—— paste 513
Fishery 509
Flavour, Food 391
——, Fish 510
——, Icecream 494
——, Milk 464
——, Oxidized, Milk 463
—— profile, soyabean 424
Flour, Wheat 414, 415
Foam-mat drying, Food 388
Food 387-404
—— science 387
Freeze-dried, Food 401
Frozen, Food 399, 400
Fruit 444
—— juice 523
Fungal poison, Food 396

Germination, Rice 408
Ghee 486-488
Grading, Beef 499

Heat coagulated gel, Soyabean 422
Ice cream 494, 495

Contd.'I

Contd. 'I

India, Fishery 509
——, Wheat 411
Indophenol, Boiled, Potato 438
Infestation, Stored, Cereal 406
Irradiated, Shrimp 514
Irradiation, Banana 448
Isoenzyme, Peroxidase, Rice 409

Keeping quality, Milk 465
—— ———, Perishable, Food 392

Lamb carcass 501
Lead, Vegetable 433
Linoleic acid, Poultry food 505
Loaf, Poultry 507

Maize 419, 420
Malathion residue, Cereal 405
Meal, Peanut 432
——, Soyabean 429
Meat products 496
Metal, Food 394
Microbial quality, Ice cream 495
Micrococci, Cheese 492
Milk 459-481
——, Phospholipid 475
Mineral, Dairy products 458

Nitrosamine, Dry, Milk 479
Non-enzymatic browning, Soy (made of), Sauce 519

Odour threshold, Chip, Potato 436
Organic, Food 397
Organoleptic quality, Chicken 506
Oxidized, Milk 463
Oyster 516

Packaged, Food 402
Packaging, Food 389, 390
Palatability, Animal 498
Pasteurisation, Egg 518
Pasteurized, Milk 480, 481
Patulin, Fermented, Apple (made of), Fruit juice /
——, Rot, Apple 451 /523
Pea 421
Peaches 449
Pear 454
Pepper fruit 527
Perishable, Food 392
Peroxidase, Rice 409
Pesticide residues, Vegetable 434

Contd. 'P

Phospholipid, Ghee 488
 _____, Oyster 516
 Physical property, Ripening, Pear 454
 Physico-chemical property, Butterfat 485
 Plastic, Packed (in), Food 402
 _____s, Packaging (in), Food 389
 Polysaccharide, Soy (made of), Sauce 520
 Pork muscle 503
 Potato 436-438
 Poultry 507
 _____ food 505
 Powder, Whey 489
 Prevention, Spoilage, Storad, Celery 441
 Property, Loaf, Poultry 508
 Protein, Breakfast (for), Food 404
 _____ concentrate, Fish 511, 512
 _____, Food 403
 _____, Leaf 439
 _____, Meal, Soyabean 429
 _____, Milk 466
 _____, Rice 407
 _____, Soybean 425-428
 _____, Vegetable 435
 _____, Whey 467
 Pyrazine, Food 393

Quality analysis, Nitrosamine, Dry, Milk 479
 _____, Ascorbic acid, Pea 421
 _____, Carotene, Maize 420
 _____, Flavour, Milk 464
 _____, Lead, Vegetable 433
 _____, Patulin, Rot, Apple 451
 _____, Phospholipid, Ghee 488
 _____, Pineapple 447
 _____, Protein, Breakfast (for), Food 404
 _____, Raspberry 446
 _____, Scallop 515
 _____, Wheat 412, 413

Rancidity variation, Refrigerated, Pasteurized,
 Raspberry 446 Milk 480
 Refrigerated, Pasteurized, Milk 480
 _____ Storage, Avocado 450
 Reverse osmosis (by), Concentration, Skim, Milk 476
 Rice 407-410
 _____ embryo 410
 Ripening, Peaches 449
 Roasting (during), Variation, Casein, Milk 470
 _____ (_____), Volatile Components,
 Casein, Milk 468

Rot, Apple 451

Sauce 519-521

Scallop 515

Shear force value, Beef muscle 500

Soy (made of), Sauce 520-522

Stability, Ghee 487

Staphylococcus aureus, Cream 484

Shelf life strawberry 445

Shrimp 514

Skim, Milk 476

Soy (made of), Sauce 519-521

Soyabean 422-429

Soyabean flour (made of), Chapathi 456

Spinach 440

Spoilage, Stored, Celery 441

Storage (during), Enzyme activity, Pears 453

____ (____), Loss, Germination, Rice 408

____ (____), Variation, Composition,

Stored, Celery 441 Milk 462

____, Cereal 406

Strawberry 445

Sukhadi 457

Swine carcass 504

Tea 522

Testing, Pork 502

Tolerance level, Plastics, Packaged (in), Food /

Tomato 443 /402

Triticale 416

Turkey muscle 508

Vacuum packed, Cured, Cooked, Meat 497

Vegetable 433-435

Vinegar 526

Viscosity, Casein, Milk 471

Viscosity, Egg yolk 518

Volatiles, Food 398

Volatile components, Casein, Milk 468

Volatile components, Vinegar 526

Wheat 411-415

Wheat flour, Soybean flour (made of), Chapathi

Whey 489 456

Wort 524, 525

DOCUMENTATION LIST

FOR

FOOD TECHNOLOGY

Vol. 8 No. 5

MAY 1973

CENTRAL FOOD TECHNOLOGICAL RESEARCH INSTITUTE

MYSORE - 570013

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, MAY 1973.

Volume: 8, Number: 5

- Ø -

C O N T E N T S
= = = = =

	<u>Page</u>
Food (General)	1 - 3
Plant product	3
Cereal	3 - 5
Nut	6
Vegetable	6 - 7
Fruit	7 - 9
Bakery products	9
Milk and Milk products	9 -10
Meat and Meat Products	11 -14
Sea Food and Fresh water Food	14 -15
Egg	15
Frankfurter	15
Beverage	15 -16
Alcoholic Beverage	17

- Ø -

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, MAY 1973.

Volume: 8, Number: 5

-8-

F8,3 Food Technology

- 528 N72 BINSTED (JH): Developing and marketing a new food product: Marketing - a case study. Food Tr Rev 42(12); 1972; 9

F8,3:2;5R7 Food, Brewing, Application (of) Enzyme

- 529 SORENSEN (SA) and FULLBROOK (P): Application of microbial enzymes in brewing. Tech Quarly 9(4);1972;166

F8,3:3;94 Food, Adulteration

- 530 N73 BARLOW (PJ): Food adulteration in the nineteenth century. Envnl Health 81(2); 1973; 27

F8,3:6;2 Food, Blanching

- 531 N72 BROWN (GE), et al: Centrifugal fluidized bed. Blanchers, dries, and puffs piece-form foods. Fd Tech 26(12); 1972; 23

F8,3;(0a) Food, Additive

- 532 VITTALI (G): Food additives. Industrie Alimentari 11(10); 1972; 73

F8,3;(Fn) Food, Gelatin

- 533 McKERNAN (WM): Pioneers in gelatin. Food Process Indus 41(493); 1972; 44

F8,3;a06 Food, Quality, Control

- 534 N73 HAYES (MJ): Views on quality control: In food processing. Proc Biochem 8(2); 1973; 9

F8,3;a24 Food, Deformation Testing

- 535 N72 BRINTON (RH) Jr. and BOURNE (MC): Deformation testing of foods. III: Effect of size and shape on the magnitude of deformation. J Tex Studies 3(3); 1972; 284

F8,3;eF31 Food, Flavour

536 N72 OHLOFF (G): Classification and Genesis of Food Flavours. Flavour Ind 3(10); 1972; 501

537 ROHAN (TA): Flavour chemistry in the 1970s. Food Proc Indus 41(493); 1972; 33

F8,3;21cu;b12 Food, Copper, Quality, Analysis

538 SENGUPTA (Mrs.P), et al: Determination of copper content of foodstuffs by the biquinoline method. Res & Ind 17(3); 1972; 102

F8,3;F2 Food, Microbe, Protection

539 N73 MUKHERJEE (SK): Protect food from microbes. Science Rptr 10(3); 1973; 109

F8,3;F2SAL Food, Salmonellae, Survival (during) Spray Drying

540 N72 MILLER (DL), et al: Survival of salmonellae and escherichia coli during the spray drying of various food products. J Fd Sci 37(6); 1972; 828

F8,3;F38 Food, Pesticide Residue

541 CHADHA (DS): Pesticides residues in food - their need, present status and principles for laying down tolerance. Pesticides 6(12); 1972; 83.

F8,3;P815 Food, Pectin

542 LOCKWOOD (B): Use of pectin in food processing. Food Proc Indus 41(493); 1972; 47

F8,3;Zk1 Food, L-dihydroascorbic Acid, Quality, Determination

543 DAVIBEK (J); et al: Determination of L-dehydroascorbic acid in Food. Fd Sci + Tech 5(6); 1972; 213

F8,3-O(a06) Food, Preserved, Nutritional Composition

544 BESSER (T) and KRAMER (A): Changes in quality and nutritional composition of foods preserved by gas exchange. J Fd Sci 37(6); 1972; 820

DLFT 8(5), May 1973

F8,3-O(a6;E) Food, Freeze-Dried, Protein Hydrolyzate

- 545 N72 BISHOV (SJ) and HENICK (AS): Antioxidant effect of protein hydrolyzates in a freeze-dried model system. J Fd Sci 37(6); 1972; 873

F8,3-O(a7;M);4 Food, Canned, Spoilage, Thermal, Detection

- 546 SACKS (LE) and MENEFEE (E): Thermal detection of spoilage in canned foods. J Fd Sci 37(6); 1972; 928

F8,3-13 Food, (for) Infant, Vitamin K1, Application

- 547 DAMON MANES (J), et al: Chromatographic analysis of vitamin K₁ Application to infant formula products. J Agr & Fd Chem 20(6); 1972; 1130

F8,3v-O(a6;4) Plant material, Dried, Xanthophyll, Quantity, Determination

- 548 KNOWLES (RE), et al: Rapid determination of carotene and xanthophyll in dried plant materials. J Agri & Fd Chem 20(6); 1972; 1127

F8,3v=8-ZT;Va Plant Seed, Ripening, Oil

- 549 NAINAWATEE (HS) and KARTHA (ARS): Biosynthesis of oil in ripening seeds of higher plants. J Sci Fd & Agr 23(11); 1972; 1297

F8,3x:2;3J Cereal, Milling

- 550 NELSTROP (PC): A closer look at semolina milling. Milling 154(11); 1972; 16

- 551 FOLLER (I): Milling research on the continent. Milling 154(11); 1972; 20

F8,3x;z1Fe Cereal, Iron Quantity

- 552 ABDOH (Y), et al: Spectrophotometric determination of traces of iron in cereals. The use of Benzohydroxymic acid. Fd Sci Tech 5(6); 1972; 219

F8,3x;F4M Cereal, Mycotoxin

- 553 N72 SCOTT (PM): Mycotoxins (Ochratoxin A, Citrinin, and Sterigmatocystin) and Toxigenic Fungi in Grains and other agricultural products. J Agri & Fd Chem 20(6); 1972; 1103

F8,31-O(a2;5M4) Rice, Parboiled

- 554 ZAKUDDIN ALI (S) and BHATTACHARYA (KR): Hydration and Amylose-Solubility. Behaviour of parboiled rice. Fd Sci + Tech 5(6); 1972; 207

- 555 ZAKUDDIN (S) and BHATTACHARYA (KR): An alkali reaction test for parboiled rice. Fd Sci + Tech 5(6); 1972; 216

F8,32;P768:2;5R7 Wheat, Starch, Brewing

- 556 GEIGER (K): Brewing with wheat starch. Tech Qrly 9(4); 1972; 195

F8,32;T Wheat, Protein

- 557 RAO (SC) and CROY (LI): Protease and nitrate reductase seasonal patterns and their relation to grain protein production of "high" vs "low" protein wheat varieties. J Agr & Fd Chem 20(6);1972;1138

F8,32-O(a2;3J) Wheat, Denatured

- 558 N73 BAKER (GJ): Denaturing wheat with dye. Milling 155(2); 1973; 20

F8,32-O(a2;3L) Wheat, Flour

- 559 N72 RANHOTRA (GS): Use of opaque-2 Corn flour with white wheat flour. J Agr & Fd Chem 20(6);1972; 1136

F8,32-Z9Z Wheat, (during) Growth

- 560 WHEELER (AW): Changes in growth-substance contents during growth of wheat grains. Ann Appd Bio 72(3); 1972; 327-334

F8,36:2;13 Barley, Malting

- 561 N72 HAMAN (RW) and HARTZELL (TH): New experiences in malting. Tech Qurly 9(4); 1972; 161

F8,36-ZD Barley-Embryo, Gibberllic Acid

- 562 PALMER (GH): Transport of Gibberllic Acid in the barley embryo. J Inst Brewing 78(6); 1972; 470

F8,37M;C Corn, Physical property variation (influenced by) Corn beef Blight

- 563 CAVINS (JF), et al: Effect of southern corn leaf blight on composition and selected physical characteristics of corn. J Agr & Fd Chem 20(6); 1972; 1146

F8,39b;eF Pea, Tenderness

- 564 VOISEY (PW) and NONNECKE (IL): Measurement of pea tenderness. III. Field comparison of several methods of measurement. J Tex Studies 3(3); 1972; 329

F8,39b-0(ab-C) Peas, Frozen, Carbohydrate, Quantity

- 565 GERTIG (H) and KULESZA (C): Qualitative and quantitative comparison of carbohydrates content of fresh, frozen and preserved green peas. Prace Inst Lab 22(1); 1972; 167

F8,39h Soyabean, Isoflavone

- 566 N73 NAIM (M), et al: A new isoflavone from soya beans. Phytochemistry 12(1); 1973; 169

F8,39h;k2 Soyabean, Nutritive value

- 567 N72 MAHABAL RAM, et al: Soybean can raise nutritional status of human diet. Indian farming 22(8); 1972; 19

F8,39h-0(a2;3L) Soya, Flour

- 568 BROWN (MA) and CHURCH (JA): Soya flour: The modern bakery additive. Ind Alimentari 11(10); 1972; 109

F8,39za;T Oil seed, Protein, Water Binding

- 569 N72 HAGENMAIER (RD): Water binding of some purified oilseed proteins. J Fd Sci 37(6); 1972; 965

F8,39Ok;eF48 Almond, Rancidity

- 570 HARRIS (NE), et al: Rancidity in almonds: Shelf life studies. J Fd Sci 37(6); 1972; 824

F8,39On;eF31 Peanut, Volatile Profile

- 571 PATTEE (HE) and SINGLETON (JA): Comparison of geographical and varietal effects on the peanut volatile profile by peak-ratio analysis. J Agri & Fd Chem 20(6); 1972; 1119

F8,39On;Vn1 Peanut, Linoleic Acid

- 572 YOUNG (CT) and WALTER (GR): Rapid oleic/Linoleic microanalytical procedure for peanuts. J Agri & Fd Chem 20(6); 1972; 1116

F8,39A;F38P Vegetable, Parathian

- 573 CANUTI (A), et al: Research of parathion, methylparathion, dieldrin, ddt, heptachlor, lindane, chlordane in the fruit and vegetable products. Ind Alimentari 11(10); 1972; 92

F8,39E1 Potato, Aromatic Alcohol, Dehydrogenase

- 574 N73 DAVIES (DD), et al: Aliphatic alcohol dehydrogenase from potato tubers. Phyto chem 12(3); 1973; 523

- 575 DAVIES (DD), et al: Aromatic alcohol dehydrogenase from potato tubers. Phyto chem 12(3); 1973; 531

F8,39E1-O(a2;36) Potato, Slice

- 576 N72 SALUNKHE (DK), et al: Effects of light and temperature on the formation of solanine in potato slices. J Fd Sci 37(6); 1972; 969

F8,39E1-0(a2;36) Potato, Slice, Fatty Acid

- 577 N72 LATIES (GG), et al: α -Oxidation of endogenous fatty acids in fresh potato slices. Phytochemistry 11(12); 1972; 3403.

F8,39E2;P768 Sweet Potato, Starch

- 578 FUJIMOTO (S), et al: Suspensible fine starch granules of immature sweet potato. Their characteristics in emulsified fatty acids and in chemical and physical properties. Die Starke Starch 24(11); 1972; 363

F8,39E4-0(8);a06 Supercane Juice, Quality

- 579 N73 MAHAMUNI (I), et al: Influence of manures and fertilisers on the quality constituents of sugar cane juice. Indian Sugar 22(10); 1973; 775

F8,39H1;g7 Tomato, Shelf life

- 580 N72 DOMENICO (JA), et al: Effects of fungicides in combination with hot water and wax on the shelf life of tomato fruits. J Fd Sci 37(6); 1972; 957

F8,39H1-ZT Tomato, Ripening

- 581 WU (MT), et al: Effects of sub-atmospheric pressure storage on ripening of tomato fruits. J Fd Sci 37(6); 1972; 952

F8,39N;CF2 Fruit, Astringency Disappearance

- 582 GAZIT (S) and ADATO (I): Effect of carbon dioxide atmosphere on the course of astringency disappearance of persimmon (Diospyros kaki Linn) fruits. J Fd Sci 37(6); 1972; 815

F8,39N;zP Fruit, Firmness

- 583 FINNEY (EE) Jr. Vibration techniques for testing fruit firmness. J Tex Studies 3(3); 1972; 263

- F8,39N;ZB Fruit, Anthocyanin
- 584 N73 SANTAMOUR (FS): Anthocyanins of holly fruits. *Phytochem* 12(3); 1973; 611
- F8,39N-O(a6) Fruit, Processed, Sulphur Dioxide
- 585 N72 BOLIN (HR) and BOYLE (FP): Effect of storage and processing on sulfur dioxide in preserved fruit. *Food Prod Deve* 6(7); 1972; 82
- F8,39P14-O(a6;C) Strawberry, Frozen, (influenced by) Citric Acid
- 586 WELLS (CE), et al: Effect of citric acid on frozen whole strawberries. *J Amer Diet Assn* 61(6); 1972; 665
- F8,39PR-ZT Banana, Ripening, Oxalic Acid
- 587 SHIMOKAWA (K), et al: Decarboxylation of oxalic acid during ripening of Banana fruit (*Musa sapientum* L) *Agri & Biol Chem* 36(11); 1972; 2021
- 588 N73 HAARD (NF): Upsurge of particulate peroxidase in ripening banana fruit. *Phytochem* 12(3); 1973; 555
- F8,39Q;Zz7 Orange, Pigment, Recovery
- 589 N72 BERRY (RE), et al: Recovery of natural orange pigments: An improved method applied to citrus processing wastes. *J Fd Sci* 37(6); 1972; 809
- F8,39R3 Apricot, Bisulfite
- 590 STAFFORD (AE), et al: Absorption of aqueous bisulfite by apricots. *J Fd Sci* 37(6); 1972; 941
- F8,39R6;zP Peach, Firmness
- 591 FINNEY (E) Jr. and ABBOTT (JA): Sensory and objective measurements of peach firmness. *J Tex Studies* 3(3); 1972; 372
- F8,39R6-O(a6;P) Peach, Irradiated, Stored, Firmness
- 592 AHMED (EM) and FLUCK (RC): Textural properties of stored and irradiated peaches. I: Firmness. *J Tex Studies* 3(3); 1972; 310

F8,39R6-O(a6;P) Peach, Irradiated, Stored,
Texture

- 593 N72 AHMED (EM), et al: Textural properties of stored and irradiated peaches. II: Rheological properties. J Tex Studies 3(3); 1972; 319

F8,39S1;P7 Apple, Polysaccharide

- 594 N73 KNEE (M): Polysaccharides and glycoproteins of apple fruit cell walls. Phytochem 12(3); 1973; 637

F8,39S1-O(d) Apple Slice, Pre-freezing

- 595 N72 PONTING (JD) and JACKSON (R): Pre-freezing processing of Golder Delicious apple slices. J Fd Sci 37(6); 1972; 812

F8,39S1-O(a8;A) Apple, Stored, Rot, Control

- 596 BURCHILL (RT) and EDNEY (KL): An assessment of some new treatments for the control of rotting of stored apples. Annals of Applied Bio 72(3); 1972; 249

F8,39Zd Starch

- 597 O'DELL (J): Starches for encapsulation. Food Process Indus 41(493); 1972; 36

F8,39ZC Bread, Industrial Freezing

- 598 BERTIN (M): Bread industrial freezing. Ind Alimentary 11(10); 1972; 97

F8,3B;F2 Dairy Products, Mould, Quantity

- 599 HUP (G) and STADHOUDERS (J): Comparison of media for the enumeration of yeasts and moulds in dairy products. Netherlands Milk Dairy J 26(3/4); 1972; 131

F8,3C Milk, Standardisation

- 600 GREEN (Dr E), et al: Report on the practical aspects of milk standardisation. Part 1: Standardisation techniques. Milk Ind 71(5); 1972; 14

F8,3C;F2L Milk, Leucocyte, Quality

- 601 N72 de la MNICHOLS (G) and PHILLIPS (DSM): A rotary viscometer for leucocyte - count determinations in milk. Aus J of Dairy Tech 27(4); 1972; 134

F8,3C;F38CHL Milk, Chlorinated Pesticide Residue

- 602 MUKHERJEE (Mrs G) and MATHEW (TV): A rapid clean-up procedure for the isolation of chlorinated pesticides in milk, fats and oils. Res & Ind 17(3); 1972; 101

F8,3C;T Milk, Protein, Coagulation

- 603 FEAGAN (JT), et al: Coagulation of milk proteins: 1 Effect of genetic variants of milk proteins on rennet coagulation and the heat stability of normal milk. Aus J of Dairy Tech 27(4); 1972; 129

F8,3C;U35 Milk, Protease

- 604 KAMINOAWA (S) and YAMAUCHI (K): Acid protease of bovine milk. Agr & Biol Chem 36(13); 1972; 2351

F8,3C-O(a6;4-zb6) Milk, Spray Dried Physical property

- 605 BUMA (TJ): Free fat and physical structure of spray-dried whole milk. Nether Milk Dairy J 26(3/4); 1972; 237

F8,3C-O(a6;44) Milk, Heated, Reaction

- 606 KUMAR (S) and HANSEN (MT): Reactions of heated milk and amino sugars with p-dimethylaminobenzaldehyde J Agr & Fd Chem 20(6); 1972; 1141

F8,3H Yogurt

- 607 ACOTT (KM) and LABUZA (TP): Yogurt: Is it truly adelle's B vitamin factory? Food Prod Deve 6(7); 1972; 50

F8,3J;Va Butter, Fat

- 608 N72 PARODI (PW): Triglyceride composition of Australian Butterfat. Aus J of Dairy Tech 27(4); 1972; 140

F8,3K Whey

- 609 DELBEKE (R): Assessment of certain ion-exchange resins for the demineralization of cheese whey. Nether Milk Dairy J 26(3/4); 1972; 155

F8,3K;T Whey, Protein, Denaturation

- 610 MCGANN (TCA), et al: Applications of the Pro-Milk MK 11 Part IV. Monitoring the degree of denaturation of whey proteins in heat processing of milk, and the heat classification of milk powders. Laboratory Practice 21(12); 1972; 865

F8,3M;a2y Cheese, Defect, Prevention

- 611 GEURTS (TJ), et al: Brine composition and the prevention of the defect 'soft rind' in cheese. Nether Milk Dairy J 26(3/4); 1972; 168

F8,3Za;a06 Meat, Binding Quality

- 612 NAKAYAMA (T) and SATO (Y): Relationships between binding quality of meat and myofibrillar proteins. V: Effect of 'Setting' and pyrophosphate on Rheological properties of Heated minced-meat gel. J Tex Studies 3(3); 1972; 359

F8,3Za;eF Meat, Tenderness

- 613 SHIMODOMAKI (M), et al: Meat tenderness: Age related changes in bovine intramuscular collagen. J Fd Sci 37(6); 1972; 892

F8,3Za;(op3) Meat, Sulphur Dioxide, Quantity Analysis

- 614 BARNETT (D): The determination of sulphur dioxide in meats. Analyst 97(1161); 1972; 937

F8,3Za-0(n) Meat Loaf, Protein Concentrate

- 615 N72 NOLLMAN (DS) and PRATT (DE): Protein concentrates and cellulose as additives in meat loaves. J Ameri Diet Assn 61(6); 1972; 658

F8,3Zb=128;a01 Animal, Collagen, Macromolecular Property

- 616 PFEIFFER (NE), et al: Effects of post-mortem aging and stretching on the macromolecular properties of collagen. J Fd Sci 37(6); 1972; 897

F8,3Zb=3;T;e38 Animal muscle, Protein, Emulsifying capacity

- 617 ACTON (JC) and SAFFLE (RL): Emulsifying capacity of muscle protein: Phase volumes at emulsion collapse J Fd Sci 37(6); 1972; 904

F8,3Zb1;cF Beef, Tenderness, Evaluation

- 618 HENRICKSON (RL), et al: An evaluation of the armour tenderometer for an estimation of beef tenderness. J Fd Sci 37(6); 1972; 857

F8,3Zb1;eB Beef, pH Value

- 619 SHULTS (GW), et al: Effect of condensed phosphates on pH, swelling and water-holding capacity of beef. J Fd Sci 37(6); 1972; 860

F8,3Zb1;eF31 Beef, Flavour

- 620 MAGA (JA) and LORENZ (K): The effect of flavor enhancers on direct headspace gasliquid chromatography profiles of beef broth. J Fd Sci 37(6); 1972; 963

F8,3Zb1;A Beef, Contaminant

- 621 TIWARI (NP) and MAXCY (RB): Moraxella-acinetobacter as contaminants of beef and occurrence in reduced product. J Fd Sci 37(6); 1972; 901.

- F8,3Zb1-O(a2;4E);cF Beef, Roasted, Texture
- 622 N72 RHODES (DN), et al: Meat texture II: The relationship between subjective assessments and a compressive test on roast beef. J Tex Studies 3(3); 1972; 298
- F8,3Zb1-O(a6;C) Beef, Frozen, Microorganism
- 623 REY (CR), et al: Effect of fluctuating storage temperatures on microorganisms on beef shell frozen with liquid nitrogen. J Fd Sci 37(6); 1972; 865
- F8,3Zb4;Va Pork, Fat
- 624 FUCHS (G), et al: Fatty acid composition of pork fat as determined by combined gas-liquid chromatography mass spectrometry. Swed J Agri Res 2(3); 1972; 121
- F8,3Zb4-O(a7;M) Pork, Packaged, Quality(influenced by)Temperature
- 625 ADAMS (JR) and HUFFMAN (DL): Effect of controlled gas atmospheres and temperatures on quality of packaged pork. J Fd Sci 37(6); 1972; 869
- F8,3Zb41-O(a7;M) Bacon, Vacuum-Packaged, Microorganism
- 626 DEMPSTER (JF): Some characteristics of micro-organisms isolated from vacuum-packaged bacon. Irish J of Agri Res 11(3); 1972; 351
- F8,3Zb41=3;C Ham Muscle, Physical property
- 627 TOPEL (DG), et al: Certain chemical and physical properties of ham muscle portions after thermal processing. J Fd Sci 37(6); 1972; 907
- F8,3Zd1;a06 Poultry, Quality, influenced by Packaging Material
- 628 N73 DEVEVERE (JM) and VOETS (JP): Influence of packaging materials on quality of fresh poultry. British poul Sci 14(1); 1973; 17

F8,3Zd1;Ve Chicken, Fatty Acid

- 629 N72 DONOVAN (WP) and APPLIEDORF (H): Fatty acid content of franchise chicken dinners. J Fd Sci 37(6); 1972; 961

F8,3Zd1-O(a2;6G):6;G Poultry, Eviscerated, Chilling

- 630 N73 MEAD (GC) and THOMAS (NL): Factors affecting the use of chronine in the spin-chilling of eviscerated poultry. British Poul Sci 14(1); 1973; 99

F8,3Zd1-O(a6;C) Chicken Broiler, Frozen, Bone darkening

- 631 N72 HATCH (V) and STADELMAN (WJ): Bone darkening in frozen chicken broilers and ducklings. J Fd Sci 37(6); 1972; 850

F8,3Zd17-O(a2;4M) Turkey meat, Precooked, quality influenced by Tocopherol, Supplementation

- 632 WEBB (RW), et al: Effect of tocopherol supplementation on the quality of precooked and mechanically deboned turkey meat. J Fd Sci 37(6); 1972; 853

F8,3Zv9t;a06;a86 Catfish, Quality, Variation

- 633 HEATON (EK), et al: Changes in quality of channel catfish held on ice before and after processing. J Fd Sci 37(6); 1972; 841

F8,3Zv9L;ac Mackerel, Chemical Composition

- 634 KEAY (JN), et al: Chub mackerel of Thailand (Rastrelliger neglectus, van kampen): a short study of its chemical composition, cold storage and canning properties. J Sci Fd & Agr 23(11); 1972; 1359

F8,3ZvZn:6;P Pomfret, Dehydro-irradiation

- 635 AGARWAL (SR), et al: Dehydro-irradiation process for white pomfret (Stromateus cinereus): Synergistic effects of blanching with preservatives, partial dehydration and low dose irradiation. J Fd Sci 37(6); 1972; 837

F8,3Zt8-0(a2;47);a24 Shrimp, Cook Drips
Loss, Prevention

- 636 N72 MATHEN (C) and others: Prevention of cook drip loss from shrimp meat. Seafood Export J 4(12); 1972; 9

F8,3Zz1 Egg, Weight

- 637 BALNAVE (D): Egg weight and other production responses resulting from the supplementation of a semi-purified layers' ration with energetically equivalent amounts of maize starch or maize oil. J Sci Fd & Agr 23(11); 1972; 1305

F8,3Zz1=85 Egg white, Lysozyme, Quality

- 638 SAUTER (EA) and MONTTOURE (JE): The relationship of lysozyme content of egg white to volume and stability of foams. J Fd Sci 37(6); 1972; 948

F8,3Zz1=86 Egg Yolk

- 639 N73 SOM (R): Pigments in egg yolk. Poultry Guide 10(3); 1973; 44

F8,3Zz1=86;a02 Egg yolk, Micro-structure

- 640 N72 HASIAK (RJ), et al: Effect of certain physical and chemical treatments on the microstructure of egg yolk. J Fd Sci 37(6); 1972; 913

F8,3Zz9F Frankfurter

- 641 SIMON (S): Continuous processing systems for skinless frankfurters. Fd Tech 26(12); 1972; 50

F8,3Zz9F;F2 Frankfurter, Micro-organism, Quality (influenced by) smoking

- 642 HEISZLER (MG), et al: Effect of time and temperature of smoking on micro-organisms on frankfurters. J Fd Sci 37(6); 1972; 845

F8,3Z1;(F8,3:2;13) Beverage,(made of) Malt

- 643 PRECHTL (C): US speciality malt beverages. Tech Qrly 9(4); 1972; 200

F8,3Z2;(C-9ZkH) Drink (made of) Chocolate Milk

- 644 N72 BUCHANAN (RA), et al: Chocolate milk drinks. Aus J Dairy Tech 27(4); 1972; 119

F8,3Z451 Tea

- 645 DEY (SK): Tea in Russia. Two and a Bud 19(2);1972; 73

F8,3Z.451 Tea Seed, Alcohol, Dehydrogenase

- 646 HATANAKA (A) and HARADA (T): Purification and properties of Alcohol Dehydrogenase from tea seed. Agri & Bio Chem 36(11); 1972; 2033

F8,3Z481 Coffee, Caffeine

- 647 HORMAN (I) and VIANI (R): The nature and conformation of the Caffeine-chlorogenate complex of coffee. J Fd Sci 37(6); 1972; 925

F8,3Z481-O(a2;4E) Coffee, Roasted, Decaffeination

- 648 SCHWIMMER (S) and KURTZMAN (RH) Jr. Fungal decaffeination of roast coffee infusions. J Fd Sci 37(6); 1972; 921

F8,3Z482:2;1 Cocoa, Fermentation

- 649 ZAK (DL), et al: Implication of bacillus subtilis in the synthesis of tetramethylpyrazine during fermentation of cocoa beans. J Fd Sci 37(6); 1972; 967

F8,3Z7;(9H1) Fruit Juices (made of) Processed, Amino Acid

- 650 STADTMAN (FH): Free amino acids in raw and processed tomato juices by ion exchange chromatography with a lithium citrate column for separation of glutamine and asparagine from threonine and serine. J Fd Sci 37(6); 1972; 944

F8,3Z7;(9QB)-O(8x) Fruit Juice (made of) Orange, Instant, Preparation

- 651 BERRY (RE), et al: Preparation of instant orange juice by foam-mat drying. J Fd Sci 37(6); 1972; 805

F8,3Z9b11 Port

- 652 N72 GOSWELL (RW): The manufacture of port. Proc Biochem
7(10); 1972; 27

F8,3Z9b2 Beer Haze

- 653 SAVAGE (DJ) and THOMPSON (CC): Electrofocusing studies
on the formation of beer haze. J Inst Brewing
78(6); 1972; 472

F8,3Z9b2:2 Beer, Production

- 654 CZARNECKI (W): Economic effectiveness of choosen
methods of beer production. Prace Inst Lab 22(1);
1972; 95

F8,3Z9b2:2;1 Beer Wort, Fermentation

- 655 DYLKOWSKI (W) and FIJAK (M): Pressure fermentation
of beer wort. Part I. Literature review and preli-
minary industrial experiments. Prace Inst Lab
22(1); 1972; 71

F8,3Z9b3:2 Cider, Production

- 656 BEECH (FW): Cider Making and Cider Research: A
Review. J Inst Brewing 78(6); 1972; 477

F8,3ZA Spices

- 657 NAMBIAR (MC): Advances in spices research. Indian
Farming 22(8); 1972; 9

F8,3ZE8 Mustared

- 658 SHANKARANARAYANA (ML), et al: Mustard - varieties,
Chemistry and analysis. Fd Sci + Tech 5(6);
1972; 191

F8,3ZD8;P7 Tamarind, Polysaccharide

- 659 SRIVASTAVA (HC) and KRISHNAMURTHY (TN): Studies
on tamarind kernel polysaccharides. Part II.
Fractionation and examination of minor component
polysaccharides. die starke starch 24(11); 1972; 369

F8,3ZM4 Chillies

- 660 TIRIMANNA (ASL) and PERERA (PSS): Thin layer chro-
matographic studies of the pungent principles
of ceylon chillies. (Capsicum species)
Qualitas Plantrm Mater Vegebils 22(1); 1972; 1

I N D E X

=====

Additive, Food 532
 Adulteration, Food 530
 Alcohol, Tea Seed 646
 Almond 570
 Amino Acid, (made of) Processed, Fruit Juice 650
 Animal 616, 617
 Anthocyanin, Fruit 584
 Apple 594-596
 Apricot 590
 Aromatic Alcohol, Potato 574, 575
 Astringency, Fruit 582

Bacon 626
 Banana 587, 588
 Barley 561-563
 Beef 618-623
 Beer 654, 655
~~—~~ Haze 653
~~—~~ Wort 655
 Beverage 643
 Binding Quality, Meat 612
 Bisulfite, Apri-cot 590
 Blanching, Food 531
 Bread 598
 Brewing, Food 529
 Brewing, Starch, Wheat 536
 Butter 608

Caffeine, Coffee 647
 Canned, Food 546
 Carbohydrate, Frozen, Pea 565
 Catfish 633
 Cereal 550-553
 Chemical Composition, Macherel 634
 Chicken, Frozen, Broilar 631
 Chilling, Evicerated, Poultry 630
 Chilly 660
 Chlorinated Pesticide, Residue, Milk 602
 Chocolate (made of), Milk, Drink 644
 Cider 656
 Citric Acid, influencing Frozen, Strawberry 586
 Coagulation, Protein, Milk 603
 Cocoa 649
 Coffee 647, 648
 Collagen, Animal 616
 Contaminant, Beef 621
 Cook Drip Loss, Shrimp 636
 Copper, Food 538
 Corn 563

Dairy products 599
 Decaffeination, Roasted, Coffee 648
 Defect, Cheese 611

.Contd.'D

Deformation testing, Food 535
Dehydrogenase, Alcohol, Tea Seed 646
———, Aromatic Alcohol, Potato 574, 575
Dehydro-Irradiated 635
———-Irradiation, Pomfrel 635
Denaturation, Protein, Whey 610
Denaturated, Wheat 558
Dried, Plant material 548
Drink 644

Egg 637-640
Egg White 638
—— yolk 639, 640
Enzyme, Application (cf), Brewing, Food 529
Evicerated, ponetz 630
Fat, Butter 608
Fat, Pork 624
Fatty Acid, Chicken 629
—— ——— Potato slice 577
Fermentation, Beer wort 655
———, Cocoa 649
Firmness, Fruit 583
———, Peach 591
———, Stored, Irradiated, Peach 592
Flavour, Beef 620
———, Food 536, 537
Flour, Soyabean 568
———, Wheat 559
Food Technology 528
Frankfurter 641, 642
Freeze-Dried, Food 545
Frozen, Beef 623
———, Pea 565
———, Strawberry 586
Fruit 582-585
——— Juice 650, 651

Gelatin, Food 533
Gibberillic Acid, Barley-Embryo 562

Ham muscle 627
Heated, Milk 606

Industrial Freezing, Bread 598
Infant (for), Food 547
Instant (made of) Orange, Fruit, Juice 651
Iron, Cereal 552
Irradiated, Peach 592
———, ——— 593
Isoflavone, Soyabean 566

L-dehydro ascorbic Acid, Food 543

Contd.'L

Contd. 'L

Lencocyte, Milk 601
Lysozyme, Egg white 638

Macherel 634
Macromolecular, Property, Collagen, Animal 616
Malt (made of), Beverage 643
Malting, Barley 561
Meat 612-615
—— Loaf 615
Microbe, Food 539
Microorganism, .. Frankfurter 642
——, Frozen, Beef 623
——, Vacuum-Packaged, Bacon 626
Micro-structure, Egg yolk 640
Milk 600-606
Milling, Cereal 550, 551
Mould, Dairy products 599
Mustard 658
Mycotoxin, Cereal 553

Nutritive Value, Soyabean 567

Oil, Ripening, Plant seed 549
Oil Seed 569
Orange 589
—— (made of), Fruit Juice 651
Oxalic Acid, Ripening, Banana 587
Packaged, Pork 625
Packaging material (influencing) Quality,
Poultry 628
Parathion, Vegetable 573
Parboiled, Rice 554, 555
Pea 564, 565
Peach 591, 592, 593
Peanut 571, 672
Pectin, Food 542
PH Value, Beef 619
Physical property, Ham muscle 627
Polysaccharide, Tamarind 659
Pork 624, 625
Port 652
Poultry 628-631
Pre-cooked, Turkey meat 632
Processed (made of), Fruit Juice 650
Protein, Oil seed 569
Pesticide, Residue, Food 541
Pigmeat, Orange 589
Plant material 548, 549
Polysaccharide, Apple 594
Potato slice 576, 577
Pre-freezing, Apple, Slice 595
Preserved, Food 544
Protease, Milk 604

Contd. 'P

Contd. 'P

Protein Concentrate, Meat Loaf 615
----- Hydrolyzate, Freeze-Dried, Food 545
----- Milk 603
-----, Wheat 557
-----, Whey 610

Quality, Food 534
-----, Poultry 628

Rancidity, Almond 570
Rice 554, 555
Ripening, Banana 587, 588
Roasted, Beef 622
Roasted, Coffee 648
Rot, Stored, Apple 596

Salmonellae Food, 540
Shelf life, Tomato 580
Shrimp 636
Smoking (influencing) Quality, Micro-organism,
Frankfurter 642
Soyabean 566-568
Spice 657
Spoilage, Canned, Food 546
Spray-Dried, Milk 605
----- Drying, Survival (during), Salmonellae,
Food 540
Standardisation, Milk 600
Starch 597
-----, Sweet Potato 578
-----, Wheat 556
Stored, Apple 596
-----, Irradiated, Peach 592
-----, -----, ----- 593
Sulphur Dioxide, Meat 614
Sugarcane, Juice 579
Sulphur Dioxide, Processed, Fruit 585
Sweet Potato 578

Tamarind 659
Tea 645
----- seed 646
Tenderness, Beef 618
-----, Meat 612
-----, Pea 564
Texture, Roasted, Beef 622
-----, Stored, Irradiated, Peach 593
Tocopherol (influencing) Quality, Precooked,
Turkey meat 632
Tomato 580, 581

Contd. 'T

Contd.'T

Turkey meat 632

Vacuum-Packaged, Bacon 626

Vegetable 573

Vitamin K1, (for) Infant, Food 547

Volatile profile, Peanut 571

Wheat 556-560

Whey 609, 610

Xanthophyll, Dried, Plant material 548


Yogurt 607

- 1 -

sr/28v

FOOD TECHNOLOGY

DOCUMENTATION LIST



June 1973.

No 6.

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, JUNE 1973

Volume - 8

Number - 6

-oOo-

C O N T E N T S

	<u>Page</u>
Food (General)	1 - 3
Cereal & Pulses	3 - 6
Oilseeds	7
Vegetables	7
Fruits	7 - 8
Starch	8 - 9
Bakery Products	9 - 10
Milk and Milk Products	11 - 12
Meat and Meat Products	13 - 14
Sea Food	14
Beverage	15
Alcoholic Beverage	15 - 16

- Ø -

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, JUNE 1973

Volume : 8 - Number : 5

-oCo-

F8,3;ac Food, Composition

- 661 N73 MURPHY (EW), et al : Tables of food composition: availability, uses, and limitations. Food Tech 27(1); 1973; 40

F8,3;eF Food, Flavour

- 662 BENSON (FR) and PARTNERS : Flavour challenge of new products. Food Manf 48(1); 1973; 23

F8,3;ef316 Food, Aroma, Evaluation

- 663 N72 ROTHE (M) et al : Threshold values of aroma compounds and their use for evaluation of aroma analyses. Nahrung ; 16(5); 1972; 493

F8,3;eF4 Food, Taste

- 664 N73 GIPPS (PG) and CASIMIR (DJ) : Scoring of taste Data on computer cards. Food Res Quar 33(1); 1973; 15

- 665 HOWARD (A) : Taste panel techniques. Food Res Quar. 33(1); 1973; 8

F8,3;z15 Food, Water, Content

- 666 SZULMAYER (W) : Water in the vapour phase and its interactions with foods. Food Res Quar. 33(1); 1973; 19

F8,3;423 Food, Mould contamination

- 667 POLSTER (M) : Mould contamination in foodstuff plants. Prumysl Potravin; 24(1); 1973; 21

F8,3;438 Food, Insects, Contamination

- 668 JOHNSON (HM) et al: Antigenic properties of some insects involved in food contamination. J AOAC: 56(1); 1973; 63

F8,3;F2 Food, Microbiological, Testing

- 669 N73 HEIDELBAUGH (ND) et al: Microbiological testing of skylab foods. App Mic. 25(1); 1973; 55

F8,3;F2SAL Food, Salmonella

- 670 HOBEN (DA) and others: Rapid, presumptive procedure for the detection of salmonella in foods and food ingredients. App Mic. 25(1); 1973; 123

F8,3;N4 Food, Oxalic acid, Quantity, Analysis

- 671 FRANCO (V) and KRINITZ (B) : Determination of oxalic acid in foods. J AOAC; 56(1); 1973; 164

F8,3;R Food, Amino acid

- 672 N72 ARAY (SS) et al: Interaction of malonaldehyde in foods. I. Reaction with sulphur amino acids. J Food Sci Tech; 9(4); 1972; 186

F8,3;T:e21 Food, Protein, Solubility

- 673 BEN-GERA (I) and ZIMMERMAN (G) : Changes in the nitrogenous constituents of staple foods and feeds during storage. II. Changes in protein solubility and adsorption of sulphonic dyes. J Food Sci Tech; 9(4); 1972; 200

F8,3-O(a2;4M)-15 Food, Precooked, Bal-ahar

- 674 PRASANNAPPA (G) et al: Precooked bal-ahar and Indian multipurpose food. J Food Sci Tech; 9(4); 1972; 174

F8,3-O(a2);k2 Food, Processed, Nutritional value

- 675 N73 KUHAJEK (EJ) et al: Nutritional iodine in processed foods. Food Tech 27(1); 1973; 52

F8,3-O(a6) Food, Preserved, L-ascorbic acid

- 676 GRUNDOVA et al: Determination of L-ascorbic and L-dehydroascorbic acids in plant materials and preserved foods. Food Sci Tech 6(1); 1973; 11
DLFT 8(6), 1973

F8,3-O(a6;P):7;M Food, Irradiated, Packaging

- 677 N72 AGARWAL (SR) and others : Assessment of suitability of flexible packaging materials for packaging of irradiated foods. J Food Sci Tech 9(4); 1972; 10

F8,3-(MIL) Food, Miltone

- 678 CHANDRASEKHARA (MR) et al: Nutritional studies with milk toned with peanut proteins - Miltone Nut Rep Inter 6(5); 1972; 239

F8,3x:k5 Grain, Protection (from) Insects

- 679 BAINS (SS) and ATWAL (AS) : Protection of grain against Trogoderma granarium and Sitophilus oryzae. Bull Grain Tech 10(4); 1972; 283

F8,3x;a06 Grain, Quality

- 680 CHOHAN (JS) et al: Relation of aeration to the growth of storage fungi and the resulting effects on grain quality. Bull Grain Tech 10(4); 1972; 256

F8,3x;z15 Cereal, Moisture

- 681 N73 MATTERN (PJ) and BISHOP (JB) : Cabinet with controlled humidity to bring cereal samples to constant moisture. Cer Sci To-day;18(1); 1973; 8

F8,3x;(2-9h-9On);T Cereal food, (based on) Wheat, Soyabean, Peanut, Nutritive value

- 682 NARAYANASWAMY (D) et al: Nutritive value of protein enriched cereal foods based on wheat, soybean and peanut flours and containing varying amounts of proteins. Nut Rep Inter 7(2); 1973; 111

F8,3x-O(a2;3C) Cereal, Flour

- 683 N72 JOGBIR SINGH : How to improve flour ? Indian Miller 3(2); 1972; 34

F8,3x-O(a2;3C) Cereal, Flour, Composition

- 684 NLOKSMA (AH) : Flour composition, dough rheology, and baking quality. Cer Sci To-day 17; 1972; 380

F8,3x-O(a8;A);438B Grain, Stored,
Beetles, Detection

- 685 N73 LOSCHIAVO and ATKINSON : Improved trap to detect beetles (Coleoptera) in stored grain. Canadian Ent 105(3); 1973; 437

F8,3y;eE26 Paddy, Discolouration

- 686 N72 ABROL (YP) and UPRETY (DC) : Phenol colour reaction vis-avis discolouration of paddy. Bull Grain Tech 10(4); 1972; 288

F8,3y;433 Paddy, Infestation

- 687 ABRAHAM (CC) et al: Relative susceptibility of different varieties of paddy to infestation by the angoumois grain moth Sitotroga cerealella Olivier (Gelechiidae : Lepidoptera), as influenced by the amylose content of the endosperm. Bull Grain Tech 10(4); 1972; 263

F8,31 Rice

- 688 N73 TAKAHASHI (N) and SHIMOMURA (T) : Action of rice - Glucosidase on maltose and starch. Agri Biol Che 37(1); 1973; 67

F8,31;ao1 Rice, Property

- 689 TAKAHASHI (T) et al: Some properties and characterization of rice seed hemagglutinin. Agri Biol Che 37(1); 1973; 29

F8,31;ao6 Rice, Quality

- 690 N72 GOVINDASWAMI (S), et al: Improvement in quality characteristics and yield attributes through gamma-irradiation in rice (Oryza Sativa L.) Indian J Agri Sci 42(10); 1972; 869

F8,31;k2 Rice, Nutritive value

- 691 N73 NURATA (K) et al: Comparison between nutritional value of rice and wheat protein. Nut Rep Inter 7(2); 1973; 93

F8,31;T Rice, Protein

- 692 N72 NAIR (PKR) : Potentialities of rice-based multiple cropping systems in terms of harvesting of protein, carbohydrates and energy. J Food Sci Tech 9(4); 1972; 193

F8,32;8;A Wheat, Storage

- 693 DHANRAJ (GK) et al: Grain storage fungi associated with wheat in Punjab. Bull Grain Tech 10(4); 1972; 297

F8,32;F8 Wheat, Fumigation

- 694 PINGALE (SV) et al: Fumigation of wheat loaded in ships with different fumigants. Bull Grain Tech 10(4); 1972; 267

F8,32;T Wheat, Protein

- 695 N73 HORAN (FE) : Wheat-scy blends - High quality protein products. Cer Sci To-day 18(1); 1973; 11

- 696 N72 GREENAWAY (WT) : Comparison of the kjeldahl, dye-binding and biuret methods for wheat protein content. Cer Chem 49(6); 1972; 609

- 697 JOHNSON (BL) : Seed protein profiles and the origin of the hexaploid wheats. Ame J Bot 59(9); 1972; 952

- 698 WRIGLEY (CW) : Biochemistry of the wheat protein complex and its genetic control. Cer Sci To-day 17; 1972; 370

F8,32;433 Wheat, Infestation

- 699 KARAN SINGH (NS) et al: Studies on the loss in weight caused by Sitophilus oryzae linn. (Coleoptera, Curculionidae) to various high yielding varieties of wheat. Bull Grain Tech 10(4); 1972; 271

F8,32-0(a2;3C) Wheat, Flour,

- 700 N73 SETHI (RK) and CHOPRA (SL) : Sorption of water vapour by wheat flours. J Food Sci Tech 10(1); 1973; 9
DLFT 8(6), 1973

F8,32-0(a2;30) Wheat, Flour, Lipoxygenase,
Activity

- 701 N72 FREIMUTH (U) et al: Manometric determination of
the lipoxygenase activity in wheaten flours
and doughs with the aid of Warburg's method.
Nahrung 16(5); 1972; 530

F8,32-Ze Wheat, Postharvested

- 702 KRISHNAMURTHY (K) : Post harvest problems of
wheat. Bull Grain Tech 10(4); 1972; 291

F8,32-ZU;P21;a86 Wheat, Matured, Sugar,
Variation

- 703 ABOU-GUENDIA (M) and A'PPOLONIA (BL) : Changes in
carbohydrate components during wheat maturation.
I - changes in free sugars. Cereal Chem 49(6);
1972; 664

F8,32B Bulgur Wheat

- 704 SHETTY (MS) and AMLA (BL) : Bulgur wheat.
J Food Sci Tech 9(4); 1972; 163

F8,37f;ac Bajra, Composition

- 705 UPRETY (DC) and AUSTIN (A) : Varietal differences
in the nutrient composition of improved Bajra
(Pearl Millets) hybrids. Bull Grain Tech 10(4);
1972; 249

F8,37M Corn

- 706 SENTI (FR) and SCHAEFFER (WC) : Corn - Its
importance in food, feed, and industrial uses.
Cer Sci To-day, 17(11); 1972; 352

F8,39b;cF3 Pea, Tenderness

- 707 VOISEY (PW) and NONNECKE (IL) : Measurement of
pea tenderness. J Tex Stu 3(4); 1972; 459

F8,39n;F4A Sunflower seed, Aflatoxin,
Quality, Analysis

- 708 N73 KARMELEC (J) et al : Analysis of aflatoxins in
sunflower seeds and sunflower meal. J AOAC
56(1); 1973; 219

F8,39zn;T Oilseed, Protein

- 709 N72 BHATTY (RS) : Note on trichloroacetic acid precipi-
tation of oilseed proteins. Cer Chem 49(6);
1972; 729

F8,39A;cF Vegetable, Flavour

- 710 N73 DIRECT gas cooking improves texture and flavor
of vegetables. J Heat Tech 3(1); 1973; 12

F8,39A; z1 Vegetable, Mineral, Quantity

- 711 SINGH (PP) et al : Variation in oxalate and
mineral content of bathua vegetables (Chenopodium
album L. and Chenopodium murale L). collected
from different places. Indian J Nut Diet.
10(2); 1973; 84

F8,39A-0(a6;C) Vegetables, Frozen,
Microbiology

- 712 SPLITTSTOESSER (DF) : Microbiology of frozen
vegetables. Food Tech 27(1); 1973; 54

F8,39E3;P768 Tapioca, Starch, Viscosity

- 713 SRIVASTAVA (HC) and PATEL (MM) : Viscosity
stabilization of tapioca starch. Die Starke
(1); 1973; 17

F8,39F;k2 Green, Nutritive value

- 714 RAJKUMAR (XR) et al: Study of mineral nutrient
value of greens. Cur Sci 42(9); 1973; 317

F8,39N;F33T Fruit, Thiabendazole, Quantity,
Analysis

- 715 TJAN (GH) and BURGERS (LJ) : Thin layer
chromatographic detection of thiabendazole and
benomyl in fruits. J AOAC 56(1); 1973; 223

F8,39PM;F38D;b12;JD Grape, Dichlozoline residues
Quantity, Analysis

- 716 N73 PACK (DE) and others : Gas-liquid chromatographic method for the analysis of dichlozoline residues in grapes and grape products. J AOAC 56(1); 1973; 53

F8,39Q7;eE2 Lemon, Colouring

- 717 EL-ZEFTAWI (BM) : Chemical colouring of lemon fruit. Food Tech Aust 25(3); 1973; 151

F8,39R;ZLZ;b12;a86 Apricot, Carotenoid,
Quantity, Variation.

- 718 ACZEL (A) : Change of the carotencid contents of apricot during canning pprocess and storage. Food Sci Tech 6(1); 1973; y36

F8,39R3-O(a7;M-Z1);cF Apricot, Canned,
Texture, Breakdown

- 719 PARCZ (P) et al : Textural breakdown in canned apricots. Food Tech Aust 25(3); 1973; 130

F8,39S1;cF Apple, Texture

- 720 N72 BOWMAN (F) et al: Relationship between certain physical - chemical measurements and sensory appraisals of apple texture. J Tex Stu 3(4); 1972; 478

F8,39S8;ZP Guava, Volatile constituents

- 721 N73 TORLINE (P) and BALLSCHMIETTER (HMB) : Volatile constituents from guava I. A comparison of extraction methods. Food Sci Tech 6(1); 1973; 32

F8,39Zd Starch

- 722 N72 GOERING (KJ) and DeHAAS (B) : New starches - VIII - Properties of the small granule-starch from colocasia esculenta. Cer Chem 49(6); 1972; 712

DLFT 8(6) 1973

F8,39Zd Starch, Degradation

- 723 N73 HOLLO (J) et al: Mechanism of amylolytic starch degradation. Die Starke (1); 1973; 1

F8,39Zd;c63 Starch, Viscosity

- 724 KROG (N) : Influence of food emulsifiers on pasting temperature and viscosity of various starches. Die Starke (1); 1973; 22

F8,39Zd Starch

- 725 N72 SEIDEMAN (J) and NEUDERT (B) : Determination of the particle size distribution of starch with the aid of the granulometer. Nahrung 16(5) 1972; 541

F8,39ZdA Amylose

- 726 N73 PATEL (CM) and PATEL (MM) : Preparation of Amylose-g-poly (Styrene). Die Starke (1); 1973; 12

F8,39ZA Bakery products

- 727 N72 LORENZ (K) and MAGA (J) : Vacuum proofing of baked products. Cer Sci To-day 17(11); 1972; 347

- 728 N73 MUZUMDAR (SM) : Bakeries in difficulties. Indian Miller 3(2); 1973; 13

F8,39Za;k2 Bakery products, Nutritive value

- 729 DWORSCHAK (E) et al: Effect of fermentation promoting additives on the nutritive value of bakery products. Food Sci Tech 6(1); 1973; 14

F8,39ZA;(OC5) Bakery products, Sorbitol, Quantity, Analysis

- 730 HUNDLEY (HK) : Collaborative study of the gas-liquid chromatographic determination of sorbitol in bakery products. J AOAC 56(1); 1973; 66

F8,39ZC;(2) Bread (made from) Wheat,
Carbonyl compounds

- 731 N72 ROTHE (M) et al : Shortened dough development
with wheat bread and its influence upon flavour.
Part I - Carbonyl compounds and ethanol.
Nahrung 16(5); 1972; 514

F8,39ZC Bread

- 732 RAO (RB) : Bread and biscuit industry. Indian
Miller 3(2); 1972; 19

F8,39ZC;(4) Bread (made from) Rye, Flavour,
Enhancement

- 733 ROTHER (M) et al: Flavour enhancement in rye
bread by pre-baking. Nahrung 16(5); 1972; 523

F8,39ZC-O(a2;3L);ec Bread, Dough, Physico-
chemical property

- 734 AUSTIN (A) et al: Physico-chemical factors
associated with differences in the dough
characters and baking properties of bread,
reduction and straight-run flours. J Food
Sci Tech 9(4); 1972; 196

F,839ZC-O(a2;41) Bread, Enrichment (with)
Iron

- 735 N73 GOLDSMITH (GA) : Iron enrichment of bread and
flour. Ame J Cli Nut 26(2); 1973; 131

F8,39ZQ;m2 Spaghetti, Cooking, Quality

- 736 N72 MATSUO (RR) et al: Effect of protein content on
the cooking quality of spaghetti. Cer Chem
49(6); 1972; 707

F8,39ZE Biscuits

- 737 DE (S) and BASSI (RK) : Protein-enriched milk
biscuits. Indian Dairymen 25(12); 1972; 339

F8,39ZE;T;a06 Biscuit, Protein, Quality

- 738 N73 PRABHAVATHI (C) et al: Effect of baking on the
protein quality of high protein biscuits.
Indian J Nut Diet 10(2); 1973; 91

F8,39(e);eF6 Chapathi, Palatability

- 739 N72 UPRETY (DC) and ABROL (YP) : Studies on chapati quality. V -- Palatability of chapaties. Bull Grain Tech 10(4); 1972; 276

F8,39(P) Parottas

- 740 KANNUR (SB) et al: Heat processing of ready-to-eat foods in flexible pouches. I - Stuffed parotta and cutlet. J Food Sci Tech 9(4); 1972; 179

F8,3B Dairy products

- 741 N73 UPADHYAY (KG) et al: Recombined dairy products. Indian Dairyman 25(3); 1973; 99

F8,3B;CF Dairy products, Texture

- 742 N72 PRENTICE (JH) : Rheology and texture of dairy products. J Tex Stud 3(4); 1972; 415

F8,3C Milk, Solid-not-fat, Quantity

- 743 LAL (GM) and MUDGAL (VD) : Nutritional and seasonal effects on the solids-not-fat content of milk of Tharparkar cows. Indian J Ani Sci 42(10); 1972; 760

F8,3C:6;4 Milk, Drying

- 744 N73 SORENSEN (NS) : Recent developments in milk drying techniques. Indian Dairyman 25(1); 1973; 33

F8,3C:T;M Milk, Packaging

- 745 ASHTON (TE) : Packaging of fluid milk (including condensed and evaporated milk) Indian Dairyman 25(1); 1973; 9

F8,3C;z1Cu Milk, Copper, Quantity

- 746 N72 MURTHY (GK) et al: Copper, iron, manganese, strontium and zinc content of market milk. J Dairy Sci 55(12); 1972; 1666

F8,3C;(CJ) Milk, Sodium Bicarbonate, Quantity,
Analysis

747 N73 MULAY (CA) and LADKANI (BG) : Detection of sodium
bicarbonate in milk. Indian Dairyman 25(1);
1973; 19

F8,3C;E1CE Milk, Cesium-137, Quantity,
Analysis

748 BARATTA (EJ) and KNOWLES (FE) : Gamma spectro-
scopic determination of cesium-137 in milk,
using simultaneous equations; collaborative
study. J AOAC 56(1); 1973; 204

F8,3C;E1SR90 Milk, Strontium-89, Quantity,
Analysis

749 BARATTA (EJ) and KNOWLES (FE) : Ion exchange deter-
mination of strontium-89 and strontium-90 in
milk: collaborative study. J AOAC 56(1); 1973; 213

F8,3C;F2P Milk, Pseudomonas fragi

750 ELLIS (BE) et al: Effects of homologous bacterio-
phage on growth of pseudomonas fragi WY in milk.
App Micro 25(1); 1973; 24

F8,3C;T Milk, Protein

751 FORMAN (L) : Concentrates of milk proteins and
their role in diet. Prumysl Potravin 24(1);
1973; 29

F8,3C;T Milk, Protein, Lactobacilli

752 N72 PURSCHEL (M) and POLLACK (C) : Proteolytic
degradation of milk protein by bacteria.
Part II - The action of psychrophilic bacteria
and lactobacilli on milk protein. Nahrung 16(5);
1972; 458

F8,3C;Va Milk, Fat, Quantity

753 N73 SRIVASTAVA (JP) : Study on variation in fat
content of milk. Indian Vet J 50(4); 1973; 335

F8,3C-O(a6;8);g7 Milk, Pasteurized, Keeping
Quality

754 SINHA (RN) and NAMBUDRIPAD (VKM) : Keeping quality
of pasteurised milk. Indian Dairyman 25(1); 1973;
25

F8,3C15 Buffalo milk, Proteose-peptone

- 755 N72 MAJUMDER (GC) et al: Starch-gel electrophoresis of proteose-peptone, proteose and peptone from cow and buffalo milk. Indian J Ani Sci 42(10); 1972; 779

F8,3K;R73 Whey, Lysine

- 756 POSATI (LP) et al: Factors affecting the determination of available lysine in whey with 2,4,6 - Trinitrobenzene sulfonic acid. J Dairy Sci 55(12); 1972; 1660

F8,3M;e13 Cheese, Density

- 757 RAMBKE (K) and KONRAD (H) : Studies on the density of curd cheese. Nahrung 16(5); 1972; 466

F8,3M;Cp Cheese, Thermal properties

- 758 KONARD (H) and RAMBKE (K) : Studies on the thermal properties of curd cheese. Nahrung 16(5); 1972; 470

F8,3M-ZT Cheese, Ripening, Biochemical studies

- 759 BEHNKE (U) and WEGNER (K) : Contributions of the foil ripening of tollense cheese as compared with the conventional technology. Part II - Biochemical studies. Nahrung 16(6); 1972; 669

F8,3M-ZT Cheese, Ripening, Microbiology

- 760 WEGNER (K) and BEHNKE (U) : Contributions to the foil ripening of tollense cheese as compared with the conventional technology. Part I - Microbiological studies. Nahrung 16(6); 1972; 656y

F8,3Zb=3-Zh Animal muscle, Postmortem, storage

- 761 N73 OKITANI (A) et al: Relation between the rate of increment in Nonprotein Nitrogenous compounds muscle pH during the post-mortem storage. Agri Biol Chem 37(2); 1973; 321

F8,3Za Meat

- 762 ASHMORE (CR) et al: Experimental prevention of dark curring meat. J Ani Sci 36(1); 1973; 33

F8,3Za;z1N;b12:fd Meat, Nitrogen, Quantity,
Analysis

- 763 N73 GANTENBEIN (WM) : Collaborative study of the
automated determination of nitrogen in meat
products. J AOAC 56(1); 1973; 31

F8,3Zb1-0(a2;6) Beef, Dressed, Escherichia Coli

- 764 BABCOCK (GF) et al: R-Factors of Escherichia coli
from dressed beef and humans. App Micro 25(1);
1973; 21

F8,3Zb4 Pig

- 765 GALLOWAY (DE) et al: Effect of heat stress on pigs
reared under various degrees of confinement.
J Ani Sci 36(1); 1973; 29

F8,3Zn Fish, Solubles.

- 766 HINTON (CF) and HARMS (RH) : Evidence of sulfate
as the major portion of the unidentified growth
factor in fish solubles. Nut Rep Inter 7(1);
1973; 19

F8,3Zn:6 Fish, Preservation

- 767 N72 SRIKAR (LN) and HIREMATH (GG) : Fish preservation
I - Studies on changes during frozen storage of
oil sardine. J Food Sci Tech 9(4); 1972; 191

F8,3Zn:6;e Fish, Freezing

- 768 N73 SACHIDANANDAM (A) : Freezing and cold storage for
fisheries exports. Seafood Exp J 5(2); 1973; 13

F8,3Zn;z1As;b12 Fish, Arsenic, Quantity

- 769 WINDOM (H) et al: Arsenic, cadmium, copper, mercury
and zinc in some species of North Atlantic fin-
fish. J Fish Res Bd Canada 30(2); 1973; 275

F8,3Zn;T Fish, Protein

- 770 MOORJANI (MN) and VASANTH (MS) : Fish protein
concentrates - Recent advances. J Food Sci
Tech 10(1); 1973; 3

- F8,3Zt8;ZLZ;g77 Shrimp, Carotenoid, Stability
- 771 N73 SNAUWAERT (F) et al: Carotenoid stability during redurization of the brown shrimp (*Crangon vulgaris* Gabr) Food Sci Tech 6(1); 1973; 1
- F8,3Zz9x--O(a6;P);F2;a86 Sausages, Irradiated, Stored, Microflora, Variation
- 772 ITO (H) and SATO (T) : Changes in the microflora of vienna sausages after irradiation with Gamma-rays and storage at 10o C. Agri Biol Chem 37(2); 1973; 233
- F8,3H Yoghurt
- 773 HYLMAR (B) et al: New methods in yoghurt making technology. Prumysl Potravin 24(1); 1973; 17
- F8,3Z1;R11 Beverage, Glycine
- 774 COPPOLA (ED) and HANA (JG) : Infrared identification and potentiometric determination of glycine in dietetic beverages. J AOAC; 56(1); 1973; 227
- F8,3Z481;F325 Coffee, Sterigmatocystin
- 775 PURCHASE (IFH) and PRETORIUS (ME) : Sterigmatocystin in coffee beans. J AOAC 56(1); 1973; 225
- F8,3Z7;(9QB) Fruit juice (made of) Orange, Moisture, Quantity
- 776 N72 AWASTHI (RP) and NAURIYAL (JP) : Studies on granulation in sweet orange (*Citrus sinensis* osbeck) VI - Differences in moisture, total soluble solids and ascorbic acid content of juice vesicles in different stages of granulation. Punjab Hort J 12(4); 1972; 203
- F8,3Z9a Alcoholic, Beverage
- 777 N73 NORDSIEK (FW) : Alcohol : a medicine and a food. Tech Rev 75(3); 1973; 41
- F8,3Z9b1 Wine
- 778 N72 TOFFLEMIRE (TJ) : Survey of methods of treating wine and grape wastewater. Ame J Eno Viti 23(4); 1972; 165

F8,3Z9b1;a86 Wine, Variation

- 779 N72 FLATH (RA) et al: Changes produced by Botrytis cinerea pers. in finished wines. Ame J Eno Viti 23(4); 1972; 159

F8,3Z9b1;a06 Wine, Quality

- 780 RANKINE (BC) : Influence of yeast strain and malolactin fermentation on composition and quality of table wines. Ame J Eno Viti 23(4); 1972; 152

F8,3Z9b1 Wine, Acid perception, influenced by Sugar

- 781 NOCRDELOOS (S) and NAGEL (CW) : Effect of sugar on Acid perception in wine. Ame J Eno Viti 23(4); 1972; 139

F8,3Z9b1;(9PM) Wine (made from) Grape

- 782 MILLAR (AA) : Thermal regime of grapevines. Ame J Eno Viti 23(4); 1972; 173

F8,3Z9b1;(9PM) Wine (made from) Grape, Malate Quantity

- 783 NAGEL (CW) et al: Malate and tartrate contents of musts and wines from grapes. Ame J Eno Viti 23(4); 1972; 144

F8,3Z9b2 Beer

- 784 N73 CHARALAMBOUS (G) et al: Determination of degree of cure of beer can coatings by thermal analysis. Tech Quar 10(1); 1973; 32

F8,3Z9b2;eF31 Beer, Flavour

- 785 LINDSAY (RC) : Stale flavors in Beer. Tech Quar 10(1); 1973; 16

F8,3Z9b3;(OT1) Cider, Saccharin, Quantity, Analysis

- 786 MARKUS (JR) : Gracimetric determination of saccharin in cider. J AOAC 56(1); 1973; 162

F8,3Z9f:fd Whisky, Analysis

- 787 SCHOENEMAN (RL) and DYER (RH) : Analytical profile of scotch whiskies. J AOAC 56(1); 1973; 1

DLFT 8(6) 1973

I N D E X

Acid Perception, Wine 781
Aflatoxin, Sunflower Seed 708
Alcohol 777
Amino Acid, Food 672
Amylose 726
Animal muscle 761
Apricot 718, 719
Aroma, Food 663
Arsenic, Fish 769
Bajra 705
Bakery Products 727 - 730
Bal-ahar, Precooked Food 674
Beer 784, 785
Beetles, Stored, Grain 685
Biochemical Studies, Ripening, Cheese 759
Biscuits 737, 738
Bread 731-735
Buffalo Milk 755
Bulgar Wheat 704
Canned, Apricot 719
Carbonyl Compounds, Wheat (made from) Bread, 731
Carotenoid, Apricot 718
Carotenoid, Shrimp 771
Cesium-137, Milk 748
Chapathi 739
Cheese 757, 768
Cider 786
Coffee 775
Colouring, Lemon 717
Composition, Food 661
Cooking, Spaghetti 736
Copper, Milk 746
Corn 706
Dairy Products 741, 742
Degradation, Starch 723
Density, Cheese 757
Dichlozoline, Residues, Grape 716
Discolouration, Paddy 686
Dough, Bread 734
Dressed, Beef 764
Drying, Milk 744
Enhancement, Flavour (made from) Rye, Bread 733
Enrichment (with) Iron, Bread 735
Escherichia Coli, Dressed, Beef 764
Evaluation, Aroma, Food 663
Fat, Milk 753
Flavour, Beer 785
Flavour, Food 662
Flavour, Vegetable 710 - 712
Flour, Cereal 683, 684
Flour, Wheat 700, 701
Fish 767, 770
Fish Solubles 766

Contd...

Food 661-678
Freezing, 678
Frozen, Vegetable 712
Fruits 715
Fruit Juice 776
Fumigation, Wheat 694
Glycine, Beverage 774
Grain (cereal) 679-685
Grape 716
(made from) Grape, Wine 782, 783
Guava 721
Infestation, Wheat 699
Insect Contamination, Food 668
Irradiated, Food 677
--- -- Sausages 772
Keeping Quality, Pasteurized, Milk 754
L-ascorbic Acid, Preserved, Food 676
Lactobacilli, Protein, Milk 752
Lemon 717
Lipoxygenase, activity, Flour, Wheat 701
Lysine, Whey 756
Malate (made from) Grape, Wine 783
Matured, Wheat 703
Meat 762 - 763
Microbiological, Food 669
Microbiology, Frozen, Vegetable 712
Microflora, Stored, Irradiated, Sausage 772
Milk 744 - 755
Miltone, Food 678
Mineral, Vegetable 711
Moisture, Cereal 681
Mould Contamination, Food 667
Nitrogen, Meat 763
Nutritional Value, Processed, Food 675
Nutritive Value, Bakery Products 729
--- -- , Green 714
--- -- , Peanut, Soyabean, Wheat,
Cereal Food 682
--- -- , Rice 691
Oilseed 709

Oxalic Acid, Food 671
Packaging, Irradiated Food 677
--- -- , Milk 745
Paddy 686, 687
Palatability, Chapathi 739
Parottas 740
Pasteurized, Milk 754
Pea 707
Peanut, Soyabean, Wheat, Cereal Food 682
Physico-chemical, Property, Dough, Bread 734
Pig 765
Postharvested, Wheat 702
Postmortem, Animal muscle 761
Precooked, Food 674

Contd....

Preserved, Food 676
 Processed, Food 675
 Protection (from) Insect, Grain 679
 Protein, Biscuits 738
 --- , Fish 770
 --- , Food 673
 --- , Milk 751, 752
 --- , Oilseed 709
 --- , Rice 692
 --- , Wheat 695 - 698
 Proteose-Peptide, Buffalo milk 755
 Pseudomonas Fragi, Milk 750
 Rice 688, - 692
 Ripening, Cheese 759 - 760
 Rye (made from), Bread 733
 Saccharin, Cider 786
 Salmonella, Food 670
 Sausages 772
 Shrimp 771
 Solid-not-fat, Milk 743
 Strontium-89, Milk 749
 Sodium Bicarbonate, Milk 747
 Solubility, Protein, Food 673
 Sorbitol, Bakery Products 730
 Soyabean, Wheat, Cereal food 682
 Spagetti 736, 737
 Stability, Carotenoid, Shrimp 771
 Starch 722 - 725
 --- , Tapioca 713
 Storage, Postmortem, Animal muscle 761
 --- , Wheat 693
 Stored, Grain 685
 --- , Irradiated, Sausages 772
 Sterigmatocystin, Coffee
 Sugar, Matured, Wheat 703
 Sunflower Seed 708
 Tapioca 713
 Taste, Food 664, 665
 Tenderness, Pea 707
 Texture, Canned, Apricot 719
 --- , Dairy Products 742
 Thermal Property, Cheese 758
 Thiabendazole, Fruit 715
 Viscosity, Starch 724
 --- , --- , Tapioca 713
 Volatile Constituent, Guava 721
 Water, Food 667
 Wheat 693 - 704
 (made from) Wheat, Bread 731
 (based on) Wheat, Soyabean, Peanut, Nutritive value
 682
 Whey 756
 Whisky 787
 Wine 778 - 783
 Yogurt 773

FOOD TECHNOLOGY

DOCUMENTATION LIST



July 1973.

No. 7

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

CONTENTS

	<u>Page</u>
Food (General)	1 - 3
Cereal and Pulses	3 - 4
Oil seeds	4 - 5
Vegetables	5 - 6
Fruits	6 - 8
Starch	8
Bakery Products	8
Papad	9
Dairy product	9
Milk and Milk products	9 - 11
Meat and Meat products	11 - 13
Poultry	13
Sea Food	13 - 14
Egg	14
Sausage	14
Beverage	15
Alcoholic Beverage	16
Spices	16

Volume 8 - Number 7

- - -

F8,3 Food Technology, Technology
Transfer

- 788 N73 PARPIA (HAB) : Problems of Technology transfer in food and agricultural industries in developing countries. Ind Food Pac XXVII (1); 1973; 28

F8,3:6;A Food, Cooling

- 789 DICKERSON (RW) JR. and READ (RB) JR. Cooling rates of food. J Milk Food Tech 36(3); 1973; 167

F8,3;(Op1) Food, Antioxidants

- 790 ARYA (SS) and others : Comparative anti-oxygenic properties of citrous bio-flavonoids and synthetic antioxidants in foods. J Food Sci Tech 10(1); 1973; 12

F8,3:7;M Food, Packaging

- 791 PAINE (F) : British food packaging in Europe. Food Prod Indus 42(496); 1973; 43

F8,3;eF31 Food, Flavour

- 792 GORDON (A) : Symposium on flavour research in fats and fat bearing foods. Flav Indus 1973; 30

F8,3;(OZ) Food, Flavour Compounds

- 793 SCHUTTE (L) and HEIJDEN (AVD) : Synthetic precursors of flavor compounds with a thiol group. J Agri Food Che 21(2); 1973; 226

F8,3;(9BZ);4 Food, Colour, Toxicity

794

KHANNA (SK) and others : Non-permitted colours in food and their toxicity. J Food Sci Tech 10(1); 1973; 33

F8,3;F2STA Food Staphylococcus Aureus

795 N72

SHARPE (AN) and JACKSON (AK) : Comparison of poured and surface inoculated plates of baird-parker's medium for enumerating staphylococcus aureus in foods. J Appl Bact 35(4); 1972; 681

F8,3;F38P+B Food, Polychlorinated Biphenyl

796 N73

BRADLEY (RL) JR. : Polychlorinated biphenyls in man's food - A review. J Milk Food Tech 36(3); 1973; 155

F8,3;R73 Food, Lysine

797

FINLEY (JW) and FRIEDMAN (M) : Chemical methods for available lysine. 50(1); 1973; 101

F8,3;T;ao6 Food, Protein, Quality

798

LAKIN (AL) : Estimation of protein and evaluation of protein quality by dye-binding procedures. Food Tech Australia 25(4); 1973; 198

F8,3-O(a7;M-Z1);4 Food, Can, Corrosion

799

GRUENWEDEL (DW) and HSIEN-CHUNG HAO : Model studies regarding the internal corrosion of tin-plated food cans III. On the binding of tin (II) Ions and Iron (II) Ions by sulfur containing amino acids. J Agri Food Chem 21(2); 1973; 246

F8,3-O(a8;A) Food, Stored, Nitrogenous Content, Variation

800

BEN-GERA (I) and ZIMMERMAN (G) : Change in the nitrogenous constituents of staple foods and feeds during storage under controlled temperature and

....3.

relative humidity III. Changes in the
the ratio of free glutamic acid to
free aspartic acid. J Food Sci Tech
10(1); 1973; 37

F8,3-OVa;(LZ) Food, Fatty, Emulsifiers

- 801 BAUR (FJ) : Analytical methodology for
emulsifiers used in fatty foods. J Ame
Oil Chem Soc 50(3); 1973; 85-92

F8,3x Cereal Products, Colour Ingredient

- 802 DAVIES (EE) : Guides for colour ingredient
selection in cereal based products.
Cereal Sci 1973; 44

F8,3x;P768 Cereal, Starch, Damage

- 803 CHIANG (BY) and others : Measuring damaged
starch by polarimetric method. Cereal
Chem 50(1); 1973; 44

F8,3x-8B;z1Fe Cereal (for) Breakfast,
Iron, Content

- 804 LASWICK (PH) : The iron content of breakfast
cereals. J Che Educat 50(2); 1973; 132

F8,32-O(a2;3L) Wheat, Flour, Packaging,
Storage

- 805 PREMAVALLI (KS) and others: Studies on
packaging and storage of wheat flour (Atta)
under tropical conditions II. J Food
Sci Tech 10(1); 1973; 27

F8,32-O(a6;3L)Za Wheat, Flour, Lipids

- 806 LAINE (R) and RENKONNEN (O) : 4 Sphingenine
derivatives in wheat flour lipids. Bio
12(6); 1973; 1106

- F8,32-ZU Wheat, Maturation, Zinc
- 807 ABERNETHY (RH) and others: Relationship among phytic acid, phosphorous and zinc during maturation of winter wheat. J Agri Food Chem 21(2); 1973; 282
- F8,36;R Barley, Amino Acid, Composition
- 808 POMERANZ (Y) and others : Amino acid composition of two-rowed and six rowed barleys. J Agri Food Chem 21(2); 1973; 218
- F8,37;P17 Bajra, Amylose, Quantity
- 809 SINGH (H) and POPLI (S) : Amylose content and amylolytic studies on high yielding varieties of bajra (*Pennisetum typhoides*) J Food Sci Tech 10(1); 1973; 31
- F8,39h;T13 Soyabean, Globulins
- 810 KOSHIYAMA (I) and FUKUSHIMA (D) : Comparison of conformations of 7S and 11S soyabean globulins by optical rotary dispersion and circular dichroism studies. Cereal Chem 50(1); 1973; 114
- F8,39h-O(a2;3L) Soya, Flour, Fortified
- 811 MARNETT (LF) and others : The effects of storage times and temperature on the baking characteristics of 12% soy-fortified flour. Cereal Sci 1973; 53
- F8,39h-O(a2;3L);T Soyabean, Meal, Protein
- 812 ANDERSON (RL) and others : Extraction of soyabean meal proteins with salt solutions pH 4.5 J Agri Food Chem 21(2); 1973; 251

F8,39on;F4A Peanut, Aflatoxin

- 813 NAGARAJAN (V) and BHAT (RV) : Aflatoxin production in peanut varieties by aspergillus flavus linkand aspergillus parasiticus speare. Appl Micro 25(2); 1973; 319

F8,39on;T Peanut, Defatted, Protein

- 814 NEUCERE (NJ) and HENSARLING (T) : Immunochemical-cytological study of proteins from partially defatted peanuts. J Agri Food Chem 21(2); 1973; 192

F8,39OA;F2;ao6 Cashewnut, Microbiology, Quality

- 815 KRISHNASWAMY (MA) and others ; Further studies on microbiological quality of cashewnut (anacardium accidental). J Food Sci Tech 10(1); 1973; 24

F8,39A-O(a6;c) Vegetable, Frozen, Off-flavours

- 816 COOK (DJ) and HERRIOTT (V) : Quality control: off flavours in frozen vegetables. Food Prod Indus 42(496); 35

F8,39D3;eF31 Carrot, Flavour

- 817 ALABRAN (DM) and MABROUK (AF) : Carrot flavor. sugar and free nitrogenous compounds in fresh carrots. J Agri Food Chem 21(2); 1973; 205

F8,39E1;F2P+C Potato, Pectolytic Clostridia

- 818 N72 LUND (BM) : Isolation of pectolytic clostridia from potatoes. J Appl Bact 35(4); 1972; 609

- F8,39E1-0(a2;4F) Potato, Fried, Baked,
Quality improvement
(by) Texturizing
- 819 N73 NONAKA (M) and WEAVER (ML) : Texturizing
process improves quality of baked
french fried potatoes. Food Tech
1973; 50
- F8,39E2:7;M;ao6 Sweet Potato, Pre-
packaging, Quality
- 820 CEPONIS (MJ) and others ; Effect of DCNA
and prepackaging on the retail quality
of sweet potato. Hort Sci 8(1); 1973;
41
- F8,39L6 Cassava root, Hydrocyanic
Toxicity
- 821 EXQUIVEL (TF) and MARAVALHAS (N) : Rapid
field method for evaluating hydrocyanic
toxicity of cassava root tubers. J
Agri Food Chem 21(2); 1973; 321
- F8,39F13;ao6 Cabbage, Quality
- 822 MIKKI (MS) and ANAND (JC) : Physico-
chemical characteristics of Indian
varieties of cabbage and quality
of their sauerkraut. Ind Food Pac
XXVII (1); 1973; 19
- F8,39F13;Zb1;a86 Cabbage, Ascorbigen,
Variation
- 823 KUMAR (CVS) and CHANDRASEKHARA (N) :
Effect of processing and ascorbigen in
cabbage (Vrassica Oleracea) J Food
Sci Tech 10(1); 1973; 42
- F8,39H1;Zk1 Tomato, Ascorbic Acid,
Quality
- 824 TANDON (MP) and JAMALUDDIN : Post-infection
changes in ascorbic acid content in
fruits of tomato (Lycopersicon esculentum
mill). Induced by cylindrocladium
scoparium morgan. Cur Sci 42(11);
1973; 400

F8,39H1-ZT Tomato, Ripening

- 825 SALUNKHE (DK) and WU (MT) : Effects of low oxygen atmosphere storage on ripening and associated biochemical changes of tomato fruits. J Ame Soc Hort Sci 98(1); 1973; 12

F8,39N;eE2;g7 Fruit, Colour, Stability

- 826 ADAMS (JB) : Colour stability of red fruits-Food Manufac 1973; 19

F8,39P2;eF31 Blueberry, Flavour

- 827 ELIZABETH (F) and others : The effect of trithion on the flavour of lowbush blueberries. Hort Sci 8(1); 1973; 42

F8,39QB;eE2 Orange, Colour

- 828 AHARONI (Y) and others : Peel colour of oranges treated with ethylene before vs. after waxing. Hort Sci 8(1); 1973; 58

F8,39R1:7;M-Z1 Mango, Dehydro-canning

- 829 MATHUR (VK) and others : Studies on dehydro-canning of mangoes. Indian Food Pack XXVII(1); 1973; 15

F8,39R1;ao6 Mango, Quality

- 830 RAMANA (KVR) and others: Preliminary studies to improve the quality of Coorg monsoon mandarins. Indian Food Pack XXVII (1); 1973; 5

F8,39R1;ZLZ Mango, Carotenoid, Pigments

- 831 ROY (SK) : A simple and rapid method for estimation of total carotenoid pigments in mango. J Food Sci Tech 10(1); 1973; 45

F8,39R1-ZT:a8;A Mango, Ripening,
(during) Storage

- 832 ELAHI (M) and KHAN (N) : Physicochemical changes in some Pakistani mango varieties during storage ripening J Agri Food Chem 21(2); 1973; 229

F8,39R3-O(a6;44) Apricot, Dried, Concentrated

- 833 BOLIN (HR) and others : Product development and applications for a dry apricot concentrate. Food Prod Develop 1973; 30

F8,3951-O(a8;A);a06 Apple, Stored, Quality

- 834 COUEY (HM) and WILLIAMS (MW) : Preharvest application of ethephon on scaled and quality of stored 'Delicious' apples. Hort Sci 8(1); 1973; 56

F8,39Zd Starch

- 835 HULLINGER (CH) and others : Food applications of high amylose starches. Food Tech 1973; 22

F8,39ZA Bakery, Products

- 836 WEISBERG (SM) : Spotlight on baked goods for the developing world. Cereal Sci 1973; 47

F8,39ZC;P75 Bread, Pentosan

- 837 D'APPOLONIA (BL) : Comparison of pentosans extracted from conventional and continuous bread. Cereal Chem 50(1); 1973; 27

F8,39ZC;(9h:2;42) Bread, (made of)Soya, Fortified

- 838 MARNETT (LF) and others : Methods of producing Soy-fortified breads. Cereal Sci Tod 1973; 38

F8,39(P);z15 Papad, Moisture, Sorption, Packaging

- 839 BALASUBRAHMANYAM (N) and others : Moisture sorption behaviour and packaging of papads. J Food Sci Tech 10(1); 1973; 20

F8,39(P);(9f3) Papad, (made of) Black Gram

- 840 PRABHAKAR (FV) and PAUL JAYARAJ (A) : Influence of sodium chloride and sodium carbonate on the distribution of flour components in blackgram (Phaseolus mungo) papad. J Food Sci Tech 10(1); 1973; 43

F8,3B;Zc1 Dairy Product, Cholesterol

- 841 LACROIX (DE) and others : Cholesterol, fat and protein in dairy products. J American Diet Asso 62(3); 1973; 275

F8,3C Milk, Product Cultured

- 842 LANG (F) and LANG (A) : Cultured milk products. Food Manufac Feb 1973; 23

F8,3C;eF31;x3 Milk, Flavour, Acceptability

- 843 SMITH (AC) and others : The effects of warm-up of milk in simulation of home conditions on the subsequent cooling rate and flavour acceptability of the product. J Milk Food Tech 36(3); 1973; 163

F8,3C;(Fh) Milk, Catalase, Test

- 844 KALRA (DS) and HELWIG (JH) : Estimation of catalase activity in milk I. Use of hydrogen peroxide as a substrate in the catalase test. Indian J Dairy Sci XXVI (1); 1973; 29

F8,3C;(Fh)E Milk, Catalase, Test

845

KALRA (DS) and HELWIG (JH) : Estimation of catalase activity in milk II. Use of sodium perborate as a substrate in the catalase test. Indian J Dairy Sci XXVI(1); 1973; 35

F8,3C;F2;a06 Milk, Bacteriological, Quality

846

THEKDI (RF) and LAKHANI (AG) : Bacteriological quality of market milk in Poona. J Food Sci Tech 10(1); 1973; 45

F8,3C;F2B Milk, Brucellae, Isolation

847

N72

FARRELL (ID) and ROBERTSON (L) : A comparison of various selective media, including a new selective medium for the isolation of brucellae from milk. J Appl Bact 35(4); 1972; 625

F8,3C;Va Milk, Fat, Estimation

848

N73

GHOUSE (M) and JAIN (MK) : Standardisation of pipetter for estimation of fat in milk by gerber method under Indian conditions. Indian J Dairy Sci XXVI (1); 1973; 43

F8,3C-Zb;F2 Milk, Raw, Microbial Counts

849

RANDOLPH (HE) and others : Microbial counts of individual producer and comingled grade A raw milk. J Milk Food Tech 36(3); 1973; 146

F8,3C-Zb;F2 Milk, Raw, Microbial Counts

850

RANDOLPH (HE) and others : Effect of plate incubation temperatures on bacterial counts of grade a raw milk. J Milk Food Tech 36(3); 1973; 152

F8,3C-Zb;F2C Milk, Raw Clostridia

- 851 N72 NAGUIB (KH) and SHOUMAN (MT) : Identification and typing of clostridia in raw milk in Egypt. J Appl Bact 35(4); 1972; 525

F8,3C11;F33B Cows milk, Benomyl residue

- 852 N73 KIRKLAND (JJ) : Method for high-speed liquid chromatographic analysis of benomyl and/or metabolite residues in cow milk, urine, feces, and tissues. J Agri Food Chem 21(2); 1973; 171

F8,3C15 Buffalo Milk

- 853 WAHAB (AA) and others : Effect of rennin on cow and buffalo milk. Indian J Dairy Sci XXV (1); 1973; 39

F8,3Za Meat, Proteolytic activity

- 854 LOSTY (T) and others : Effect of irradiation and heating on proteolytic activity of meat samples. J Agri Food Chem 21(2); 1973; 275

F8,3Za Meat Technology

- 855 NARAYAN (KG) : Public health aspects of abattoir management. Indian Food Pack XXVII (1); 1973; 58

F8,3Za:6;J Meat, Curing

- 856 DEMPSTER (JT) : Curing meat products. Process Biochem 8(3); 1973; 25

F8,3Zb1-O(a2;47) Beef, Cooked, Aroma

- 857 PEARSON (AM) and others : Observations on the contribution of fat and lean to the aroma of cooked beef and lamb. J Ani Sci 36(3); 1973; 511

F8,3Zb1=3;ao1 Bovine Muscle, Property

- 858 KASTNER (CL) and others : Characteristics of hot boned bovine muscle. J Ani Sci 36(3); 1973; 484

F8,3Zb1=B;Va Bovine Carcass, Fat, Distribution

- 859 JOHNSON (ER) and others : Studies of fat distribution in the bovine carcass. II relationship of intramuscular fat to the quantitative analysis of the skeletal musculature. Australian J Agri Res 24(2); 1973; 287

F8,3Zb31=3 Sheep Muscle

- 860 PEARSON (AM) and others : Influence of various adrenergic accelerations and blocking agents upon glycolysis and some related properties of sheep muscle J Ani Sci 36(3); 1973; 500

F8,3Zb31=B Lamb Carcass, Aroma

- 861 N72 TOMPKIN (RB) and SHAPARIS (AB) : Potato aroma of lamb carcasses. Appl Micro 24(6); 1972; 1003

F8,3Zb3=B;ac Lamb Carcass, Composition

- 862 N73 JOHN (AJ) and others : Effect of dietary stress on lamb carcass composition and quality. J Ani Sci 36(3); 1973; 507

F8,3Zb31=B:g Ram Carcass, Evaluation

- 863 N72 SOMAN (BV) and GHANEKAR (VM) : Carcass evaluation for bannur ram lambs: A note. Indian J Ani Sci 42(11); 1972; 946

F8,3Zb4;x3 Pork, Acceptability

- 864 N73 SHELLEY (GC) and others : Pork acceptability and its relationship to carcass quality. J Ani Sci 36(3); 1973; 488

F8,3Zb4=B;ac Pork, Carcass, Composition

- 865 SMITH (GC) and CARPENTER (ZL) : Evaluation of factors associated with the composition of pork carcasses. J Ani Sci 36(3); 1973; 493

F8,3Zb4-O(a2;6) Pigs, Slaughter, Chemical Composition

- 866 NIELSEN (AJ) : Anatomical and chemical composition of Danish landrace pigs slaughtered at 90 kilograms live weight in relation to litter, sex and feed composition. J Ani Sci 36(3); 1973; 476

F8,3Zd17 Turkey Meat

- 867 N72 KOUDELE (JW) and CHAMPNEY (WO) : The economics of producing market turkeys. Poult Sci 51(6); 1972; 1989

F8,3Zd17 Turkey Meat, Myoglobin, Autoxidation

- 868 FRONING (GW) : Autoxidation of crystallized and crude turkey meat myoglobin. Poult Sci 51(6); 1972; 1940

F8,3Zn-O(g) Fish Paste

- 869 N73 CHANDRASEKHAR (TC) : Fish paste products in the Indopacific region. Seafood Export J V(4); 1973; 27

F8,3Zr9a-O(a6;K) Salmon, Smoked

- 870 LEE (JS) and PFEIFER (DK) : Aerobic microbial flora of smoked salmon. J Milk Food Tech 36(3); 1973; 143

F8,3Zr9E;T Hake, Protein Concentrate

- 871 SPINELLI (J) and others : Reduction of mercury with cysteine in comminuted halibut and hake protein concentrate. J Agri Food Chem 21(2); 1973; 264

F8,3Zr9S;T Skipjack Fish, Protein

- 872 PORZIO (MA) and others : Thiamine modifying properties of heme proteins from skipjack tuna, pork and beef. J Agri Food Che 21(2); 1973; 308

F8,3Zt8-0(a6;c) Shrimp, Cooked Frozen, Quality

- 873 DR. MUDAMBI and RAJAGOPAL (V) : Effect of method of processing on the quality of cooked frozen shrimp. Indian Food Pack XXVII (1); 1973; 24

F8,3Zv7:6;4 Abalone, Drying

- 874 DOE (PE) and others : Studies on the processing of abalone-part 5-dried abalone: Techniques and characteristics of drying. Food Tech in Australia 25(4); 1973; 189

F8,3Zz1 Egg

- 875 PLASSMAN : Eggs - Cooking at reduced pressure. Nature 242(5395); 1973; 258

F8,eZz1;a06 Egg, Quality

- 876 N72 AL-RAWI (BA) and AMER (MF) : Egg quality of of some purebred chickens and their crosses in the subtropics. Poult Sci 51(6); 1972; 2069

F8,3Zz1-0(a3;A) Egg, Stored, Quality

- 877 N73 MONTGOMERY (RH) and STEWART(DA) : Comparison of weight and quality losses in eggs stored on keyes trays with or without polythene wrapping. British Poult Sci 14(2); 1973; 173

F8,3Zz9x-0(a2;1) Sausage, Fermented

- 878 N72 BARBER (LE) and DEIBEL (RH) : Effect of pH and Oxyge and enterotoxin formation in fermented-sausage, Appl Micro 24(6); 1972; 891

F8,3Zz9F Frankfurters

- 879 N73 SIMONS (HS) : Frankfurters have a future.
Food Prod Indus 42(496); 1973; 77

F8,3Z7 Fruit Juice, Susceptibility

- 880 ISHJI (S) and YOKOTSUKA (T) : Susceptibility
of fruit juice to enzymatic clarification
by pectin lyase and its relation to pectin
in fruit juice. J Agri Food Chem 21(2);
1973; 269

F8,3Z7;(9QB) Fruit Juice (made of)
Orange, Phospho-lipid

- 881 BRADDOCK (RJ) and KESTERSON (JW) :
Enzymatic hydrolysis of fatty acids in
orange juice phospholipids. J Agri
Food Chem 21(2); 1973; 318

F8,3Z7;(9QB) Fruit juice (made of) Orange,
Furfural, Quality

- 882 NAGY (S) and RANDALL (V) : Use of furfural
content as an index of storage temperature
abuse in commercially processed orange
juice. J Agri Food Chem 21(2); 1973; 272

F8,3Z7;(9PL) Fruit Juice (made of)
Pineapple

- 883 CHAN (HT) and others : Nonvolatile acids
in pineapple juice. J Agri Food Chem
21(2); 1973; 208

F8,3Z7;(9R1);Ce;186 Fruit Juice (made of)
Orange, Physico-
chemical, Variation

- 884 RADHAKRISHNAIAH SETTY (G) and others :
Physico-chemical changes during the
concentration of orange juice using
industrial type plate evaporator.
Indian Food Pack XXVII(1); 1973; 10

FC,3Z9a Alcoholic Beverages, Ethanol

- 885 N72 WILLIAMS (AA) : Flavour effects of ethanol in alcoholic beverages. Flavour Indus 1972; 604

FC,3ZA Spices, Bibliography

- 886 N73 HENERY HEATH : Herbs and spices - A bibliography Part I. Flavour Indus 1973; 24

FC,3ZM1;JP Pepper, Papaya seed, Adultration

- 887 HARTMAN (CP) and others : A study of identification of papaya seeds in pepper. J Food Sci Tech 10(1); 1973; 43

FC,3ZM4;eF2;a86 Chillies, Colour, Variation

- 888 KRISHNAMURTHY (MN) and NATARAJAN (CP) : Colour and its changes in chillies. Indian Food Pack XXVII (1); 1973; 39

I N D E X

Abalone - 874
Acceptability, Flavour, Milk - 843
 Pork - 864
Adultration, Papaya seed, Pepper - 887
Aflatoxin, Peanut - 813
Alcoholic Beverages - 885
Amino acid, Barley - 808
Amylose, Bajra - 809
Antioxidants, Food - 790
Apple - 834
Apricot - 833
Aroma, Cooked, Beef - 857
 Lamb Carcass - 861
Ascorbic acid, Tomato - 824
Ascorbigen, Cabbage - 823
Autoxidation, Myoglobin, Turkey meat - 868
Bacteriological, Milk - 846
Bajra - 809
Baked, Fried, Potato - 819
Bakery - 836
Barley - 808
Beef - 857
Benomyl residue, Cows milk - 852
Bibliography, Spices - 886
Black gram (made of), Papad - 840
Blueberry - 827
Bovine Carcass - 859
Bovine muscle - 858
Bread - 837, 838
Brucellae, Milk - 847
Buffalo Milk - 853
Cabbage - 822, 823
Can, Food - 799
Carcass, Pork - 865
Carotenoid, Mango - 831
Carrot - 817
Cashewnut - 815
Cassava root - 821
Catalase, Milk - 844, 845
Cereal - 802 - 804
Chemical composition, Slaughter, Pigs - 866
Chillies - 888
Cholesterol, Dairy product - 841
Clostridia, Raw, Milk - 851
Colour, Chillies - 888
 Food - 794
 Fruit - 826
 Orange - 828
 ingredients, Cereal products - 802
Concentrated, Dried, Apricot - 833
Content, Iron, Cereal (for) Breakfast - 804

Contd..

Cooked, Beef - 857
- - Frozen, Shrimp - 873
Cooling, Food - 789
Corrosion, Can, Food - 799
Cows milk - 852
Curing, Meat - 856
Dairy product - 841
Damage, Starch, Cereal - 803
Defatted, Peanut - 814
Dehydro-canning, Mango - 829
Distribution, Fat, Bovine Carcass - 859
Dried, Apricot - 833
Drying, Abalone - 874
Egg - 875 - 877
Emulsifiers, Fatty, Food - 801
Estimation, Fat, Milk - 848
Ethanol, Alcoholic Beverages - 885
Evaluation, Ram Carcass - 863
Fat, Bovine Carcass - 859
Fat, Milk - 848
Fatty, Food - 801
Fermented, Sausage - 878
Fish paste - 869
Flavour, Blue berry - 827
- - Carrot - 817
- - Food - 792
- - Milk - 843
- - Compounds, Food - 793
Flour, Soyabean - 811
- - Wheat - 805 - 807
Food Technology - 788 - 801
Fortified, Flour, Soyabean - 811
- - Soya (made of), Bread - 838
Frankfurters - 879
Fried, Potato - 819
Frozen, Vegetable - 816
Fruit - 826
- - Juice - 880 - 883
Furfural, Orange (made of) Fruit Juice - 882
Globulins, Soyabean - 810
Make - 871
Hydrocyanic toxicity, Cassava root - 821
Improvement, Quality, Baked, Fried, Potato - 819
Iron, Cereal (for) Breakfast - 804
Isolation, Brucellae, Milk - 847
Lamb Carcass - 861, 862
Lipids, Flour, Wheat - 806
Lysine, Food - 797
Mango - 829 - 832
Maturation, Wheat - 807
Meal, Soyabean - 812
Meat - 854 - 856

Microbial counts, Raw, Milk - 849, 850
Microbiology, Cashewnut - 815
Milk - 842 - 851
Moisture, Papad - 839
Myoglobin, Turkey Meat - 868
Nitrogenous content, Stored, Food - 800
Off-flavours, Frozen, Vegetable - 816
Orange - 828
- (made of), Fruit juice - 881, 882, 884
Packaging, Flour, Wheat - 805
- Food - 791
- Sorption, Moisture, Papad - 839
Papad - 839, 840
Papaya seed, Pepper - 887
Peanut - 813, 814
Pectolytic Clostridia, Potato - 818
Pontosan, Bread - 837
Pepper - 887
Phospho-lipid, Orange (made of), Fruit juice - 881
Physico-chemical, Orange (made of), Fruit juice - 884
Pigs - 866
Pigments, Carotenoid, Mango - 831
Pine apple (made of), Fruit juice - 883
Polychlorinated Biphenyl, Food - 796
Pork - 864, 865
Potato - 818, 819
Prepackaging, Sweet potato - 820
Protein, Defatted, Peanut - 814
- Food - 798
- Meal, Soyabean - 812
- Skipjack fish - 872
- Concentrate, Make - 871
Proteolytic activity, Meat - 854
Quantity, Amylose, Bajra - 809
Quality, Ascorbic acid, Tomato - 824
- Bacteriological, Milk - 846
- Baked, Fried, Potato - 819
- Cabbage - 822
- Cooked frozen, Shrimp - 873
- Egg - 876
- Furfural, Orange (made of), Fruit juice - 882
- Mango - 830
- Microbiology, Cashewnut - 815
- Prepackaging, Sweet potato - 820
- Protein, Food - 798
- Stored, Apple - 834
- - Egg - 877
Ram Carcass - 863
Raw, Milk - 849, 850, 851
Ripening, Mango - 832
- Tomato - 825
Salmon - 870
Sausage - 878
Sheep muscle - 860

Shrimp - 873
Skipjack fish - 872
Slaughter, Pigs - 866
Smoked, Salmon - 870
Sorpton, Moisture, Papad - 839
Soyabean - 810 - 812
Soya (made of), Bread - 838
Spices - 886
Stability, Colour, Fruit - 826
Staphylococcus Aureus, Food - 795
Starch - 835
 - Cereal - 803
Storage, Packaging, Flour, Wheat - 805
 - (during), Ripening, Mango - 832
Stored, Apple - 834
 - Egg - 877
 - Food - 800
Susceptibility, Fruit juice - 880
Sweet potato - 820
Technology transfer, Food technology - 788
Test, Catalase, Milk - 844, 845
Texturizing (by), Improvement, Quality, Baked,
 Fried, Potato - 819
Tomato - 824, 825
Toxicity, Colour, Food - 794
Turkey meat - 867, 868
Vegetable - 816
Wheat - 805 - 807
Zinc, Maturation, Wheat - 807

FOOD TECHNOLOGY

DOCUMENTATION LIST



August 1973

No. 8.


CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

DOCUMENTATION LIST FOR FOOD TECHNOLOGY
AUGUST 1973.

Volume - 8 : Number - 8

CONTENTS

	<u>Page</u>
Food (General)	1 - 3
Cereals and Pulses	3 - 7
Vegetables	7 - 8
Fruits	8 - 10
Confectionary	10 -
Bakery Products	10 - 11
Milk and Milk Products	11 - 13
Meat and Meat Products	13
Sea Food	14
Egg	15
Sausage	15
Beverages	15 - 16
Alcoholic Beverages	16 - 17
Spices	18



REF

DOCUMENTATION LIST FOR FOOD TECHNOLOGY, AUGUST 1973

Volume 8: Number 8

- - -

F8,3 Food, Education

- 889 N73 HAWTHORN (J)
Food education and the developing countries Chem Indus 20 Jan 1973 (London)

F8,3 Food, (for) space

- 890 HEIDELBAUGH (ND) and others
Clinical nutrition applications of space food technology J American Diet Assn 62(4); 1973; 383

F8,3 Food Research

- 891 HULSE (JH)
The relevance of food aid and food research in International development Chem Indus 20 Jan 1973

F8,3 Food, (for) Skylab

- 892 STADLER (CR) and others
Skylab menu development J American Diet Assn 62(4); 1973; 390

F8,3:2 Food, Processing, Computer

- 893 ASHWANDEN (D)
Computers in food processing Food Processing Indus 42(498) 1973; 44

F8,3:6;E Food, Freeze-Drying

- 894 SASTRY (RM) and RAO (PVS)
Freeze-drying of foods Chem Indus Develop VII(v); 1973; 27

(...2.)

F8,3:7;M Food, Packaging

895

FDA food labeling program: bureaucratic excess or leap forward in packaging communication? Pack Engg 18(4); 1973; 21

F8,3;C4 Food, Rheological Property

896

DAVIS (SS)

Rheological properties of semi-solid food-stuffs. Visco-elasticity and its role in quality control J Texture Studies 4(1); 1973; 15

F8,3;k2;a24 Food, Nutrient Loss, (drying) Processing

897

WALLACE (GM)

Nutrient loss during food processing Food Tech 8(3); 1973; 11

F8,3;z1Pb Food, Lead, Content

898

N72

(MRS.) MUKHERJEE (D) and others Separation, identification and quantitative estimation of non-nutritive toxic elements lead, copper, and arsenic in food by thin layer chromatography Res Indus 17(4); 1972; 150

F8,3;(9h;T) Food, Soy Protein

899

N73

LOCKMILLER (NR)

Increased utilization of soy protein in foods Cereal Sci Today 18(3); 1973; 77

F8,3;T Food, Protein

900

N72

SHAW (RL)

The market development of a protein food Trop Sci XVI(4); 1972; 347

(...3.)

F8,3;ZP Food, Carbonyl compound

- 901 N73 KATO (S) and others
Volatile compounds produced by the
reaction of L-cysteine or L-cystine with
carbonyl compounds Agric Biol Chem
37(3); 1973; 539

F8,3-12 Food, (for) Baby, Enriched, Dried

- 902 N72 PORDAB (Z)
Adaptation of o-phenanthroline method
for determination of ferric and ferrous
cation content in enriched dried baby
food Prace Inst Labo XXVI(4); 1972; 617

F8,3-0(a2;42) Food, Fortified, Vitamin C

- 903 N73 EGBERG (DC) and others
Automated determination of vitamin C in
some fortified foodstuffs J Sci Food Agric
24(7); 1973; 789

F8,3x Cereal, Nitrogen, Quantity

- 904 WILLIAMS (PC)
The use of titanium dioxide as a catalyst
for large-scale kjeldahl determination of
the total nitrogen content of cereal
grains J Sci Food Agric 24(3); 1973; 343

F8,3x-0(a2;3L) Cereal, Flour

- 905 RANKIN (JC) and others
Cationic aminoethyl cereal flours semi-
commercial production Starch 25(3);
1973; 95

F8,3x0(a2;3L):2;3J Cereal, Flour,
Milling

- 906 N72 MADDI SUDARSANAM
Flour milling in Andhra Pradesh
Indian Miller III(3); 1972; 9

F8,3y;z15 Paddy, Moisture, Quantity

- 907 N73 BISWAS (DK)
Moisture content in paddy at harvesting -
no cause for worry Indian Farming
XXII (12); 1973; 41

F8,31;z15 Rice, Water Vapour, Sorption

- 908 RANGASWAMY (FR)
Observations on the sorption of water
vapour by rice and sorghum J Food Sci
Tech 10(2); 1973; 59

F8,31;P768 Rice, Starch

- 909 HAGAZI (SM) and others
Recovery and aminoacid composition of
protein precipitates isolated from rice
starch processing liquors Starch 25(3);
1973; 92

F8,31;T Rice, Protein

- 910 JULIANO (BO) and others
Effects of protein content on the distri-
bution and properties of rice protein
J Sci Food Agric 24(3); 1973; 295

F8,31-0(a2;47) Rice, Cooked, Gelatini-
sation

- 911 BIRCH (GG) and PRIESTLEY (RJ)
Degree of Gelatinisation of cooked rice
Starch 25(3); 1973; 98

F8,32 Wheat, Aleurone layer

- 912 STEVENS (DJ)
The aleurone layer of wheat. IV. effects
of extraction by aqueous media J Sci
Food Agric 24(7); 1973; 847

- F8,32;F38 Wheat, Pesticide Residues
- 913 HART (HV) and WILLIS (KH)
Pesticide and mercury residues in
wheat J Flour Ani Feed Milling CLV(4);
1973; 38
- F8,32;T Wheat, Protein, Reaction (with)
Sulphite
- 914 STEVENS (DJ)
Reaction of wheat proteins with sulphite.
III. Measurement of labile and reactive
disulphide bonds in gliadin and in the
protein of aleurone cells J Sci Food
Agric 24(3); 1973; 279
- F8,32-O(a2;3L) Wheat, Flour, Doughs
- 915 LAUNAY (B) and BURE (J)
Application of a viscometric method to
the study of wheat-flour doughs
J Texture Studies 4(1); 1973; 82
- F8,32-O(a2;3L) Wheat, Flour, Acid-
modified
- 916 RANKIN (JC) and others
Acid-modified wheat flours. contribution
of starch and protein components to paste
properties and performance of the flours
as surface sizes for paper Cereal Sci
Today 18(3); 1973; 74
- F8,32G Wheat, Gliadin
- 917 EWART (JAD)
Sodium dodecyl sulphate electrophoresis
of wheat gliadins J Sci Food Agric
24(6); 1973; 685
- F8,37f Pearl Millet
- 918 FREEMAN (JE) and BOCAN (BJ)
Pearl Millet: A potential crop for wet
milling Cereal Sci Today 18(3); 1973;
69

F8,37B;P768;a06 Sorghum, Starch, Quality

- 919 N71 FREEMAN (JE) and WATSON (SA)
Influence of sorghum endosperm pigments
on starch quality Cereal Sci Today
16(11); 1971; 378

F8,37M;P768 Corn, Starch

- 920 N73 MERCIER (CH)
The fine structure of corn starches of
various amylose-percentage: Waxy, normal
and amylomaize Starch 25(3); 1973; 78

F8,37M-0(a2;512) Corn, Steep liquor

- 921 FODA (MS) and others
Biochemical studies for utilisation of
corn steep liquor in production of
proteins J Sci Food Agric 24(1);
1973; 17

F8,39b;MZ Pea, Organic Acids

- 922 WAGER (HG) and PORTER (FAE)
The effect of maturity and variety on
the content of the major organic acids
of the green pea (*Pisum sativum*)
J Sci Food Agric 24(1); 1973; 69

F8,39b-k Peas, Green, In-can Blanching

- 923 N72 MITCHELL (RS)
In-can blanching of green peas J Food
Tech 7(4); 1972; 409

F8,39f;P Bean, Carbohydrate

- 924 N73 PRITCHARD (PJ) and others
Carbohydrates of spring and winter
field beans J Sci Food Agric 24(6);
1973; 663

(...7.)

F8,39f-k-0(a6;c) Bean, Green, Frozen,
Bacterial counts

- 925 N72 RACCACH (M) and others
Variations in bacterial counts during
the production of frozen green beans
J Food Tech 7(4); 1972; 417

F8,39h-0(a2;3L) Soyabean, Flour

- 926 N73 HOLM (H) and others
Chemical and biological evaluation of
protein quality of locally produced and
processed full-fat soya bean flour from
three Tanzanian villages J Sci Food
Agric 24(3); 1973; 333

F8,39i-0(a2;3L) Rapeseed Meal

- 927 BALLESTER (D) and others
Rapeseed meal, IV. continuous water ex-
traction and short-term feeding studies
in rats with the detoxified product
J Sci Food Agric 24(2); 1973; 127

F8,39E1 Potato, Breaking, Control
(during) canning

- 928 N72 MITCHELL (RS)
An improved method for controlling
breaking of potatoes during canning
J Food Tech 7(4); 1972; 401

F8,39E1;P768 Potato, Starch

- 929 N73 CHANZY (HD) and REVOL (JF)
Potato starch encapsulation with
polyethylene. I. catalysis and poly-
merization Die Starke 25(4); 1973; 131

F8,39E1;P768 Potato, Starch

- 930 Cl. STERLING and DAVIS
Pore size in potato starch
Die Strake 25(4); 1973; 115

F8,39E9n Yam, Instant, Production

- 931 N72 GOODING (EGB)
The production of instant yam in
barbados. Part 1: process development
Trop Sci XVI(4); 1972; 323

F8,39N;T Fruits, Protein

- 932 HULME (AC)
The proteins of fruits: their involvements
as enzymes in ripening. A review
J Food Tech 7(4); 1972; 343

F8,39P4 Amla, Fermentation (in) Brino

- 933 N73 KOLI (PN) and KULKARNI (PR)
Changes in Amla on fermentation in brino
J Food Sci Tech 10(2); 1973; 74

F8,39PM Grape

- 934 BUTTROSE (MS) and HALE (CR)
Effect of temperature on development of
the grapevine inflorescence after bud
burst American J Enol Viticul 24(1);
1973; 14

F8,39PM Grape, Flavour

- 935 NELSON (KE) and others
Flavor preferences of supermarket customers
for 'Thompson Seedless' Grapes American J
Enol Viticul 24(1); 1973; 31

F8,39PM Grape

- 936 MARK KLIEWER (W) and SCHULTZ (HB)
Effect of sprinkler cooling of grapevines
on fruit growth and composition
American J Enol Viticul 24(1); 1973; 17

F8,39PM Grape, Rot

- 937 McCLELLAN (WD) and others
Early botrytis rot of grapes and its
control American J Enol Viticul 24(1);
1973; 27

F8,39PR Banana, Ripe, Chemical
Composition

- 938 KETIKU (AO)
Chemical composition of unripe (Green)
and ripe plantain (*Musa paradisiaca*)
J Sci Food Agric 24(6); 1973; 703

F8,3922-0(a2;36) Grape fruit, Segments
Canned, Corrosion

- 939 N72 LINDNER (C) and WEISSMAN (SH)
The effect of sulphur dioxide in sugar
on the corrosion of plain cans with
grapefruit segments in syrup
J Food Tech 7(4); 1972; 373

F8,39R3 Apricot, Debittering

- 940 N73 SCHAB (R) and YANNAI (S)
An improved method for debittering
apricot kernels J Food Sci Tech
10(2); 1973; 57

F8,39R8-0(a6;c) Avocados, Frozen,
Phenolic compounds

- 941 RAMIREZ-MARTINEZ (JR) and LUH (BS)
Phenolic compounds in frozen avocados
J Sci Food Agric 24(2); 1973; 219

F8,39S1; a06 Apple, Quality

- 942 GORMLEY (R) and others
The effects of soil management systems
on the chemical composition and quality
of apples. I. Golden delicious apples
J Sci Food Agric 24(2); 1973; 227

F8,39S1;a06 Apple, Quality

- 943 GORMLEY (R) and others
The effect of soil management systems on
the chemical composition and quality of
apples. II. Cox's orange pippin and red
jonathan apples J Sci Food Agric 24(2);
1973; 241

F8,39S1-0(a8;A) Apple, Cool stored,
Scald, Control

- 944 COOTE (GG) and BEST (DJ)
A technique for the comparison of treat-
ments for control of scald on cool-stored
Granny Smith apples J Sci Food Agric
24(3); 1973; 327

F8,39Zk6 Caramel

- 945 GREENSHIELDS (RN)
Caramel-Part 2: Manufacture, composition
and properties Process Biochem 8(4);
1973; 17

F8,39Zr1 Jam

- 946 SWIFT (JR)
Boiling temperature control: preserves
and jam Food Processing Indus 42(498);
1973; 33

F8,39Zc;cF1 Bread, Hardness

- 947 YNGVE ANDERSSON and others
Fracture force, hardness and brittleness
in crisp bread with a generalized
regression analysis approach to instru-
mental sensory comparisons
J Texture Studies 4(1); 1973; 119

F8,39ZC;(9h) Bread, (made of) Soyabean,
Enriched

- 948 KIRAN SURANA and others
Studies on soybean enriched bread
J Food Sci Tech 10(2); 1973; 61

F8,39ZC-0(a2;3L) Bread, Dough, Lipid
Binding

- 949 FISHER (N) and others
Lipid binding in flour, dough and bread
J Sci Food Agric 24(2); 1973; 147

F8,39ZC-O(a2;3L);CF Bread, Dough,
Rheological measurements

950

BLOKSMA (AH) and MEPPPELINK (EK)
Sensory assessment of stiffness and
rheological measurements on doughs of
identical farinograph consistencies
J Texture Studies 4(1); 1973; 145

F8,39ZQ Spagetti

951

N71

WALSH (DE) and others
A linear programming approach to spaghetti
processing Cereal Sci Today 16(11);
1971; 385

F8,39ZS Noodle, Egg, Quantity

952

N72

CHARLAMPOWICZ (L) and SULKOWSKA (J)
Investigations on the selection of
method of egg determination in noodles
Prace Inst Labo XXVI(4); 1972; 597

F8,39(C) Chapathis, Heat processed,
Browning

953

N73

KANNUR (SB) and others
Studies on the browning of heat pro-
cessed chapathies and allied products in
relation to their chemical constituents
J Food Sci Tech 10(2); 1973; 64

F8,39(CH) Chhana

954

FAGTAP (GE) and SHUKLA (PC)
A note on the factors affecting the yield
and quality of chhana J Food Sci Tech
10(2); 1973; 73

F8,3C Milk

955

HAIGH (R)

Changes in Milk and milk products
J Soc Dairy Technol 26(2); 1973; 61

F8,3C Milk, Lactose

- 956 DAHLQVIST (A) and others
Hydrolysis of -Galactosides using
polymerentrapped lactase. A study
towards producing lactose-free milk
Biotech Bioeg XV(2); 1973; 395

F8,3C Milk, Cultured

- 957 EDITORIAL. Consumer protection unlimited
cultured milks review British Food J
75(853); 1973; 36

F8,3C:7;M Milk, Packaging

- 958 HALL (HS)
Retail packaging of liquid milk
J Soc Dairy Technol 26(2); 1973; 94

F8,3C;eH71P Milk, Peroxidase

- 959 GUHA (KC) and ROY (BR)
Enzymic differentiation between curds of
heated and raw milk. II. Milk peroxidase
J Sci Food Agric 24(1); 1973; 1

F8,3C;Va;b12 Milk, Fat, Quantity

- 960 HARDING (F) and MORRIS (JL)
Reconstitution of churned or 'Oiled' milk
samples for instrumental determination of
fat content J Soc Dairy Technol 26(2);
1973; 91

F8,3c-0(a2;3L) Milk, Powdered,
Deterioration

- 961 METTLER (AE)
Observations on the use of 2-thiobar-
bitric acid for estimating deterioration
in powdered milk products J Soc Dairy
Technol 26(2); 1973; 84

F8,3D;cF Cream, Texture

962

PRENTICE (JH)

Terminology of the texture of cream
J Texture Studies 4(1); 1973; 154

F8,3F;c4 Curd, Rheological property

963

DOUILLARD (R)

Rheological analysis of curd formation
J Texture Studies 4(1); 1973; 158

F8,3K;T Whey, Protein

964

McGANN (TCA) and others

Applications of the pro-milk part V
modification of the pro-milk automatic
for whey protein estimation
Lab Practice 22(3); 1973; 175

F8,3Za-0(a6;4) Meat, Heated, Soyaprotein,
Quantity

965

N72

PARSONS (AL) and LAWRIE (RA)

Quantitative identification of soya
protein in fresh and heated meat products
J Food Tech 7(4); 1972; 455

F8,3Zb4;a06 Pigmeat, Quality

966

HATTON (MWC) and others

Effects of preslaughter adrenalin injection
of muscle metabolites and meat quality of
pigs J Food Tech 7(4); 1972; 443

F8,3Zb4=3L Pig Longissimus Dorsi,
Mitochondrial property

967

N73

CHEAH (KS)

Comparative studies of the mitochondrial
properties of longissimus dorsi muscles
of pietrain and large white pigs
J Sci Food Agric 24(1); 1973; 51

F8,3Zd1;T Chicken broth, Protein
Hydrolyzate

- 968 N72 SWITEK (H) and JANICKA (M)
Estimation of applicability of various
kinds of active carbon to decoloring of
protein hydrolyzate used in chicken broth
Prace Inst Labo XXVI (4); 1972; 625

F8,3Zd12;E1Hg Duck, Mercury Residue,
Cooking

- 969 N73 HOUGH (EJ) and ZABIK (ME)
Mercury residues in duck breast tissue after
moist and dry heat cooking J Sci Food Agric
24(1); 1973; 107

F8,3Zn Fish, Connective Tissue

- 970 N72 LOVE (RM) and LAVETY (J)
The connective tissues of fish VII. Post-
mortem hydration and ice crystal formation
in myocommata, and their influence on
gaping J Food Tech 7(4); 1972; 431

F8,3Zn;z1As Fish, Arsenic, Quantity,
Determination

- 971 N73 LEBLANC and others
Dry ashing technique for the determination
of arsenic in marine fish J AOAC 56(2);
1973; 383-386

F8,3Zn;z1Hg Fish, Mercury

- 972 YANNAI (S) and SALTZMAN (R)
Elimination of mercury from fish
J Sci Food Agric 24(2); 1973; 157

F8,3Zn;Zn Pomfret, Discolouration

- 973 AGARWAL (SR) and KUMTA (JS)
Factors influencing yellow discolouration
of white pomfret J Food Sci Technol
10(2); 1973; 68

F8,3Zz1 Egg, Hydrogen Peroxide

974

GERMS (AC)

Hydrogen sulphide production in eggs and
egg products as a result of heating
J Sci Food Agric 24(1); 1973; 7

F8,3Zz1=85 Egg white, Micro-scale

975

N72

PARDUCCI (LG) and DUCKWORTH (RB)

Differential thermal analysis of frozen
food systems II. Micro-scale studies on
egg white, cod and celery J Food Tech
7(4); 1972; 423

F8,3Zz1=86 Egg Yolk, Lipoproteins

976

N73

KAMAT (VB) and others

Contribution of egg yolk lipoproteins to
cake structure J Sci Food Agric
24(1); 1973; 77

F8,3Zz9x Sausage (made from) Pork,
Sulphur Di-oxide

977

N72

PEARSON (D)

A note on the filtration of sausage mace-
rates in the rapid estimation of sulphur
di-oxide J Food Technol 7(4); 1972; 463

F8,3Z451 Tea, Theaflavin, Quantity

978

N73

HILTON (PJ) and PALMER-JONES (R)

Relationship between the flavanol compo-
sition of fresh tea shoots and the thea-
flavin content of manufactured tea
J Sci Food Agric 24(7); 1973; 813

F8,3Z451 Tea, Quality

979

HILTON (PJ) and others

Effects of season and nitrogen fertiliser
upon the flavanol composition and tea
making quality of fresh shoots of tea
J Sci Food Agric 24(7); 1973; 819

F8,3Z481 Cacao, Fermentation

- 980 LOPEZ (A) and QUESNEL (VC)
Volatile fatty acid production in cacao
fermentation and the effect on chocolate
flavour J Sci Food Agric 24(3); 1973; 319

F8,3Z7;(9R3)-O(16;43) Fruit juice (made
of) Apricot,
Sun-dried

- 981 SALEM (SA) and HEGAZI (SM)
Chemical changes occurring during the
processing of sun-dried apricot juice
J Sci Food Agric 24(2); 1973; 123

F8,3Z9b1 Wine, Sulphite-binding

- 982 BURROUGHS (LF) and SPARKS (AH)
Sulphite-binding power of wines and ciders.
I. Equilibrium constants for the dissoci-
ation of carbonyl bisulphite compounds
J Sci Food Agric 24(2); 1973; 187

F8,3Z9b1 Wine, Sulphite Binding

- 983 BURROUGHS (LF) and SPARKS (AH)
Sulphite-binding power of wines and ciders.
II. Theoretical consideration and calculation
of sulphite-binding equilibria J Sci Food
Agric 24(2); 1973; 199

F8,3Z9b1 Wine, Sulphite Binding

- 984 BURROUGHS (LF) and SPARKS (AH)
Sulphite-binding power of wines and ciders.
III. Determination of carbonyl compounds
in a wine and calculation of its sulphite-
binding power J Sci Food Agric 24(2);
1973; 207

F8,3Z9b1 Wine, Bottling

- 985 JOHN (TN) Jnr.
Effect of sterile wine bottling
Bottler Packer XLVII(4); 1973; 58

F8,3Z9b1 Wine, Volatile Acid

986

PILONE (GJ) and others

Measuring volatile acids in wine
Bottler Packer XLVII(4); 1973; 41

F8,3Z9b1 Wine, Lactone

987

MULLER (CJ) and others

Lactones in wines American J Enol Viticul
24(1); 1973; 5

F8,3Z9b1 Wine

988

YANG (HY)

Deacidification of grape musts with schi-
zosaccharomyces pombe American J Enol
Viticul 24(1); 1973; 1

F8,3Z9b2 Beer, Polyphenol

989

NG(E) and MOCEK (M)

A method for estimating total polyphenols
in beer J Inst Brewing 79(2); 1973; 165

F8,3Z9b2 Beer, Quality, Control

990

MAZUMDAR (RI)

Quality control of beer ISI Bul 25(6);
1973; 245

F8,3Z9b2:2 Beer, Processing

991

HENNING NIELSEN

The control of oxygen in beer processing
J Inst Brewing 79(2); 1973; 147

F8,3Z9e Brandy, Volatile, Constituents

992

FILAJDIC (M) and DJUKOVIC (J)

Gas-chromatographic determination of
volatile constituents in Yugoslav plum
brandies J Sci Food Agric 24(7);
1973; 835

F8,3ZE1;CF Onion, Textural, Variation
(during) Pickling

- 993 N72 JEWELL (GG)
Structural and textural changes in brown
onions during pickling J Food Tech 7(4);
1972; 387

F8,3ZM1 Pepper

- 994 N73 KAHAN and others
Differentiation of geographic origin of
spices. III. lampong and sarawak black
pepper by Emission Spectroscopy
J AOAC 56(2); 1973; 341-343

F8,3ZM1 Pepper

- 995 RUSSELL and others
Volatile compositional differences between
cultivars of black pepper (Pipernigrum)
J AOAC 56(2); 1973; 344-351

F8,3Z(ZM4) Oleoresin

- 996 N72 STAHL (WH)
Oleoresin quality analysis: Fact or fancy?
Trop Sci XVI(4); 1972; 335

I N D E X

Acidified, Flour, Wheat 916
 Aleurone layer 912
 Amla 933
 Apple 942-944
 Apricot 940
 - (made of) Fruit juice 981
 Arsenic, Fish 971
 Baby (for), Food 902
 Bacterial counts, Frozen, Green, Bean 925
 Banana 938
 Bean 924, 925
 Beer 989-991
 Bottling, Wine 985
 Brandy 992
 Bread 947-950
 Breaking, Potato 928
 Browning, Heat processed, Chapathis 953
 Cacao 980
 Canned, Segments, Grape fruit 939
 Caramel 945
 Carbohydrate, Bean 924
 Carbony compound, Food 901
 Cereal 904-906
 Chemical composition, Ripe, Banana 938
 Chhana 954
 Chicken broth 968
 Computer, Processing, Food 893
 Connective Tissue, Fish 970
 Control (during) canning, Breaking, Potato 928
 Control, quality, Beer 990
 Control, Scald, Cool stored, Apple 944
 Cooked, Rice 911
 Cooking, Mercury residue, Duck 969
 Cool stored, Apple 944
 Corn 920, 921
 Corrosion, canned, segments, Grape fruit 939
 Cream 962
 Cultured, Milk 957
 Curd 963
 Debittering, Apricot 940
 Deterioration, Powdered, Milk 961
 Discolouration, Pomfret 973
 Dough, Bread 949, 450
 Doughs, Flour, Wheat 915
 Dried, Enriched, Baby (for), Food. 902
 Duck 969
 Education, Food 889
 Egg 974
 - Noodle 952
 - White 975
 - Yolk 976

(contd..)

Enriched, Baby (for), Food	902	
- Soyabean (made of), Bread		948
Fat, Milk	960	
Fermentation (in) Brino, Amla	933	
- Cacao	980	
Fish	970-972	
Flavour, Grape	935	
- Cereal	905-906	
Flour, Soyabean	926	
- Wheat	915, 916	
Food	889-903	
- Research	891	
Fortified, Food	903	
Freeze-Drying, Food	894	
Frozen, Avocados	941	
- Green, Bean	925	
Fruits	932	
- juice	981	
Gelatinisation, Cooked, Rice	911	
Gliadin, Wheat	917	
Grape	934, 935, 936, 937	
- fruit	939	
Green, Bean	925	
- Peas	923	
Hardness, Bread	947	
Heated, Meat	965	
Heat processed, chapathis	953	
Hydrogen Peroxide, Egg	974	
In-can Blanching, Green, Peas	923	
Instant, Yam	931	
Jam	946	
Lactone, Wine	987	
Lactose, Milk	956	
Lead, Food	898	
Lipid, Dough, Bread	949	
Lipoproteins, Egg Yolk	976	
Meat	965	
Mercury, Fish	972	
- residue, Duck	969	
Micro-scale, Egg white	975	
Milk	955-961	
Milling, Flour, Cereal	906	
Mitochondrial property, pig longissimus Dorci	967	
Moisture, Paddy	907	
Nitrogen, Cereal	903	
Noodle	952	
Nutrient Loss, Food	897	
Oleoresin	996	
Onion	993	
Organic acids, Pea	922	
Packaging, Food	895	
- Milk	958	

(Contd..)

Paddy 907
Pea 922, 923
Pearl Millet 918
Pepper 994, 995
Peroxidase, Milk 959
Pesticide Residues, Wheat 913
Phenolic Compounds, Frozen, Avocados 941
Pickling (during) variation, Textural, Onion 993
Pig Longissimus Dorci 967
- meat 966
Polyphenols, Beer 989
Pomfret 973
Potato 928 - 930
Pork (made from) Sausage 977
Powdered, Milk 961
Processing, Beer 991
- Food 893
- (during), Nutrient Loss Food 897
Protein, Food 900
- Fruits 932
- Rice 910
- Soy (made of), Food 899
- Soya, Heated, Meat 965
- Wheat 914
- Whey 964
- Hydrolyzate, Chicken broth 968
Quality, Apple 943, 942
- Beer 990
Quantity, Nitrogen, Cereal 904
Quality, Pig meat 966
- Starch, Sorghum 919
- Tea 979
Rapeseed Meal 927
Rheological measurement, Dough, Bread 950
- property, Curd 963
Rheological property, Food 896
Rice 908-911
Ripe, Banana 938
Rot, Grape 937
Sausage 977
Scald, Cool stored, Apple 944
- Segments, Grape fruit 939
Sky lab (for), Food 892
Sorghum 919
Sorpton, Water vapour, Rice 908
Soyabean 926
- (made of), Bread 948
Soy (made of), Food 899
Soya, Heated, Meat 965
Space (for), Food 890
Spagetti 951

(Contd..)

Starch, Corn	920
- Potato	929, 930
- Rice	909
- Sorghum	919
Steep liquor, Corn	921
Sulphate (with) reaction, Protein, Wheat	914
Sulphite-binding, Wine	982-984
Sulphur Di-oxide, Pork (made from), Sausage	977
Sundried, Apricot (made of) Fruit juice	981
Tea	978, 979
Theaflavin, Tea	978
Texture, Cream	962
Thiophene, Onion	993
Vitamin C, Fortified, Food	903
Volatile, Brandy	992
- Acid, Wine	986
Water vapour, Rice	908
Wheat	912-917
Whey	964
Wine	982-988
Yam	931



FOOD TECHNOLOGY

DOCUMENTATION LIST



Vol. 8


September 1973 .

No. 9

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

CONTENTS

	<u>Page</u>
Food (General)	1 - 4
Cereal	4 - 6
Pulse	6 - 7
Nut	7 - 8
Vegetable	8 - 10
Fruit	10 - 13
Confectionary, Starch	13 - 14
Milk and Milk Product	14 - 17
Meat and Meat Products	17 - 19
Poultry	19 - 20
Sea food and fresh water food	20 - 22
Egg	22
Beverages	23 - 24
Alcoholic Beverage	24
Spice, Condiments	24



F8,3 Food Technology

997. N73 COPPOCK (JBM)
The evolution of food science
and technology in the UK.
Chem Indus (10); 1973; 455

F8,3 Food Technology, Training

998. PARPIA (HAB) and NATARAJAN (CP)
Food technology research and training
requirements with particular reference
to South and South East Asia.
Canadian Inst Food Sci Technol J
6(2); 1973; A42

F8,3;eF31 Food, Flavor

999. Prof. EDWARDS (RA)
AIFST - Flavour and the law -
pathways and philosophy. Food Tech
in Australia 25(6); 1973; 284

F8,3;(Fa) Food, Enzyme

1000. WEETALL (HH)
Immobilized enzymes: Some applications
to foods and beverages. Part I.
immobilization methods. Food Prod
Development 7(3); 1973; 46

F8,3;E1;b12:fD Food, Heavy metal,
Quantity, Determination

1001. BAETZ (RA) and KENNER (CT)
Determination of heavy metals in
foods. J Agric Food Chem 21(3);
1973; 436

F8,3;F2 Food, Microbial Antagonism

1002. HURST (A)
Microbial antagonism in foods.
Canadian Inst Food Sci Technol J
6(2); 1973; 80

F8,3;F2 B+C Food, Poisoning (by)
Bacillus cereus

1003. FOSTER (EM)
Food poisoning attributed to
controversial agents: bacillus
cereus, pseudomonas sp. a and
faecal streptococci. Canadian
Inst Food Sci Tech J 6(2); 1973; 126

F8,3;F2B Food, Poisoning (by)
Botulinum

1004. RIEMANN (H)
Botulinum food poisoning.
Canadian Inst Food Sci Tech J
6(2); 1973; 111

F8,3;F2C Food, Poisoning (by)
clostridium perfringens

1005. HAUSCHILD (AHW)
Food poisoning by clostridium
perfringens. Canadian Inst Food
Sci Tech J 6(2); 1973; 106

F8,3;F2SAL Food, Salmonella

1006. EDEL (W) and others
Salmonella cycles in foods with
special reference to the effects
of environmental factors, including
feeds. Canadian Inst Food Sci Technol
J 6(2); 1973; 64

1007. LITCHFIELD (JH)
Salmonella and the food industry -
methods for isolation, identification
and enumeration. J C Crit Rev Food Technol
3(4); 1973; 415

F8,3;F2STA Food, Staphylococcus aureus,
Growth

1008. SCHEUSNER (DL) and HARMON (LG)
Growth and enterotoxin production
by various strains of staphylococcus aureus
in selected foods. J Food Sci 38(3);
1973; 474

F8,3;F33 Food, Fungal Toxin

1009.

WILHELMINA VAN WALBEEK
Fungal toxins in foods. Canadian
Inst Food Sci Tech J 6(2); 1973; 96

F8,3;F4M Food, Mycotoxins

1010.

JOHN I PITT
AIFST - Mycotoxins. Food Technol in
Australia 25(6); 1973; 291

F8,3;RIC:2;92 Food, Methionine,
Oxidation

1011.

SLUMP (P) and SCHREUDER (HAW)
Oxidation of methionine and cystine
in foods treated with hydrogen peroxide.
J Sci Food and Agric 24(6); 1973; 657

F8,3;T Food, Protein

1012.

ROSENFELD (D)
Utilizable protein: quality and
quantity concepts in assessing food.
Food Prod Development 7(3); 1973; 57

F8,3;TC Food, Casein

1013.

SWAISGOOD (HE)
The caseins. CRC Crit Rev Food Technol
3(4); 1973; 375

F8,3;ZkD;b12 Food, Vitamin, Quantity

1014.

N71

LONTOC (AV) and others
Vitamin B₆ content some Philippine
foods I. Raw foods. Philippine J
Nutr XXIV(4); 1971; 209

F8,3; Food, Vitamin A, Determination

1015.

N73

ERDMAN (JW) Jr. and others
Fluorometric determination of vitamin A
in foods. J Food Sci 38(3); 1973; 447

F8,3-12 Food, (for) Baby, Vitamin E,
Quantity

1016.

DAVIS (KC)

Vitamin E content of selected baby.
foods. J Food Sci 38(3); 1973; 442

F8,3-12 Food, (for) infants, Iron
salt, Availability

1017.

THEUER (RC) and others

Effect of processing on availability of
iron salts in liquid infant formula
products. Experimental milk-based.
J Agric Food Chem 21(3); 1973; 482

F8,3x;R Grain, Amino acid

1018.

AUSTIN (A) and AHUJA (VP)

Comparative study of the amino acid
composition of the proteins of the
embryo, endosperm and whole grain of
normal and opaque-2 composite maize.
Bul Grain Technol XI(1); 1973; 46

F8,3x-0(a2;3L):2;3J Cereal, Flour,
Milling

1019.

VIRMANI (SP)

Flour milling in Delhi. Indian
Miller III(4); 1973; 9

F8,3Y Paddy, Milling, Quality

1020.

DESIKACHAR (HSR) and others

Effect of differential maturity of
paddy grains in a panicle on their
milling quality. J Sci Food Agric
24(8); 1973; 893

F8,3Y Paddy, Puffing, Quality

1021.

SRINIVAS (T) and DESIKACHAR (HSR)

Factors affecting the puffing quality
of paddy. J Sci Food Agric 24(8);
1973; 883

F8,3y:8;A Paddy, Storage

1022.

RAI (BK) and CROAL (K)

Studies on safe storage of seed paddy.
Bul Grain Technol XI(1); 1973; 24

F8,31-0(a2;5M4) Rice, Parboiled,
Canning

1023.

RUTLEDGE (JE) and ISLAM (MN)

Canning and pH stability of epichlorohy-
drin-treated parboiled rice. J Agric
Food Chem 21(3); 1973; 458

F8,32;eB1 Wheat, Alcoholic Acidity

1024.

N72

SINHA (AC) and GAIKWAD (WS)

An improved rapid method for determi-
nation of alcoholic acidity in wheat
products. Agric Marketing XV(3);
1972; 18

F8,32;g7 Wheat, Stability

1025.

N73

VIMAL MEHDI (Mrs.)

Stability of some of the newly evolved
Indian wheats under different environmental
conditions. Bul Grain Technol XI(1);
1973; 32

F8,32;z15 Wheat, Moisture, Quantity

1026.

KARAN SINGH and others

Studies on the population of sitophilus
oryzae linn. in high yielding varieties
of wheat under different ecological
conditions. Bul Grain Technol XI(1);
1973; 50

F8,32;Ve Wheat, Fatty Acid

1027.

CHOWDHURY (K) and RAHMAN (MM)

Fatty acids in wheat varieties consumed
in Bangladesh. J Sci Food Agric 24(4);
1973; 475

F8,32-0(a2;3L) Wheat, Flour, Doughs

1028.

FRAZIER (PJ) and others

The effect of lipoxxygenase action on the mechanical development of wheat flour doughs. J Sci Food Agric 24(4); 1973; 421

F8,39a;Ve Pulse, Fatty Acid

1029.

CHOWDHARY (K) and RAHMAN (MM)

Fatty acids in different pulses produced and consumed in Bangladesh. J Sci Food Agric 24(4); 1973; 471

F8,39f-0(a2;53) Bean, Peeled, Split

1030.

KON (S) and others

Split peeled beans: preparation and some properties. J Food Sci 38(3); 1973; 496

F8,39f-0(a6;Q) Bean, Waxed, Storage, Behaviour

1031.

SINGH (RP) and others

Storage behavior of artificially waxed green snap beans. J Food Sci 38(3); 1973; 542

F8,39f-8x Bean, Instant powder, Canned

1032.

MILLER (CF) and others

Vitamin retention in bean products: cooked canned and instant been powders. J Food Sci 38(3); 1973; 493

F8,39f2 Lima Bean, Vitamin B6, Retention

1033.

RAAB (CA) and others

Effects of heat processing on the retention of vitamin B6 in lima beans. J Food Sci 38(3); 1973; 544

F8,39fB;T;b2 Green Gram, Protein,
Content

1034.

GOPALA RAO (P)

Influence of riboflavin on growth,
respiration and chlorophyll and
protein contents in green gram (*Phaseolus*
radiatus Linn.). *Jur Sci* XLII(16);
1973; 580

F8,39h Soyabean

1035.

YANG (YH)

Soyabean foods for the caribbean.
Cajanus VI(1); 1973; 6

F8,39h;ac Soyabean, Chemical composition

1036.

DEODHAR (AD) and others

Chemical composition of vegetable type
varieties of soyabean. *Indian J Nutr*
Dietetics 10(3); 1973; 134

F8,39k;T Cottonseed, Protein

1037.

SHEMER (M) and others

Effect of processing conditions on
isolation of cottonseed protein by
sodium hexametaphosphate extraction
method. *J Agric Food Chem* 21(3); 1973;
460

F8,39n=B Sunflower, Kernal, Chlorogenic
Acid

1038.

SOSULSKI (FW) and others

Continuous diffusion of chlorogenic
acid from sunflower kernels. *J Food*
Sci 38(3); 1973; 468

F8,39zu-O(t) Coconut Milk, Skimmed

1039.

HAGENMAIER (R) and others

Aqueous processing of fresh coconuts
for recovery of oil and coconut skim
milk. *J Food Sci* 38(3); 1973; 516

- F8,390A=B;Ve Cashew kernel, Fatty acid
1040. BARROSO (MAT) and others
Fatty acids of brazilian cashew kernels.
Hort Sci 8(2); 1973; 99
- F8,390n·F4A+P Peanut, Aspergillus
Parasiticus, Metabolizing activity
1041. LEE (LS) and others
Gas-liquid chromatographic detection
of actively metabolizing aspergillus
parasiticus in peanut stocks. J Agric
Food Chem 21(3); 1973; 470
- F8,390n;T Peanut, Protein,
Electrophonetic pattern
1042. THOMAS (DL) and NEUCERE (NJ)
Effects of heat in situ on electrophoretic
patterns of reserve proteins and enzymes
in dormant peanuts (*Arachis hypogaea* L.).
J Agric Food Chem 21(3); 1973; 479
- F8,390n;Ve Peanut, Fatty Acid
1043. SEKHON (KS) and others
Variability in fatty acid composition
in peanut. II. Spreading group. J Sci
Food Agric 24(8); 1973; 957
- F8,390n-O(a2;4E) Peanut, Roasted,
Carbonyl compound
1044. BROWN (DF) and others
Comparison of carbonyl compounds in
roasted and nonroasted spanish and runner
peanuts. J Agric Food Chem 21(3);
1973; 463
- F8,399Z-O(a7;Z1) Fruit and vegetable,
Canned, Lend, Content
1045. THOMAS (B) and others
Lead and cadmium content of some canned
fruit and vegetables. J Sci Food Agric
24(4); 1973; 447

F8,39C1-0(ab;44) Onion, Dehydrated,
Microorganism, Recovery

1046.

MOUSSA (RS)

The effect of potassium sulphite on
the recovery of micro-organisms from
dehydrated onion. J Sci Food Agric
24(4); 1973; 401

F8,39D3:8;A Carrot, Storage

1047.

VAN DEN BERG (L) and LENTZ (CP)

High humidity storage of carrots,
parsnips rutabagas and cabbage.
J American Soc Hort Sci 98(2);
1973; 129

F8,39D3-0(a6;44) Carrot, Dehydrated,
Non-enzymic browning

1048.

BALOGH (AK) and others

Measurement of non-enzymic browning
of dehydrated carrot. J Sci Food Agric
24(4); 1973; 389

F8,39E2 Sweet Potato, Alpha Amylase

1049.

WALTER (WM) Jr. and PURCELL (AE)

Alpha-amylase in sweet potatoes. A
comparison between the amyloclastic
and chromogenic starch methods of
analysis. J Food Sci 38(3); 1973; 548

F8,39E9n:P;a86 Yam, Carbohydrate,
Variation

1050.

KETIKU (AO) and OYENUGA (VA)

Changes in the carbohydrate constituents
of yam tuber (*Dioscorea rotundata*,
Poir) during growth. J Sci Food Agric
24(4); 1973; 367

F8,39F;T Leaf, Protein

1051.

ARKCOLL (DB)

The preservation and storage of leaf
protein preparations. J Sci Food
Agric 24(4); 1973; 437

F8,39H1:2,53 Tomato, Peeling

1052. STEPHENS (TS) and others
Effects of different submergence times in hot calcium chloride on peeling efficiency of tomatoes. J Food Sci 38(3); 1973; 512

F8,39H1;eE2 Fruit, Colour

1053. AULENBACH (BB) and WORTHINGTON (JT)
New portable colorimeter to evaluate external fruit color of tomato and peach. Hort Sci 8(2); 1973; 92

F8,39H1-ZT Tomato, Ripened, Ascorbic acid, Quantity

1054. PANTOS (CE) and MARKAKIS (P)
Ascorbic acid content of artificially ripened tomatoes. J Food Sci 38(3); 1973; 550

F8,39K11-0(a6;J) Cucumber, Brined

1055. FLEMING (HP) and others
Bloater formation in brined cucumbers fermented by lactobacillus plantarum. J Food Sci 38(3); 1973; 499

F8,39K11-0(a6;J) Cucumber, Brined, Fermentation, Carbon-di-oxide, Production

1056. FLEMING (HP) and others
Carbon-di-oxide production in the fermentation of brined cucumbers. J Food Sci 38(3); 1973; 504

F8,39N;F38C Fruits, Carbofuran residues, Quality, Determination

1057. WILLIAMS (IH) and BROWN (MJ)
Determination of carbofuran and 3-hydroxycarbofuran residues in small fruits. J Agric Food Chem 21(3); 1973; 399

F8,39P14-0(r);eE2 Strawberry,
Puree, Colour

1058. WROLSTAD (RE) and ERLANDSON (JA)
Effect of metal ions on the color
of strawberry puree. J Food Sci
38(3); 1973; 460

F8,39PR Jackfruit

1059. SINGH (DB)
All about jackfruits. Indian Farmers'
Digest VI(8); 1973; 22

F8,39PR-ZT;C Banana, Ripening,
Chemical Property

1060. CHARLES (RJ) and TUNG (MA)
Physical rheological and chemical
properties of bananas during
ripening. J Food Sci 38(3);
1973; 456

F8,39Q;F38P Citrus fruit, 2-
Phenylphenol Residues

1061. N72 ANNA RAJZMAN
A colorimetric method for the
determination of 2-Phenylphenol
residues in citrus fruits.
Analyst 97(1153); 1972; 271

F8,39Q-0(s) Citrus Fruit Juice,
Bitterness, Reducing

1062. N73 MAIER (VP) and others
Ethylene-accelerated limonoid
metabolism in citrus fruits: a
process for reducing juice bitterness.
J Agric Food Chem 21(3); 1973; 490

F8,39Q2-0(a8;A) Grapefruit, Stored,
Ethelene

1063. HATTON (TT) Jr. and GUBBEDGE (RH)
Influence of ethylene on stored
lateseason 'Marsh' grapefruit.
Hort Sci 8(2); 1973; 101

F8,39QB:7;Z1 Orange, Packaging

1064.

PELEG (K)

Systematic dense packaging of oranges. Israel J Agric Res 22(4); 1973; 225

F8,39R1-ZT Mango, Ripening, Fatty Acid, Variation

1065.

BANDYOPADHYAY (C) and GHOLAP (AS)

Changes in fatty acids in ripening mango pulp (variety alphonso). J Agric Food Chem 21(3); 1973; 496

F8,39R6-O(a7;Z1) Peach, Canned, Quality

1066.

OWENS (CR) and others

Quality of canned 'Babygold 7' peaches as affected by maturity and processing time. Hort Sci 8(2); 1973; 123

F8,39R6-O(a7;Z1) Peach, Canned, Flavour

1067.

CZERKASKYZ (A)

Effect of syrup density on colour, texture and flavour of canned cling peaches. Food Technol in Australia 25(5); 1973; 246

F8,39R8 Avacado, Off-flavour

1068.

BEN-ET (G) and others

Compounds contributing to heat-induced bitter off-flavor in avocado. J Food Sci 38(3); 1973; 546

F8,39RB-O(a6;4) Prunes, Dried, Sensory, Evaluation

1069.

GUADAGNI (DG) and SCHADE (JE)

Sensory evaluation of high-moisture dried prunes preserved with sodium benzoate. J Sci Food Agric 24(8); 1973; 913

1070. SCHADE (JE) and others
Preservation of high-moisture dried
prunes with sodium benzoate instead
of potassium sorbate. J Sci Food
Agric 24(8); 1973; 905

F8,39S1 Apple

1071. FAUST (M) and SHEAR (CB)
Apple research: present efforts,
future needs. Hort Sci 8(2);
1973; 87

1072. WILLEY (CR) and UNRATH (CR)
A tree-mounted LVDT electronic
micrometer for apple fruit.
Hort Sci 8(2); 1973; 95

F8,39S1;ac Apple, Composition

1073. SCHNEIDER (GW) and LASHEEN (AM)
NAA and sevin on composition,
development, and abscission of
apple fruit. Hort Sci 8(2);
1973; 103

F8,39S1-ZT Apple, Ripening,
Ethylene, Variation

1074. REID (MS) and others
Charges in ethylene and CO₂ during
the ripening of apples. J Sci Food
Agric 24(8); 1973; 971

F8,39Zd;(7M) Starch, (made from)
maize, Paste

1075. DAHLE (L) and others
Some effects of beta amylolytic
degradation of pastes of waxy
maize starch. J Food Sci 38(3);
1973; 484

F8,39Zc Bread

1076. CHURCH (JA)
Modern Bread Improvers.
Process Biochem 8(5); 1973; 11

F8,39ZC;(0a) Bread, additive

1077. BEAN (MM) and others
Fatty esters of polyalkoxylated
polyol glycosides as bread additives.
Food Prod Development 7(3); 1973; 30

F8,39ZC-0(a2;41-T) Bread, Enriched
(with) Protein

1078. POMERANZ (Y) and FINNEY (KF)
Protein-enriched bread. Process Biochem
8(5); 1973; 16

F8,3B;eF31 Dairy Products, Flavour

1079. DWIVEDI (BK)
The role of enzymes in food
flavours: I. Dairy Products. CRC
Crit Rev Food Technol 3(4); 1973; 457

F8,3C Milk Serum Fractions

1080. PERSHOTAM KUMAR SABARWAL and GANGULI (NC)
Rennet susceptibility of ultracentri-
fugal milk serum fractions as revealed
by turbidity measurement. Indian J
Dairy Sci XXVI(2); 1973; 140

F8,3c:6;A Milk, Cooling

1081. BADINGS (HT) and VAN DER POL (JJG)
Effect of cooling milk on the heat-
release of hydrogen sulphide from
the fat-globule membrane. Netherlands
Milk Dairy J 27(1); 1973; 45

F8,3C;zlcnd Milk, Copper, Quality,
Analysis

1082. VALCARCEL (M) and PINO (F)
Bis(6-methyl-2-pyridyl)glyoxal
dihydrazone as a spectro-photometric
reagent for the rapid determination
of copper in alkalis, milk and brine.
Analyst 98(1165);1973; 246

F8,3c;(9h) Milk, (made from) Soya,
Methionine, Supplementation

1083. BADENHOP (AF) and HOCKLER (LR)
Methionine supplementation of soy
milk to correct cystine loss resulting
from an alkaline soaking procedure.
J Food Sci 38(3); 1973; 471

F8,3c;T Milk, Protein

1084. JUNEJA (RK) and CHAUDHARY (RP)
Simultaneous phenotyping of milk
proteins in Indian cattle. Indian J
Dairy Sci XXVI(2); 1973; 104

F8,3C-O(a6;8) Milk, Pasteurized,
Keeping reinfected, Quality

1085. LANGEVELD (LPM) and others
Bacteriological aspects of the
keeping quality of 5°C of reinfected
and non-reinfected pasteurized milk.
Netherlands Milk Dairy J 27(1);
1973; 54

F8,3C15;U Buffalo Milk Phosphatase
Enzyme (effect of) Heating

1086. SHARARA (HA) and (MRS.) EL-GAZZAR (HA)
The effect of heating on the
phosphates enzyme of buffalo milk.
Indian J Dairy Sci XXVI(2); 1973; 98

F8,3F;Ze Curd, Phospholipids

1087. KUCHROO (TK) and NARAYANAN (KM)
A note on the distribution of
phospholipids during curd formation.
Indian J Anim Sci 43(2); 1973; 171

F8,3G-O(a2;3L) Butter milk (of) Sweet
Cream, Powder in relation to milk
Powder, Enriched

1088.

BADINGS (HT) and KOOPS (J)

Discrimination between sweet-cream
buttermilk powder and 'lecithin' -
enriched milk powder, based on a
thinlayer chromatographic and/or
microscopic method. Netherlands Milk
Dairy J 27(1); 1973; 66

F8,3J4 Ghee

1089.

BINDAL (MP) and JAIN (MK)

Fatty acid composition of cholesteryl
esters of ghee prepared from cow and
buffalo milk. Indian J Dairy Sci
XXVI(2); 1973; 138

F8,3K Whey

1090.

D'SOUZA (SV) and others

Demine~~ra~~lization of untreated cottage
cheese whey by electrodialysis.
J Food Sci 38(3); 1973; 519

F8,3K;CR78 Whey, Turbidity

1091.

THOMAS (TD) and ROEPER (J)

Turbidity of lactic casein whey.
New Zealand J Dairy Sci Technol 8(1);
1973; 14

F8,3M Cheddar Cheese

1092.

PEARCE (KN) and others

Calcium lactate deposits on rindless
cheddar cheese. New Zealand J Dairy
Sci Technol 8(1); 1973; 3

F8,3M;Va Cheese, Fat, Hydrolysis

1093.

STADHOUDERS (J) and VERINGA (HA)

Fat hydrolysis by lactic acid bacteria
in cheese. Netherlands Milk Dairy J
27(1); 1973; 77

F8,3M-0(a7;Z1) Cheese, Tinned,
Keeping Quality

1094.

GALLESLOOT (TC) and LANGEVELD (LPM)
The keeping quality of tinned processed
cheese manufactured from cheese made
from bactofugated milk. Netherlands
Milk Dairy J 27(1); 1973; 30

F8,3Za Meat, Emulsions

1095.

SAFFLE (RL)
The use of squid in meat emulsions.
J Food Sci 38(3); 1973; 551

F8,3Za-0(a2;3L) Meat, Minced,
Chloramine T, Quality, Detection

1096.

N72

van GILLS (WF) and HIDSKEES (GG)
Detection of chloramine T in minced
meat and farinaceous foods. Analyst
97(1153); 1972; 279

F8,3Za-0(a6;J) Meat, Cured, Canned

1097.

N73

CHRISTIANSEN (LN) and others
Effect of nitrite and nitrate on
toxin production by CLOSTRIDIUM
BOTULINUM and on nitrosamine formation
in perishable canned comminuted cured
meat. Appl Microbiol 25(3); 1973; 357

F8,3Zb1;Va Beef, Fat, Odour, Measurement

1098.

KOSARIC (N) and others
A statistical approach to the subjective
and objective measurements of odors
induced by γ -irradiation of beef fat.
J Food Sci 38(3); 1973; 369

F8,3Zb1;Va Beef, Fat, Irradiated odour,
Intensity

1099.

KOSARIC (N) and others
 γ -irradiation of beef fat. Effects
on odor intensity and rancidity.
J Food Sci 38(3); 1973; 374

F8,3Zb1-0(a2;41) Meat, Cooked, Flavour

1100. SATO (K) and others
The inhibition of warmed-over
flavor in cooked meats. J Food Sci
38(3); 1973; 398

F8,3Zb1-0(a2;5M3) Beef, Boiled,
Volatile, Flavour, Compounds

1101. HIRAI (C) and others
Isolation and identification of
volatile flavor compounds in boiled
beef. J Food Sci 38(3); 1973; 393

F8,3Zb1-0(a7;Z1) Beef, Canned,
Sensory Property

1102. PERSSON (T) and others
Aroma of canned beef: Sensory
properties. J Food Sci 38(3);
1973; 386

F8,3Zb1-0(a7;Z1) Beef, Canned, Aroma

1103. PERSSON (T) and SYDOW (EV)
Aroma of canned beef: Gas chromatographic
and mass spectrometric analysis of the
volatiles. J Food Sci 38(3); 1973; 377

F8,3Zb1=3;a06 Beef muscle, Pre-rigor,
Quality, Variation

1104. BEHNKE (JR) and others
Quality changes in pre-rigor beef
muscle at -3°C. J Food Sci 38(3);
1973; 539

F8,3Zb1=3;cF Beef muscle, Tenderness

1105. BOUTON (PE) and others
Influence of pH and fiber contraction
state upon factors affecting the
tenderness of bovine muscle. J Food
Sci 38(3); 1973; 404

F8,3Zb1=3;eH71D Beef muscle,
Dehydrogenase Activity

1106. DAGHER (SM) and HULTIN (HO)
Effect of binding to muscle particulate
fractions on glyceraldehyde-3-phosphate
dehydrogenase activity. J Food Sci
38(3); 1973; 424

F8,3Zb1=3;ZzY Beef muscle, Pigment,
Variation

1107. SETSER (CS) and others
Radiant energy-induced changes in
bovine muscle pigment. J Food Sci
38(3); 1973; 412

F8,3Zb1=3;Ve Beef muscle, Fatty Acid

1108. GILLIS (AT) and others
Fatty acid composition of bovine
intramuscular and subcutaneous fat as
related to breed and sex. J Food Sci
38(3); 1973; 408

F8,3Zb4=E5 Pork loin, Palatability

1109. BENNETT (ME) and others
Muscle quality, cooking method and
aging vs. palatability of pork loin
chops. J Food Sci 38(3); 1973; 536

F8,3Zd1-O(n);aO1 Poultry meat loaf,
Property

1110. WARDLAW (FB) and others
Effect of postmortem muscle changes on
poultry meat loaf properties. J Food
Sci 38(3); 1973; 421

F8,3Zd11-O(a2;4M) Chicken, Precooked,
Microwave reheated, Acceptability

1111. SISON (EC) and others
Acceptability of microwave reheated
precooked chicken after packaging,
freezing, and storing. Poultry Sci
52(1); 1973; 70

F8,3Zd11-0(a6;C) Chicken, Frozen,
Precooked

1112. SISON (EC) and others
Acceptance of precooked frozen chicken
reheated by microwave energy.
Poultry Sci 52(1); 1973; 28

F8,3Zd11=3;T Chicken muscle, Protein,
Acid Hydrolysis

1113. OTTERBURN (MS) and SINCLAIR (WJ)
Acid hydrolysis of chicken muscle
proteins by reflux and sealed tube
methods. J Sci Food Agric 24(8);
1973; 929

F8,3Zd17;F38S Turkey, Sulfaquinoxaline
Residue

1114. RIGHTER (HF) and others
Tissue residue depletion of
sulfaquinoxaline in turkey poults.
J Agric Food Chem 21(3); 1973; 412

F8,3Zd17=B;F2 Turkey Carcass, Bacteria

1115. AVENS (JS) and MILLER (BF)
Subcutaneous bacteria in turkey
carcasses. Appl Microbiol 25(3);
1973; 354

F8,3Zn Fishes, Fresh water

1116. RAMACHANDRAN (VS)
A list of marine and fresh water
fishes of Gujarat with their scientific
names Gujarathi names and their popular
english names. Seafood V(7); 1973; 35

F8,3Zn;T Fish, Protein concentrate,
Trimethylamine Quantity, Determination

1117. ALEXANDER MILLER III and others
Quantitative determination of dimethyl-
and trimethylamine in fish protein
concentrate. J Agric Food Chem
21(3); 1973; 451

F8,3Zn=ES1 Fish fillets, Sensitivity

1118.

JOHNSON (HC) and LISTON (J)

Sensitivity of vibrio parahaemolyticus to cold oysters, fish fillets and crabmeat. J Food Sci 38(3); 1973; 437

F8,3Zn-O(a2;3L) Fish, Meal, Flavor

1119.

WESSELS (JPH) and others

Flavour studies with fish meals and with fish oil fractions in broiler diets. J Sci Food Agric 24(4); 1973; 451

F8,3Zn-O(a2;3L) Fish, Meal, Trace Elements

1120.

LUNDE (G)

Trace metal contents of fish meal and of the lipid phase extracted from fish meal. J Sci Food Agric 24(4); 1973; 413

F8,3Zr9t:6 Catfish, Preservation

1121.

BEUCHAT (LR) and others

Preservation of channel catfish with some selected chemicals. J Food Sci 38(3); 1973; 531

F8,3Zr9t-O(a6;G) Catfish, Chilled, Freshness, Assessing

1122.

BEUCHAT (LR)

Hypoxanthine measurement in assessing freshness of chilled channel catfish (ICTALURUS PUNCTATUS). J Agric Food Chem 21(3); 1973; 453

F8,3Zt8;fZ Shrimp, Biochemical studies

1123.

COBB III (BF) and others

Biochemical and microbial studies on shrimp: Volatile nitrogen and amino nitrogen analysis. J Food Sci 38(3); 1973; 431

F8,3Zt3;g77:6;C Crab, Keeping
quality (during) Freezing

1124.

CHINNAMMA GEORGE

Technological aspects of preservation
and processing of edible shell fishes.
III. Factors influencing the keeping
quality of crab (*scylla serrata*) during
freezing & frozen storage. Fishery Technol
X(1); 1973; 15

F8,3Zt8-0(a6;C) Shrimp, Frozen, Faecal
streptococci

1125.

GOPALAKRISHNA IYER (TS) and others

Faecal streptococci in fresh frozen
shrimp. Fishery Technol X(1); 1973; 66

F8,3Zz1;F397A Egg, Amprolium Residues

1126.

N72

COHEN (IC) and others

Residues of prophylactics in animal
products. Part II. The determination
of amprolium added to eggs and
poultry meat. Analyst 97(1153); 1972;
254

F8,3Zz1=85 Egg white, *Pseudomonas*
Fluorescens, Growth

1127

N73

NATH (KR) and BAKER (RC)

Factors affecting the growth of
PSEUDOMONAS FLUORESCENS in liquid egg
white. Appl Microbiol 25(3); 1973;
442

F8,3Zz9x;F2STA Sausage, *Staphylococcus*
aureus, Control

1128.

DALY (C) and others

Control of *staphylococcus aureus*
in sausage by starter cultures and
chemical acidulation. J Food Sci
38(3); 1973; 426

- F8,3Zz92;ac Soup, Chemical composition
1129. ANKRAH (EK) and DOVLO (FE)
Chemical composition of some soups
and stews of ghana. J Sci Food Agric
24(4); 1973; 407
- F8,3Z1 Beverage
1130. BEVERAGE news. Flavour Indus 4(3); 1973;
110
- F8,3Z1 Beverages
1131. McCORMICK (RD)
Changing tastes in beverages. Food
Prodt Development 7(3); 1973; 17
- F8,3Z2 Soft Drink
1132. DIEPERINK (HWE) Drs.
The position of soft drinks in the
common market. Flavor Indus 4(3);
1973; 112
- F8,3Z481 Coffee, Organoleptic property
1133. PARLIMENT (TH) and others
trans-2-nonenal: coffee compound with
novel organoleptic properties. J Agric
Food Chem 21(3); 1973; 485
- F8,3Z4B Coffee
1134. MENCHU (JF) and ROLZ (C)
Coffee fermentation technology.
Cafe Cacao The XVII(1); 1973; 53
- F8,3Z7;(9P3);eE2 Fruit juice (made from)
cranberry, Color
1135. CHIRIBOGA (CD) and FRANCIS (FJ)
Ion exchange purified anthocyanin
pigments as a colorant for cranberry
juice cocktail. J Food Sci 38(3);
1973; 464

F8,3Z7;(9QB) Fruit Juice, (made from)
Orange, Ethanol, Quantity

1136. DAVIS (PL) and HOFMANN (RC)
Effects of coatings on weight loss
and ethanol buildup in juice of
oranges. J Agric Food Chem 21(3);
1973; 455

F8,3Z72;C4 Syrup, Rheological property

1137. COLLINS (JL) and DINCER (B)
Rheological properties of syrups
containing gums. J Food Sci
38(3); 1973; 489

F8,3Z9a Alcoholic Beverage

1138. DAVELY (JWF)
Alcoholic and 'industrial' beverages
and their use in food products.
Flavour Indus 4(3); 1973; 121

F8,3Z9a;eF316 Alcoholic Distillate,
Aroma, Extraction

1139. WILLIAMS (AA) and TUCKNOTT (OG)
The selective extraction of aroma
components from alcoholic distillates.
J Sci Food Agric 24(8); 1973; 863

F8,3Z9b1 Wine

1140. RANKINE (BC)
Influence of winemaking operations on
the quality of table wines. Food Technol
in Australia 25(6); 1973; 299

F8,3ZE8-ZT Mustard, (during)
Maturation, Lipid, Variation

1141. DASGUPTA (SK) and FRIEND (J)
Changes in the lipid and fatty and
composition during maturation of seeds
of white mustard (Sinapis alba).
J Sci Food Agric 24(4); 1973; 463

F8,3ZZb-0(a6;J) Pickle, Brine, Salt
Recovery

...

1142. DURKEE (EL) and others
Field tests of salt recovery system
for spent pickle brine. J Food Sci
38(3): 1973: 507

Acid hydrolysis, Protein, Chicken muscle 1113
Additive, Bread 1077
Alcoholic acidity, Wheat 1024
— beverage 1138
— distillate 1139
Alpha Amylose, Sweet Potato 1049
Aminoacid, Grain, Food 1018
Amprolium Residues, Egg 1126
Analysis, Quality, Copper, Milk 1082
Apple 1071-1074
Aroma, Alcoholic distillate 1139
— Canned, Beef 1103
Ascorbic acid, Ripened, Tomato 1054
Avacado 1068
Baby (for), Food 1016
Bacteria, Turkey Carcass 1115
Banana 1060
Bean 1030-1032
Beef 1098, 1099, 1101-1103
— muscle 1104-1108
Beverage 1130, 1131
Biochemical studies, Shrimp 1123
Boiled, Beef 1101
Bitterness, Citrus fruit juice 1062
Bread 1076-1078
Brive, Pickle 1142
Brined, Cucumber 1056
Buffalo milk 1086
Butter — 1088
Canned, Beef 1102, 1103
— Cured, Meat 1097
— Fruit & Vegetables 1045
— Instant Powder, Bean 1032
— Peach 1066-1067
Canning, Paraboiled, Rice 1023
Carbofuran residues, Fruits 1057
Carbohydrate, Yam 1050
Carbonyl compound, Roasted, Peanut 1044
Carrot 1047, 1048
Casein, Food 1013
Cashew Kernel 1040
Catfish 1121, 1122
Cereal 1019
Cheddar cheese 1092
Cheese 1093, 1094
Chemical composition, Soup 1120
— — Soyabean 1036
— property, Ripening, Banana 1060
Chicken 1111, 1112
— muscle 1113
Chilled, Cat fish 1122

Contd.

Chloramine T, Minced, Meat	1096
Chlorogenic acid, Keroal, Sunflower	1038
Citrus fruit	1061
— — juice	1062
Coconut Milk	1039
Coffee	1133, 1134
Colour, Cranberry (made from), Fruit Juice	1135
— Fruit	1053
— Puree, Strawberry	1058
Composition, Apple	1073
Control, Staphylococcus aureus, Sausage	1128
Cooked, Meat	1100
Cooling, Milk	1081
Copper, Milk	1082
Cotton seed	1037
Crab	1124
Cranberry (made from), Fruit Juice	1135
Cucumber	1055, 1056
Curd	1087
Cured, Meat	1097
Dairy products	1079
Dehydrated, Carrot	1048
— Onion	1046
Dehydrogenase activity, Beef Muscle	1106
Dried, Cucumber	1055
— Prunes	1069
Doughs, Flour, Wheat	1028
Egg	1126
— white	1127
Electrophoretic pattern, Protein, Peanut	1042
Emulsions, Meat	1095
Enriched, Powder in relation to milk powder, Sweet Cream (of), Butter milk	1088
Enzyme	1000
Ethanol, Orange (made from), Fruit Juice	1136
Ethlene, Ripening, Apple	1074
— Stored, Grapefruit	1063
Evaluation, Sensory, Dried, Prunes	1069
Faecal stropococci, Frozen, Shrimp	1125
Fat, Beef	1098, 1099
— Cheese	1093
Fatty acid, Beef muscle	1108
— — Cashew Kernel	1040
— — Peanut	1043
— — Pulse	1029
— — Ripening, Mango	1065
— — Wheat	1027
Fermentation, Brined, Cucumber	1056
Fish	1116-1120
— Fillets	1118
Flavour	999
— Dairy, Products	1079
— Canned, Peach	1067
— Cooked, Meat	1100
— Meal, Fish	1119
— Volatile, Boiled, Beef	1101

Flour, Cereal	1019	
— Wheat	1028	
Food	999-1017	
— Technology	997, 998	
Freezing (during), Keeping quality, Crab	1124	
Freshness, Chilled, Catfish	1122	
Fresh water, Fishes	1116	
Frozen, Chicken	1112	
— Shrimp	1125	
Fruit	1053, 1057	
— Juice	1135, 1136	
— and vegetables	1045	
Fungal Toxin, Food	1009	
Ghee	1089	
Grain, Food	1018	
Grape fruit	1063	
Green gram	1034	
Growth, Pseudomonas fluores, Cens, Egg white	1127	
— Staphylococcus aureus, Food	1008	
Heating (effect of), Phosphates Enzyme, Buffalo milk	1086	
Heavy metal, Food	1001	
Hydrolysis, Fat, Cheese	1093	
Infants (for), Food	1017	
Instant Powder, Bean	1032	
Iron salt, for (Infants), Food	1017	
Irradiated odour, Fat, Beef	1099	
Jackfruit	1059	
Keeping quality, Crab	1124	
— — Tinned, Cheese	1094	
Kernel	1038	
— Sunflower	1038	
Leaf	1051	
Lima Bean	1033	
Lipid, Maturation (during), Mustard	1141	
Maize (made from), Starch	1075	
Mango	1065	
Maturation (during), Mustard	1141	
Meal, Fish	1119, 1120	
Meat	1095-1097, 1100	
Methionine, Food	1011	
Methionine, Soya (made from), Milk	1083	
Microbial Antagonism, Food	1002	
Microorganism, dehydrated, Onion	1046	
Microwave reheated, Precooked, Chicken	1111	
Milk	1081-1085	
— Serum Fractions	1080	
Milling, Flour, Cereal	1019	
— Paddy	1020	
Minced, Meat	1096	
Moisture, Wheat	1026	
Mustard	1141	
Mycotoxins, Food	1010	

Contd.

Non-enzymic browning, dehydrated, Carrot	1048
Odour, Fat, Beef	1098
Off-flavour, Avacado	1068
Onion	1046
Orange	1064
— (made from), Fruit Juice	1136
Organoleptic property, Coffee	1133
Oxidation, Methionine, Food	1011
Packaging, Orange	1064
Paddy	1020-1022
Palatability, Pork loin	1109
Paraboiled, Rice	1025
Paste, Maize (made from), Starch	1075
Pasteurized, Milk	1085
Peach	1066, 1067
Peanut	1042-1044
Peeled, Bean	1030
2 - Phenylphenol Residues, Citrus fruit	1061
Pheological property, Syrup	1137
Phosphatase enzyme, Buffalo milk	1086
Phospholipids, Curd	1087
Pickle	1142
Pigment, Beef muscle	1107
Poisoning (by) Bacillus Cereus, Food	1003
— — Botulinum, Food	1004
— — Clostridium perfringus, Food	1005
Poultry meat loaf	1110
Powder in relation to milk powder, Sweet Cream (of), Butter milk	1088
Precooked, Chicken	1111
Pre-rigor, Beef muscle	1104
Preservation, Catfish	1121
Protein, Chicken muscle	1113
— Concentrate, Fish	1117
— Cotton seed	1037
— (with), Enriched, Bread	1078
— Food	1012
— Green gram	1034
— Loaf	1051
— Milk	1084
— Peanut	1042
— Tomato	1052
Prunes	1069-1079
Pseudomonas fluorescens, Egg white	1127
Puffing Paddy	1021
Pulse	1029
Purees, Strawberry	1058
Quality, Canned, Peach	1066
— Chloramine T, Minced, Meat	1096
— Copper, Milk	1082
— Carbofuran residue, Fruit	1057
— Keeping reinfected, Pasteurized, Milk	1085
— Milling, Paddy	1020
— Pre-rigor, Beef muscle	1104
— Puffing, Paddy	1021

Contd.

Quantity, Heavy metal, Food 1001
Recovery, Microorganism, dehydrated, Onion 1046
Reducing, Bitterness, Citrus fruit juice 1062
Rice 1023
Ripened, Tomato 1054
Ripening, Apple 1074
— Banana 1060
— Mango 1065
Roasted, Peanut 1044
Salmobella, Food 1006
Salt, Brine, Pickle 1142
Sausage 1128
Sensitivity, Fish fillets 1118
Sensory, Dried, Prunes 1069
— property, Canned, Beef 1102
Shrimp 1123, 1125
Skimmed, Coconut milk 1039
Soft drinks 1132
Soup 1120
Soyabean 1035, 1036
Soya (made from), Milk 1083
Stability, Wheat 1025
Staphylococcus aureus, Food 1008
— Sausage 1128
Starch 1075
Storage, Carrot 1047
— Paddy 1022
— Waxed, Bean 1031
Stored, Grape fruit 1063
Strawberry 1058
Sulfaquinoxaline residue, Turkey 1114
Supplementation, Methionine, Soya (made from), Milk 1083
Sweet cream (of), Butter milk 1088
— Potato 1049
Syrup 1137
Tenderness, Beef muscle 1105
Tinned, Cheese 1094
Tomato 1052, 1054
Trace element, Meal, Fish 1120
Training, Food Technology 998
Trimethylamine quantity, Protein concentrate, Fish 1117
Turbidity, Whey 1091
Turkey 1114
— Carcass 1115
Vitamin A, Food 1015
— B6, Lima Bean 1033
— E, (for) Baby, Food 1016
Volatile, Boiled, Beef 1101
Waxed, Bean 1031
Wheat 1024-1028
Whey 1090, 1091
Wine 1140
Yam 1050

FOOD TECHNOLOGY

DOCUMENTATION LIST



8.

October 1973

No. 10.

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

CONTENTS

	<u>Page</u>
Food (General)	1 - 4
Cereal	4 - 6
Milletts	7
Pulse	7 - 8
Nut	8
Fruits and Vegetables	8 - 9
Vegetable	9 - 10
Fruits	10 - 12
Confectionary, Starch	12 - 13
Bakery products	13
Milk and Milk products	14 - 16
Meat and Meat products	16 - 19
Poultry	19
Sea food and fresh wa ter food	20 - 21
Egg	21
Beverages	22 - 25
Alcoholic beverages	25 - 26
Spices	26



F8,3 Food Technology

1143. N73 APFLEDORF (H) and others
Health foods versus traditional foods:
A comparison. Milk Food Tech
36(4); 1973; 242

F8,3 Food, Deformation, Testing

1144. BOURNE (MC)
Use of the penetrometer for
deformation testing of foods.
J Food Sci 38(4); 1973; 720

F8,3 Food, Fresh, Cooling

1145. HAYAKAWA (K)
New procedure for calculating parametric
values for evaluating cooling treatments
applied to fresh foods. Canadian Inst
Food Sci Technol J 6(3); 1973; 197

F8,3 Food, Elastic Property

1146. JASPER (RF) and BLANSHARD (JMV)
A simple instrument for the measurement
of the dynamic elastic properties of
foodstuffs. J Texture Studies 4(2);
1973; 269

F8,3:2;4F Food, Deep Fat Frying

1147. PAULOSE (MM) and CHANG (SS)
Chemical reactions involved in deep
fat frying of foods: VI. Characteri-
zation of nonvolatile decomposition
products of trilinolein. J American
Oil Chemists' Soc 50(5); 1973;
147-154

F8,3;a06 Food, Quality, Control

1148. SULSER (H)
The significance of fructoselysine
and its degradation products furosine
and pyridosine for the quality
control of foods. Food Sci Technol
6(2); 1973; 66

F8,3;CF Food, Texture

1149.

CIVILLE (GV) and SZCZESNIAK (AS)
Guidelines to training a texture
profile panel. J Texture Studies
4(2); 1973; 204

F8,3;CP Food, Temperature (during)
Heating

1150.

LENZ (MK) and LUND (DB)
Temperature distributions during
heat/hold processing of food.
J Food Sci 38(4); 1973; 630

F8,3;eF31 Food, Flavor

1151.

POWERS (JJ) and QUINLAN (MC)
Flavor detection threshold values for
ethyl caprylate and phenyl ethyl
alcohol and estimates of the percent
population having greater sensitivity.
J Food Sci 38(4); 1973; 724

1152. N72

REYMOND (D)

Basic aspects of flavour research.
Nestle Res News 1972; 30

F8,3;eF31E Food, Ethanol, Quantity,
Analysis

1153. N73

MARTIN (GE) and FIGERT (DM)

Collaborative study of the quantitative
determination of ethanol by gas-solid
chromatography. J Assn Official
Analytical Chemist 56(3); 1973;
697-699

F8,3;eF4 Food, Taste

1154.

PANGBORN (RM) and others

Effect of hydrocolloids on oral
viscosity and basic taste intensities.
J Texture Studies 4(2); 1973; 224

F8,3;z1Hg Food, Mercury.

1155. MERCURY in food. A scientific status summary - IFT expert panel on food safety and nutrition. J Food Sci 38(4); 1973; 729

F8,3;z1Sc Food, Selenium, Quantity

1156. AMER (MA) and BRISSON (GJ)
Selenium in human food stuffs collected at the ste-foy (quebec) food market. Canadian Inst Food Sci Technol J 6(3); 1973; 134

F8,3;(9HK) Food, Turmeric, Quantity, Analysis

1157. KARASZ (AB) and others
Detection of turmeric in foods by rapid flubro etric method and by improved spot test. J Asson Official Analytical Chemist 56(3); 1973; 626-628

F8,3;A Food, Contamination, Control

1158. THURM (V)
On the necessity and the possibilities of the toxicological-chemical control of contaminated foods. Part II. Results from determinations performed in the framework of the previously described control system. Die Nahrung 17(2); 1973; 139

F8,3;F2 Food, Microbial biosynthesis

1159. TRAEELNES (KR)
Microbial biosynthesis and food processing - a continuing relationship. Nestle Res News 1972; 6

F8,3;F38ORG Food, Organochlorine Pesticide Residue

1160. THURM (V) and THORAND (B)
Statements concerning the occurrence of organochlorine pesticides in school meals in the GDR. Die Nahrung 17(2); 1973; 123

F8,3;F4M Food, Mycotoxins

1161. FISCHBACH (H) and RODRICKS (JV)
Current efforts of the food and
drug administration to control
mycotoxins in food. J Asson
Official Analytical Chemist 56(3);
1973; 767-770

F8,3;T Food, Protein

1162. N72 WUHRMANN (JJ)
Utilization of novel proteins for
human food. Nestle Res News 1972; 18

F8,3;V Food, Enzyme

1163. N73 WEETALL (HH)
Immobilized enzymes: some applications
to foods and beverages. Part II.
applications. Food Prod Develop 7(4);
1973; 94

F8,3;Zah Food, Pyrazine

1164. MAGA (JA) and SIZER (CE)
Pyrazines in foods. Critical Reviews
in Food Technol 4(1); 1973; 39

F8,3-0(a6;c) Food, Frozen,
Transporting

1165. GUILFOY (JE)
Refrigeration systems for transporting
frozen foods. Ashrae J 15(5); 1973;
58

F8,3-0(a6;E) Food, Freeze - Dried

1166. CHIRIFE (J) and others
Studies on mechanisms of retention
of volatile in freeze-dried food
models: The system PVP-n-propanol.
J Food Sci 38(4); 1973; 671

F8,3x Cereal

1167. DARASHAH (PN)
Cereal substitution - dream or
reality. J Flour Ani Feed Milling
CLV(5); 1973; 18

F8,3x:6 Cereal, Preservation

1168. SULLIVAN (SO)
Problems of grain preservation in
storage. J Flour Ani Feed Milling
CLV(5); 1973; 12

F8,3x:8;A Cereal, Storage

1169. W72 AGARWAL (NS)
Grain storage and sanitation.
Modern Agric III(1); 1972; 41

F8,3x;eF31 Cereal, Flavor Quality

1170. W73 MAGA (JA) and LORENZ (K)
Flavor quality of various grain
flours and oilseed, milk, and marine
protein supplements. Milk Food Technol
36(4); 1973; 232

F8,3y Paddy, Mechanization

1171. PELLIZZI (G)
Present situation and development of
paddy mechanization in nine countries
of Asia. IL RISO 22(2); 1973; 151

F8,31-0(a2;3J);a06 Rice, Milled, Quality

1172. JULIANO (BO)
Quality of milled rice. IL RISO
22(2); 1973; 171

F8,31=P Rice Bran, Stabilization

1173. RAMAKRISHNIAH (P) and others
Stabilization of rice bran in a stirred
fluid bed. IL RISO 22(2); 1973; 185

F8,32 Wheat, (for) Baking

1174. BOWMAN (F) and others
Rationale for baking wheat-, gluten-,
egg- and milk-free products.
Bakers Digest 47(2); 1973; 15
- F8,32;m2 Wheat, Baking Property
1175. AL-SUAIDY (MA) and others
Effects of certain biochemical
treatments on milling and baking
properties of hard red winter wheat.
Cereal Sci today 18(3); 1973; 174
- F8,32;D515 Wheat, Urine contaminant,
Testing
1176. THRASHER (JL)
Thin layer chromatographic test for
mammalian urine on wheat. J Assn
Official Analytical Chemist 56(3);
1973; 637-639
- F8,32-0(a2;3L) Wheat, Flour, Pentosans
1177. GEISSMANN (T) and NEUKOM (H)
On the composition of the water soluble
wheat flour pentosans and their
oxidative gelation. Food Sci Technol
6(2); 1973; 59
- F8,32-0(a2;3L);C Wheat, Dough,
Physical Properties
1178. AL-SUAIDY (MA) and others
Effects of premilling, soaking, and
freezing on milling, physical dough
properties, and baking of hard red
winter wheat. Cereal Sci today
18(6); 1973; 160
- F8,32-C(a2;42-T) Wheat, Fortified
(with) Protein
1179. FERREL (RE) and others
Steam processed wheat and barley for
use in protein fortified food blends.
Cereal Sci today 18(3); 1973; 154

F8,37B Sorghum, Dehulling

1180. DeMANN (JM) and others
Dehulling of sorghum and millet with
the palyi compact milling system.
Canadian Inst Food Sci Technol J 6(3);
1973; 188

F8,37B;P768 Sorghum, Starch, Degradation

1181. FREDERICK (HM) and others
Effect of moisture, pressure and
temperature on enzymatic starch
degradation of barley and sorghum
grain. J Dairy Sci 56(5); 1973; 595

F8,37M;A Corn, Filth, Extraction

1182. DENT (RG)
Collaborative study of the extraction
of light filth from canned whole and
cream style corn. J Assn Official
Analytical Chemist 56(3); 1973;
634-636

F8,37M-0(a2;3L) Corn, Flour, Defatted,
Composition

1183. BLESSIN (CW) and others
Composition of three food products
containing defatted corn germ flour.
J Food Sci 38(4); 1973; 602

F8,39b;CF Pea, Measurement

1184. VOISEY (PV) and MONNECKE (IL)
Measurement of pea tenderness. II.
A review of methods. J Texture
Studies 4(2); 1973; 171

F8,39h Soyabean

1185. JASANSKY (A) and PILANSKI (WK)
Spectral absorbance of soybeans and its
importance for efficient heat processing.
Canadian Inst Food Sci Technol J 6(3);
1973; 151

F8,39h Soy, Sauce, Enzymatic
Hydrolysis

1180A

KIKUCHI (T) and YOKOTSUKA (T)

Acid and enzymatic hydrolysis of an
acidic polysaccharide from soy sauce.
Agric Biol Chem 37(5); 1973; 973

F8,39h;CF Soyabean, Tenderness

1181A

SPATA (J) and others

A simple shear press for measuring
tenderness of whole soybeans. J Food
Sci 38(4); 1973; 722

F8,39l-0(a2;3L) Rapeseed, Flour,
Protein

1182A

KODAGODA (LP) and others

Preparation of protein isolates from
rapeseed flour. Canadian Inst Food Sci
Technol J 6(3); 1973; 135

F8,39zu-0(a2;3L) Coconut, Flour,
Defatted, Protein,
Extraction

1183A

MOLINA (MR) and LACHANCE (PA)

Studies on the utilization of
coconut meal. A new enzymic-chemical
method for fiber free protein ex-
traction of defatted coconut flour.
J Food Sci 38(4); 1973; 607

F8,39on;T Peanut, Protein

1184A

RHEE (KC) and others

Recovers protein from peanuts.
Food Eng 45(5); 1973; 82

F8,399Z Fruit & Vegetable

1185A

LAWLER (FK)

Advances in handling fruits and
vegetables prior to processing.
Food Eng 45(5); 1973; 100

F8,399Z;C Fruits & Vegetable, Physical
Property

1186. E72 DABROWSKA (M) and KRAJEWSKA (K)
Determination of physical features of
fruit and vegetable half-products and
products. Pr Inst 22(2); 1972; 261

1187. DABROWSKA (M) and KRAJEWSKA (K)
Determination of physical features of
fruit and vegetable half products and
products. Part II. Determination of
surface tension. Pr Inst 22(3);
1972; 385

1188. KRAJEWSKA (K) and DABROWSKA (M)
Determination of physical features of
fruit and vegetable half-products and
products. Part III. Determination of
specific resistance. Pr Inst 22(3);
1972; 395

F8,39A:6;2 Vegetables, Blanching

1189. E73 BOMBEN (JL) and others
Pilot plant evaluation of individual
quick blanching (IQB) for vegetables.
J Food Sci 38(4); 1973; 590

F8,39D3-0(a6;P) Carrot, Irradiated,
Texture

1190. MASSEY (LM) Jr. and WOODAMS (EE)
Effect of calcium on the texture
profile of irradiated carrots, beets
and potatoes. J Texture Studies
4(2); 1973; 242

F8,39E1;P16 Potato, Hexose, Quantity

1191. HOLL (A)
The effect of maleic hydrazide (MH)
on the hexose content of potato tubers.
Die Nahrung 17(1); 1973; 1

F8,39E1;Ve Potato, Fatty Acid

1192. N72 KUMIDER (J) and WALOW (H)
Occurrence of fatty acids in potatoes
and individual stages of potatoe
alcohol fermentation. Pr Inst 22(2);
1972; 235

F8,39E1-0(e) Potato Flake, Stability

1193. N73 SAPIERS (GM) and others
Flavor quality and stability of potato
flakes. Effects of raw material and
processing. J Food Sci 38(4); 1973;
586

F8,39E1-0(a2;3C) Potato, Chipped,
Drying

1194. PORTER (VL) and others
Microwave finish drying of potato chips.
J Food Sci 38(4); 1973; 523

F8,39H1-0(s) Tomato, Juice, Canned,
Nutritive Value

1195. FARROW (RP) and others
Nutritive content of canned tomato
juice and whole kernel corn. J Food
Sci 38(4); 1973; 595

F8,39H1-0(q) Tomato, Paste

1196. N71 SAEED (A) and MUBARAK (A)
Processing quality of ten varieties of
tomatoes for paste manufacture.
Sudan J Food Sci Tech 3; 1971; 24

F8,39N;a06 Fruits, Quality, Evaluation
(during) Storage

1197. N72 KRAJEWSKA (K) and others
Evaluation of quality of locked-in
carriers fruit flavors in various
storage conditions. Pr Inst
22(3); 1972; 379

F8,39N-0(a6;4) Fruit, Dehydrated,
Nutritive value

1198. N73 SALUNKHE (DK) and others
Developments in technology and
nutritive values of dehydrated fruits,
vegetables, and their products.
Critical Reviews in Food Technol
4(1); 1973; 1

F8,39PR:6;G Banana, Chilling, Injury

1199. HAARD (NF) and TIMBIE (D)
Chilling injury in green banana fruit:
changes in peroxidase isozymes in
soluble and particulate pools.
J Food Sci 38(4); 1973; 642

F8,39PR-ZT Banana, Ripeing Indole-3-acetic
acid oxidase

1200. HAARD (NF)
Inhibition of ripening and indole-3-
acetic acid oxidase of banana
fruit by p-2, 4-chlorophenoxy-isobutyric
acid. J Food Sci 38(4); 1973; 639

F8,39R1 Mango

1201. N71 ABUSIN (AM) and HAMID (BH)
Evaluation of the major mango
varieties for processing. Sudan J
Food Sci Technol 3; 1971; 61

F8,39R5 Cherry, Colour, Additive

1202. N73 DRAPER (RE)
Separation and determination of FD&C
/ and FD&C No. 40 Red No. 4/ in maraschino cherries by
column chromatography. J Asson Official
Analytical Chemist 56(3); 1972;
703-705

F8,39R5;ZB Cherry, Anthocyanin Pigment

1203. SHRIKHANDE (AJ) and FRANCIS (FJ)
Anthocyanin pigments of sour cherries.
J Food Sci 38(4); 1973; 649

- F8,39R6;P815 Peach, Pectin, Isolated
1204. CHANG (YS) and SMIT (CJB)
Characteristics of pectins isolated
from soft and firm fleshed peach
varieties. J Food Sci 38(4); 1973; 640
- F8,39S1 Apple Sauce
1205. JOHR (WP)
Applesauce 'grain'. J Texture Studies
4(2);1973; 263
- F8,39Zb;eF4 Sugar, Taste
1206. BIRCH (GG) and LINDLEY (NG)
Structural functions of taste in the
sugar series: effects of aglycones on
the sensory properties of simple
glycoside structures. J Food Sci
38(4); 1973; 665
- F8,39Zb;eF42 Sugar, Sweetness Evaluation
1207. HERRMANN (J)
New methods for the evaluation and
the analysis of sensory qualities of
foodstuffs and for the forecast of
their changes. Part VI. The calculation
of the "relative sweetness" of sugar
mixtures with and without addition of
acid. Die Nahrung 17(1); 1973; 11
- F8,39Zb;F38C Sugar, Chloro-organic
Pesticide Residue, Quantity,
Determination
1208. N72 KUBACKI (SJ) and KASPROWICZ (W)
Determination of chloroorganic
pesticide residues in sugar raw
materials and sugar products by gas
chromatography. Pr Inst 22(2); 1972;
295
- F8,39Zf;k2 Confectionery, Nutritive
Value
1209. N73 ZOUMAS (BL)
Nutritional aspects of chocolate and
confectionery. Manuf Confectioner 53(5);
1973; 29

F8,39Zg Candy, Nutritive Value

1210. VANDERCOOK (CE) and BORDEN (CM)
Nutritionally balanced candy.
Manuf Confectioner 53(5); 1973; 26

F8,39ZkH;(C) Chocolate (made from)
Milk, Staphylococcus
aureus

1211. OSTOVAR (K)
A study on survival of staphylococcus
aureus in dark and milk chocolate.
J Food Sci 38(4); 1973; 683

F8,39Zv1 Jam

1212. RYAN (JJ) and DUPONT (JA)
Analytical constituents of strawberry
and raspberry and their change in jam
production. J Assn Official Analytical
Chemist 56(3); 1973; 743-747

F8,39Z(-a2;41) Bread, Enriched

1213. POMERANZ (Y) and FINNEY (KF)
Glycolipids: key to protein - enriched
bread. Food Eng 45(5); 1973; 134

F8,39Z%;(7B3) Biscuit, (made from)
Dura

1214. N71 MUSTAFA (AI) and others
Ginger biscuits from dura (Sorghum
Vulgare). Sudan J Food Sci Tech
3; 1971; 30

F8,39ZJ;(Zn) Cake, (made from) Fish,
Salted, Stored, Rancidity

1215. N73 DEL VALLE (FR) and others
Bacterial counts and rancidity
estimates of stored quick-salted fish
cakes. J Food Sci 38(4); 1973; 580

F8,3C;a06 Milk, Quality, Deterioration

1216. SATTAR (A) and DeMAN (JM)
Effect of packaging material on
light induced quality deterioration
of milk. Canadian Inst Food Sci
Technol J 6(3); 1973; 170

F8,3C;eF31 Milk, Flavour (during)
Storage

1217. ZADOW (JG) and BIRTVISTLE (R)
The effect of dissolved O₂ on the
changes occurring in the flavour
of ultra-high-temperature milk
during storage. J Dairy Res 40(2);
1973; 169-177

F8,3C;F38 Milk, Pesticide Review

1218. KUMAR (P) and others
Interference of some pesticides in
the milk phosphatase pasteurization
test. J Dairy Sci 56(5); 1973; 553

F8,3C;F38D Milk, Dieldrin Residue

1219. ANG CATHARINA (YW) and DUGAN (LR) Jr.
Factors relating to completeness of
solvent extraction of dieldrin from
milk. J Asson Official Analytical
Chemist 56(3); 1973; 718-720

F8,3C;TC Milk, Casein

1220. ONO (T) and others
Conformational changes of α_3 -
casein by heating. Agric Biol Chem
37(5); 1973; 957

F8,3C;U Milk, Enzyme

1221. SHAHANI (KM) and others
Enzymes in bovine milk: a review.
J Dairy Sci 56(5); 1973; 531

F8,3C;U Milk, Enzyme, Kinetic Property

1222. KOVACS-PROSZT (G) and SANNER (T)
Comparison of the specificity and
kinetic properties of 3 milk-clotting
enzymes. J Dairy Res 40(2); 1973;
263-272

F8,3C;Va Milk, Fat

1223. SHIPE (WF) and SENYK (GF)
Collaborative study of the foss
milko-tester method for measuring
fat in milk. J Assn Official
Analytical Chemists 56(3); 1973;
538-540

F8,3C;Ve Milk, Fatty Acid

1224. GRAY (IK)
Seasonal variations in the composition
and thermal properties of New Zealand
milk fat. I. Fatty-acid composition.
J Dairy Res 40(2); 1973; 207-214

F8, 3C;Za1 Milk, Triglyceride

1225. PREACH (RA) and others
Milk triglycerides: the degree of
non-random associations of fatty
acids. J Dairy Res 40(2); 1973;
273-287

F8,3C-0(a2;3L) Milk, Powder,
Reconstitution Property

1226. WYETH (TC) and CHEESEMAN (GC)
A technique for evaluating reconstitution
properties of milk powders. J Dairy Res
40(2); 1973; 135-147

F8,3D-0(a6;C) Cream, Frozen

1227. BULLOCK (DH) and LYNCH (AG)
Manufacture of recombined frozen
whipped dairy cream. Canadian Inst
Food Sci Technol J 6(3); 1973; 166

F8,3M Cheese

1228. LLOYD (GT) and PONT. (EG)
An experimental continuous-culture
unit for the production of frozen
concentrated cheese starters.
J Dairy Res 40(2); 1973; 149-155

F8,3M;eE26 Cheddar Cheese, Pink
Discoloration

1229. GOVINDARAJAN (S) and MORRIS (HA)
Pink discoloration in cheddar cheese.
J Food Sci 38(4); 1973; 675

F8,3M;(9M2) Cheese, Titanium Oxide

1230. LEONE (JL)
Collaborative study of the quantitative
determination of titanium dioxide in
cheese. J Assn Official Analytical
Chemists 56(3); 1973; 535-537

F8,3Za Meat

1231. BERSZAN (G)
State of meat technology and development
trends. Husipar 22(2); 1973; 49

1232. FEBEL (N)
Innovation movement in the meat
industry. Husipar 22(2); 1973; 55

1233. HENDRIK (A)
Quick phosphorus determination of
meat and meat products applying wet
discoloring. Husipar 22(2); 1973; 69

1234. LEMPE (R)
Technologic-economic problems and
rationalization in the socialist food
industry with special regard to the
meat industry. Husipar 22(2);
1973; 64

F8,3Za;cF Meat, Tenderness

1235. SMITH (GC) and CARPENTER (ZL)
Mechanical measurements of meat
tenderness using the nip tenderometer.
J Texture Studies 4(2); 1973; 196

F8,3Za;cF Meat, Tenderness, (during)
Cooking

1236. PURCHAS (RW)
Some aspects of raw meat tenderness. A
study of some factors affecting its
change with cooking and a new means of
measurement. J Food Sci 38(4); 1973; 556

F8,3Za;eE2 Meat, Colour

1237. GOVINDARAJAN (S)
Fresh meat color. Critical Reviews in
Food Technol 4(1); 1973; 117

F8,3Za;F2CLO Meat, Clostridium
perfringens

1238. SCHRODER (DJ) and BUSTA (FF)
Effects of synthetic meat components
on growth of clostridium perfringens.
Milk Food Tech 36(4); 1973; 189

F8,3Za;Va Meat, Fat, Quantity, Analysis

1239. PETTINATI (JD) and others
Moisture and fat analysis of meat
and meat products: A review and comparison
of methods. J Asson Official Analytical
Chemists 56(3); 1973; 544-561

F8,3Za-0(a6;J) Meat, Cured, Nitrate,
Quantity

1240. PANALAKS (T) and others
Nitrate, Nitrite and dimethylnitrosamine
in cured meat products. J Asson
Official Analytical Chemist 56(3);
1973; 621-625

F8,3Zb1-0(a2;6) Beef, Post Slaughter,
pH, Variation

1241. KHAN (AW) and others
Post-slaughter pH variation in beef.
J Food Sci 38(4); 1973; 710

F8,3Zb1-0(a7;11) Beef, Fresh, Pre-
packed, Shelf-life

1242. CLARK (DS) and LENTZ (CP)
Use of mixtures of carbon di-oxide
and oxygen for extending shelf-life
of prepackaged fresh beef. Canadian
Inst Food Sci Technol J 6(3); 1973; 194

F8,3Zb1-0(a7;Z1) Beef, Canned, Aroma

1243. PERSSON (T) and others
The aroma of canned beef: models for
correlation of instrumental and
sensory data. J Food Sci 38(4);
1973; 632

F8,3Zb1-Zb:a6;c

1244. JAKOBSSON (B) and BENGTSSON (N)
Freezing of raw beef: influence of
aging, freezing rate and cooking method
on quality and yield. J Food Sci
38(4); 1973; 560

F8,3Zb1=3 Beef muscle, Organoleptic
Property

1245. PARRISH (FC) Jr. and others
Effect of postmortem conditions on
certain chemical, morphological and
organoleptic properties of bovine
muscle. J Food Sci 38(4); 1973; 690

F8,3Zb3 = B Lamb, Carcass, Postmortem
Shrinkage

1246. SMITH (GS) and CARPENTER (ZL)
Postmortem shrinkage of lamb carcasses.
J Animal Sci 36(5); 1973; 862

F8,3Zb4-0(a6;4) Pork, Reheated, Flavor

1247. PENNER (KK) and BOWERS (JA)
Flavor and chemical characteristics of conventionally and microwave reheated pork. J Food Sci 38(4); 1973; 553

F8,3Zb41;a06 Ham, Quality

1248. HEATON (EK) and SHEWFELT (AL)
Influence of processing factors on the quality characteristics of short-cut country-style hams. Food Sci Technol 6(2); 1973; 48

F8,3Zd1 Poultry meat, Deboned

1249. GRUNDEN (LP) and MAC NEIL (JH)
Examination of bone content in mechanically deboned poultry meat by EDTA and atomic absorption spectrophotometric methods. J Food Sci 38(4); 1973; 712

F8,3Zd1-0(a3;8) Poultry meat, Texturized, Composition

1250. ACTON (JC)
Composition and properties of extruded, texturized poultry meat. J Food Sci 38(4); 1973; 571

F8,3Zd11=3;Za Chicken muscle, Lipid influenced by Postmortem Aging

1251. HAY(JD) and others
Effects of postmortem aging on chicken muscle lipids. J Food Sci 38(4); 1973; 696

F8,3Zd11= 3S Chicken, Sarcoplasmic reticulum influenced by Postmortem Aging

1252. HAY (JD) and others
Effect of postmortem aging on chicken muscle sarcoplasmic reticulum. J Food Sci 38(4); 1973; 700

F8,3Zn;F2PSY Fish, Psychophilic yeast

1253. BRUCE (J) and MORRIS (EO)
Psychophilic yeasts isolated from
marine fish. J Microbiol Serol 39(2);
1973; 331-339

F8,3Zr9t;eF316 Catfish, Aroma

1254. MALIGALIG (LL) and others
Aroma and flavor of farm-raised
channel catfish: effects of pond
condition, storage, and diet.
Food Prod Develop 7(4); 1973; 86

F8,3Zr9A-0(a6;C) Cod, Frozen, Stored,
Myofibrillar Protein

1255. CHILDS (EA)
Quantitative changes in whole myofibrils
and myofibrillar proteins during frozen
storage of true cod. J Food Sci 38(4);
1973; 718

F8,3Zr9R-0(a7;Z1) Tuna, Canned, Colour
Measurement

1256. KHAYAT (A)
Some observations on the color measurement
of canned tuna. J Food Sci 38(4); 1973;
716

F8,3Zt3;4 Crabmeat, Decomposition

1257. STEINBRECHER (K)
Collaborative study of the determination
of ammonia as an index of decomposition
in crabmeat. J Asson Official Analytical
Chemist 56(3); 1973; 598-601

F8,3Zt5;F2 Crayfish, Bacterial Spoilage

1258. COX (NA) and LOVELL (RT)
Identification and characterization of
the microflora and spoilage bacteria in
fresh-water crayfish, procambarus
clarkii (Girard). J Food Sci 38(4);
1973; 679

F8,3Zt8;ZLZ Shrimp, Carotenoid Pigments

1259.

SHAUWAERT (F) and others
Carotenoid pigments in the brown shrimp.
Food Sci Technol 6(2); 1973; 43

F8,3Zt8-0(a6;G) Shrimp, Iced, Quality,
Variation

1260.

FLORES (SC) and CRAWFORD (DL)
Postmortem quality changes in iced
pacific shrimp (*Pandalus jordani*).
J Food Sci 38(4); 1973; 575

F8,3Zv6 Oyster

1261.

THOMPSON (WK) and THACKER (CL)
Effect of temperature on vibrio
parahaemolyticus in oysters at
refrigerator and deep freeze
temperatures. Canadian Inst Food
Sci Technol J 6(3); 1973; 156

F8,3Zv6-0(a6;c) Oyster, Frozen

1262.

GOULD (E)
Collaborative study of a test to
determine whether shucked oysters have
been frozen and thawed. J Assn Official
Analytical Chemists 56(3); 1973;
541-543

F8,3Zz1=86 Egg Yolk, Lipid, Variation

1263.

SCHILLER (EA) and others
Lipid changes in egg yolks and
cakes baked in microwave ovens.
J American Dietetic Assn 62(5);
1973; 529

F8,3Zz9x;(2b4) Sausage, (made from)
Pork, Filth, Isolation

1264.

GEKAN (JS) and ALIOTO (P)
Collaborative study of an enzymatic
digestion method for the isolation
of light filth from fresh pork sausage.
J Assn Official Analytical Chemist
56(3); 1973; 631-633

F8,3Z01 Yeast Preparations,
Organoleptic Property

1265. N72 LIPIEC (M) and ILNICKA-OLEJNICZAK (O)
Chemical, microbiological and organo-
leptic characteristics of polish and
foreign yeast preparations. Pr Inst
22(3); 1972; 409

F8,3Z01 Yeast, Nucleic Acid

1266. ILNICKA-OLEJNICZAK (O) and LIPIEC (M)
Content of nucleic acids in food
yeast preparations. Pr Inst 22(2); 1972;
227

F8,3Z451 Tea, Methyl Jasmonate

1267. N73 YAMANISHI (T) and others
Methyl jasmonate and lactones including
jasmine lactone in Ceylon tea.
Agric Biol Chem 37(5); 1973; 1073

F8,3Z451:6;4 Tea, Drying

1268. BASU (RP)
Drying of tea. Two and a Bud 20(1);
1973; 27

F8,3Z481 Coffee, Caffeine Quantity,
Determination

1269. N72 LEMPKA (A) and others
Determination of caffeine in grain
coffee, coffee brews and instant coffee.
Pr Inst 22(2); 1972; 283

F8,3Z481 Coffee, Acidity,
Determination

1270. SUZKOWSKA (J) and CIERZAKOWICZ (L)
Investigations on the best indicator
for determination of grain-coffee
acidity. Pr Inst 22(3); 1972; 465

F8,3Z482:2;1 Cacao beans, Fermentation

1271. N73 OSTOVAR (K) and KEENEY (PG)
Isolation and characterization of
microorganisms involved in the fer-
mentation of Trinidad's cacao beans.
J Food Sci 38(4); 1973; 611

F8,3Z7;A Fruits Juice, Contaminant,
Quantity, Analysis

1272. BRICOUT (J)
Control of authenticity of fruit
juices by isotopic analysis.
J Asson Official Analytical Chemist
56(3); 1973; 739-742

F8,3Z7;(9PL);eF31 Fruit Juice (made
from) Pineapple,
Flavour

1273. N71 EL KHIDIR (OH)
Flavour in pineapple juice.
Sudan J Food Sci Technol 3; 1971; 34

F8,3Z7;(9QB) Fruit Juice, (made from)
Orange, Brominated Sesame Oil
Quantity, Analysis

1274. N73 CONACHER (HBS)
Gas chromatographic determination of
brominated sesame oil in orange
drinks: collaborative study. J Asson
Official Analytical Chemist 56(3);
1973; 602-606

F8,3Z7;(9QB) Fruit Juice (made from)
Orange

1275. PETRUS (DR) and DOUGHERTY (MH)
Spectral characteristics of three
varieties of florida orange juice.
J Food Sci 38(4); 1973; 659

F8,3Z7;(9R1) Fruit Juice, (made from)
Mango, Bottled, Storage

1276. N71 SAEED (A) and ABUSIN (AM)
Studies on the preparation storage
and economics of bottled mango Squash.
Sudan J Food Sci Tech 3; 1971; 56

F8,3Z7;(9R1) Fruit Juice (made from)
Mango, Canned, Shelf-life

1277. SAEED (A) and MUBARAK (A)
Technological studies on mango squash
(II) effect of storage temperature on
shelf life of canned mango squash.
Sudan J Food Sci Tech 3; 1971; 48

F8,3Z7;(9R3) Fruit Juice (made from),
Apricot, Chemical property

1278. SARHAN(MAI) and others
Chemical and physical studies on
apricot juice part I preservation of
apricot juice by freezing. Sudan J
Food Sci Tech 3; 1971; 41

F8,3Z7;(9S1) Fruit Juice (made from)
Apple, Flavonol Glycoside

- 1274A N73 BUREN (JV) and others
Measurement of chlorogenic acid and
flavonol glycosides in apple juice by
a chromatographic-fluorometric method.
J Food Sci 38(4); 1973; 656

F8,3Z7;(9S1) Fruit Juice, (made from)
Apple, Losses

- 1275A N72 KUSZLIK (K)
Losses of apple juice during
concentration. Part I. Losses of
juice during concentration on
the AC-100 evaporator. Pr Inst
22(3); 1972; 347

F8,3Z7;(9S1) Fruit Juice, (made from)
Apple, Losses

1276.A

KUSZLIK (J)

Losses of apple juice during
concentration Part II. Losses of
juice during concentration on the
AC-100 evaporator after the
improvement. Pr Inst 22(3); 1972; 367

F8,3Z72 Syrup, Fortified (with) Iron

1277.A N73

BOOKWALTER (GN) and others

Iron-fortified syrup blends:
preparation, characteristics,
application. J Food Sci 38(4); 1973;
618

F8,3Z9f;F316 Whisky, Volatile, Aroma

1278.A

PAULA SALO

Interactions among volatile aroma
compounds in a whisky imitation.
Food Sci Technol 6(2); 1973; 52

F8,3Z9b1 Wine, Distillate

1279. N72

JAROSZ (M) and MILEWSKI (J)

Effect of "cumasina estose"
preparation on the maturation of
rye spirit and wine distillate.
Pr Inst 22(2); 1972; 219

F8,3Z9b2 Beer

1280.

DUBIEL (Z) and GOZEBIEWSKI (T)

Technical scale application of
enzyme preparation for beer
production based on the higher amount
of raw barley. Pr Inst 22(2);
1972; 183

1281.

CZARNECKI (W)

Economic effects of various methods
of chill-proofing of beer. Pr Inst
22(2); 1972; 203

1282. N73 WITHYCOMBE (DA) and LINDSAY (RC)
Research notes: determination of
trans-2-nonenal in stale beer.
Technical Quarterly 10(2); 1973;xix
- F8,3Z9b2 Beer, Purification
1283. N72 LIPOWSKA (T) and others
Quick method of one-stage purification
of beer and hop for the determination
of chloroorganic pesticide content.
Pr Inst 22(2); 1972; 307
- F8,3Z9b2;a06 Beer, Quality
1284. N73 DADIC (M) and VAN GHETLOUWE (GEA)
The role of polyphenols and non-
volatiles in beer quality.
Technical Quarterly 10(2); 1973; 69
- F8,3Z9b2;eF31 Beer, Flavour
1285. CHARALAMBOUS (G) and others
Determination of beer flavor compounds
by high pressure liquid chromatography.
Technical Quarterly 10(2); 1973; 74
- F8,3ZE41;A Horseradish, Filth, Quantity
Analysis
1286. GECAN (JS) and BRICKEY (PM) Jr.
Collaborative study of a method for the
extraction of light filth from prepared
horseradish. J Assn Official Analytical
Chemist 56(3); 1973; 629-630
- F8,3ZG1 Ginger Rhizome
1287. THOMPSON (EH) and others
Ginger rhizome: A new source of
proteolytic enzyme. J Food Sci
38(4); 1973; 652
- F8,3ZZb Pickles
1288. STOUTT (WC)
Refrigeration in preserving and
enhancing crispness of pickles.
Food Prod Management 95(11); 1973; 20

I N D E X

Acidity, Coffee 1270
Additive, Colour, Cherry 1202
Analysis, Quantity, Contaminant, Fruit juice 1272
— — Ethenol, Food 1153
— — Fat, Meat 1239
— — Turmeric, Food 1157
Anthocyanin Pigment, Cherry 1203
Apple (made from), Fruit juice 1274A, 1275A, 1276A
— Sauce 1205
Apricot (made from), Fruit juice 1278
Aroma, Canned, Beef 1243, 1244
— Catfish 1254
— Volatile, Whisky 1278A
Bacterial spoilage, Cray fish 1258
Baking property, Wheat 1175

Banana 1199, 1200
Beef 1241-1243
— muscle 1245
Beer 1280-1285
Bleaching, Vegetable 1189
Bottled, Mango (made from), Fruit juice 1276
Bread 1213
Brominated sesame oil, Orange (made from), Fruit juice 1274
Caffeine Quantity, Coffee 1269
Cake 1215
Candy 1210
Canned, Beef 1 243, 1244
— Juice, Tomato 1195
— Mango (made from), Fruit juice 1277
— Tuna 1256
Carcass, Lamb 1246
Carotenoid pigments, Shrimp 1259
Carrot 1190
Casein, Milk 1220
Catfish 1254
Cereal 1167-1170
Cheddar Cheese 1229
Cheese 1228, 1230
Chemical property, Apricot (made from), Fruit juice 1278
Cherry 1202, 1203
Chicken 1252
— muscle 1251
Chilling, Banana 1199
Chipped, Potato 1194
Choloro-organic, Sugar 1208
Chocolate 1211
Clostridium perfringens, Meat 1238
Cocoa beans 1271
Coconut 1183A
Cod 1255
Coffee 1269, 1270
Composition, Defatted, Flour, Corn 1183
Confectionary 1209

...Contd.

Contaminant, Fruit juice	1272	
Contamination, Food	1158	
Cooling, Fresh, Food	1145	
Cooking (during), Tenderness, Meat	1236	
Corn	1182, 1183	
Crab meat	1257	
Cray fish	1258	
Cream	1227	
Cured, Meat	1240	
Deep fat frying food	1147	
Deboned, Poultry meat	1249	
Decomposition, Crabmeat	1257	
Defatted, Flour, Coconut	1183A	
— — Corn	1183	
Deformation, food	1144	
Degradation, Starch, Sorghum	1181	
Dehulling, Sorghum	1180	
Dehydrated, fruit	1198	
Deterioration, Quality, Milk	1216	
Diels-Dreier reaction, Milk	1219	
Distillate, Wine	1279	
Dough, Wheat	1178	
Drying, Chipped, Potato	1194	
— Tea	1268	
Durra (made from), Biscuit	1214	
Elastic property, Food	1146	
Enzymatic hydrolysis, Sauce, Soy	1180A	
Enzyme, Food	1163	
— Milk	1221, 1222	
Ethanol, Food	1153	
Extraction, Filth, Corn	1182	
— Protein, Defatted, Flour, Coconut	1183A	
Evaluation (during) Storage, Quality, Fruits	1197	
Fat, Meat	1239	
— Milk	1223	
Fatty acid, Milk	1224	
— — Potato	1192	
Fermentation, Cocoa beans	1271	
Filth, Corn	1182	
— Home radish	1286	
— Pork (made from), Sausage	1264	
Fish	1253	
— (made from), Cake	1215	
Flavour, Beer	1285	
— Food	1151	
— Milk	1217	
— Pineapple (made from), Fruit juice	1273	
— Quality, Cereal	1170	
— Reheated, Pork	1247	
Flour, Coconut	1183A	
— Corn	1183	
— Rapeseed	1182A	
— Wheat	1177	

Food 1144-1166
 — Technology 1143
 Fortified (with) Protein, Wheat 1179
 Freeze-Dried, Food 1166
 Fresh, Food 1145
 Frozen, Cod 1255
 — Cream 1227
 — Food 1165
 — Oyster 1262
 Fruit juice 1272-1278, 1274A, 1275A, 1276A
 Fruits 1197, 1198
 Fruit and Vegetable 1185A, 1186-1188
 Ginger rhizome 1287
 Ham 1248
 Heating (during) Temperature, Food 1150
 Hexose, Potato 1191
 Horseradish 1286
 Iced, Shrimp 1260
 Injury, Chilling, Banana 1199
 Iron, Fortified (with), Syrup 1277A
 Irradiated, Carrot 1190
 Isolated, Pectin, Peach 1204
 Jam 1212
 Juice, Tomato 1195
 Kinetic property, Enzyme, Milk 1222
 Lamb 1246
 Lipid, Chicken muscle 1251
 — Egg Yolk 1263
 Mango 1201
 — (made from), Fruit juice 1276, 1277
 Meat 1231-1240
 Mechanisation, Paddy 1171
 Mercury, Food 1155
 Methyl jasmonate, Tea 1267
 Microbial biosynthesis, Food 1159
 Milk 1216-1226
 — (made from), Chocolate 1211
 Milled, Rice 1172
 Mycotoxins, Food 1161
 Myofibrillar protein, Stored, Frozen, Cod 1255
 Nitrate, Cured, Meat 1240
 Nucleic acid, Yeast 1266
 Nutritive value, Candy 1210
 — — Canned, Juice, Tomato 1195
 — — Confectionary 1209
 — — Dehydrated, Fruit 1198
 Orange (made from), Fruit juice 1274, 1275
 Organoleptic property, Beef muscle 1245
 — — Yeast Preparations 1265
 Oyster 1261, 1262
 Paddy 1171
 Paste, Tomato 1196
 Pea 1184
 Peach 1204

Peanut 1184A
 Pectin, Peach 1204
 Pentosans, Flour, Wheat 1177
 Pesticide Residue, Chloro-organic, Sugar 1208
 — — Organochlorine, Food 1160
 — Residue, Milk 1218
 Physical properties, Dough, Wheat 1178
 Pickles 1288
 Pineapple (made from), Fruit juice 1273
 Pink discoloration, Cheddar Cheese 1229
 Pork 1247
 — (made from), Sausage 1264
 Postmortam shrinkage, Carcass, Lamb 1246
 Post slaughter, Beef 1241
 Potato 1191, 1192, 1194
 — flake 1193
 Poultry meat 1249, 1250
 Powder, Milk 1226
 Prepacked, Fresh, Beef 1242
 Preservation, Cereal 1168
 Protein, Defatted, Flour, Coconut 1183A
 — Flour, Rapeseed 1182A
 — Food 1162
 — Peanut 1184A
 Psychophilic yeast, Fish 1253
 Purification, Beer 1283
 Pyra-zine, Food 1164
 Quality, Beer 1284
 — Fruits 1197
 — Ham 1248
 — Milk 1216
 — Milled, Rice 1172
 Rapeseed 1182A
 Reconstitution property, Powder, Milk 1226
 Rice 1172
 — Bran 1173
 Ripening Indole-3-acetic acid oxidase, Banana 1200
 Salted, Fish (made from), Cake 1215
 Sarcoplasmic, Chicken 1252
 Sauce, Soy 1180A
 Sausage 1264
 Seleniom, Food 1156
 Shelf-life, Canned, Mango (made from), Fruit juice 1277
 — Prepacked, Fresh, Beef 1242
 Shrimp 1259, 1260
 Sorghum 1180, 1181
 Soyabean 1185, 1180A, 1181A
 Stability, Potato flake 1193
 Stabilization, Rice Bran 1173
 Staphylococcus aureus, Milk, (made from), Chocolate 1211
 Starch, Sorghum 1181

...Contd.

Storage, Bottled, Mango (made from), Fruit juice 1276
 — (during), Flavour, Milk 1217
 — Food 1169
 Stored, Frozen, Cod 1255
 — Salted, Fish (made from), Cake 1215
 Sugar 1206-1208
 Sweetness evaluation, Sugar 1207
 Syrup 1277A
 Taste, Food 1154
 Tea 1267, 1268
 Tenderness, Meat 1235, 1236
 — Soyabean 1181A
 Texturized composition, Poultry meat 1250
 Titanium oxide, Cheese 1230
 Tomato 1195, 1196
 Transporting, Frozen, Food 1165
 Triglyceride, Milk 1225
 Tuna 1256
 Turmeric, Food 1157
 Urine contaminant, Wheat 1176
 Vegetable 1189
 Wheat 1174-1179
 Wine 1279
 Whisky 1278A
 Yeas⁺ 1266
 Yeast preparation 1265

FOOD TECHNOLOGY

DOCUMENTATION LIST



.8.

November 1973

No. 11

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

Volume 8 : No. 11

CONTENTS

	<u>Page</u>
Food (General)	1 - 3
Cereal	3 - 6
Milletts	6 - 7
Pulse	7 - 8
Vegetables	8 - 9
Fruits	9 - 11
Starch	11 -
Milk and milk products	12 - 15
Meat and meat products	15 - 17
Sea food and fresh water food	17 - 18
Egg	18 -
Beverages	18 - 19
Alcoholic Beverage	19 - 20
Spices	20

...
...!

Vol. 8 No. 11

F8,3;a06 Food, quality, Control

1289. N73 SOBOTKOVA (F) and HAJEK (B)
Quality control in food industry.
Prumysl potravin 24(6); 1973; 172

F8,3;eF316 Food, Aroma

1290. PALMER (JK)
Separation of components of aroma
concentrates on the basis of
functional group and aroma quality.
J Agric Food Chem 21(5); 1973; 923

F8,3;k2 Food, Nutritive value

1291. CLAUSI (AS)
Improving the nutritional quality
of food. Food Technol 27(6);
1973; 56

F8,3;z1 Food, Ammonia

1292. RUDMAN (D) and others
Ammonia content of food. American J
Clinical Nutr 26(5); 1973; 487

F8,3;(3j) Food, Vanilla

1293. SHANKARACHARYA (NE) and NATARAJAN (CP)
Vanilla - chemistry, technology and
uses. Indian Food Packer 27(3);
1973; 29

F8,3;(7B-9h) Food, (made from)
Corn Soya milk blend,
Instant

1294. GRAHAM (CG) and others
Dietary protein quality in infants
and children. IX. Instant sweetened
corn-soy-milk blend. American J
Clinical Nutr 26(5); 1973; 491

F8,3;(9BZ) Food, Colouring

1295. COLLINS (TFX) and others
Teratology studies on food colourings.
Part II. Embryotoxicity of R salt and
metabolites of amaranth (FD&C Red
No. 2) in rats. Food & Cosmetics
Toxicol 11(3); 1973; 355

F8,3;F2STA Food, Staphylococci,
Quancity, Analysis

1296. MALAKI (M) and others
Bacteriophage typing of staphylococci
isolated from foodstuffs and food
handlers in tehran. J Milk & Food
Technol 36(5); 1973; 262

F8,3;F38 Food, Pesticide Residue

1297. SMITH (DC) and others
Pesticide residues in the total
diet in Canada. III - 1971.
Pesticide Sci 4(2); 1973; 211

F8,3;MZ Food, Organic acid quantity,
Analysis

1298. PALMER (JK) and LIST (DM)
Determination of organic acids in
foods by liquid chromatography.
J Agric Food Chem 21(5); 1973; 903

F8,3-0(a2;4F) Food, Fried, N-
Nitrosophyrrolidine

1299. BILLS (DD)
Protein precursors of N-Nitrosopyrro-
lidine in bacon and other fried foods.
J Agric Food Chem 21(5); 1973; 876

F8,3-0(a2;42-T) Food, Fortified
(with) Protein

1300. CONWAY (HF) and ANDERSON (RA)
Protein-fortified extruded food
products. Cereal Sci Today 18(4);
1973; 94

F8,3-0(a6;4);g7 Food, Dehydrated,
Storage life

1301. N72 JACKSON (TH) and MOHAMED (BE)
Extending the storage life of de-
hydrated products with special
reference to Sudanese conditions.
Sudan J Food Sci Tech 4; 1972; 37

F8,3-0(a7;M-Z1) Food, Canned (for)
Defence

1302. N73 MATHUR (VK) and others
Canning of conventional Indian meals
for defence requirement. Indian
Food Packer 27(2); 1973; 46

F8,3v;Va;fD Plant Product, Fat,
Quantity, Analysis
1303. N72 YOUSSEF (MKE) and others
Rapid method for the determination of
fat in plant food-stuffs containing
carbohydrates. Sudan J Food Sci Tech
4; 1972; 34

F8,3x;z15 Cereal, Moisture
1304. N73 JAGEIR SINGH
Moisture in cereals and cereal
products. Indian Miller III(5&6);
1973; 35

F8,3x-0(a2;3c) Cereal, Flour, Cooking
Quality
1305. KISSELL (LT) and others
Effect of variability in sugar
granulation on the evaluation of
flour cookie quality. Cereal Chem
50(3); 1973; 255

F8,3x-0(a2;3c) Cereal, Dough, Yeasted
1306. MATSUMOTO (H) and others
Internal pressure in yeasted dough II.
Cereal Chem 50(3); 1973; 363

F8,3x-0(a2;3c);Za Cereal, Flour, Lipid,
(during) Baking
1307. MACRITCHIE (F) and GRAS (PW)
The role of flour lipids in baking.
Cereal Chem 50(3); 1973; 292

F8,3x-0(a2;42) Cereal, Fortification
1308. REES (JM) and MONSEN (ER)
Absorption of fortification iron
by the rat: comparison of type and
level of iron incorporated into
mixed grain cereal. J Agric Food
Chem 21(5); 1973; 913

F8,31 Rice, Quick cooking

1309. STUDIES on development of quick-cooking rice. Indian Food Packer 27(2); 1973; 44

F8,32;2;3J Wheat, Milling

1310. RANJIT VITHALDAS
Wheat milling in M.P. Indian Miller III(5&6); 1973; 7

F8,32;a01 Wheat, Property

1311. MARES (DJ) and STONE (BA)
Studies on wheat endosperm. II. Properties of the wall components and studies on their organization in the wall. Australian J Biol Sci 26(4); 1973; 813

F8,32;a01 Wheat, Conditioning

1312. MOSS (R)
Conditioning studies on Australian wheat. II. Morphology of wheat and its relationship to conditioning. J Sci Food Agric 24(9); 1973; 1067

F8,32;a01 Wheat, Conditioning

1313. BUTCHER (J) and stenvert (NL)
Conditioning studies on Australian wheat. III. The role of the rate of water penetration into the wheat grain. J Sci Food Agric 24(9); 1973; 1077

F8,32;ac Wheat, Chemical composition

1314. MARES (DJ) and STONE (BA)
Studies on wheat endosperm. I. Chemical composition and ultrastructure of the cell walls. Australian J Biol Sci 26(4); 1973; 793

F8,32;ac Wheat, Chemical composition

1315. YADAV (SP) and others
Chemical composition and protein quality of improved varieties of Indian wheat (TRITICUM AESTIVUM LINN). Indian J Nutr & Dietetics 10(4); 1973; 178

F8,32;m2 Wheat, Milling Quality

1316. BUTCHER (J) and STENVERT (NL)
Conditioning studies on Australian
wheat I. The effect of conditioning on
milling behaviour. J Sci Food Agric
24(9); 1973; 1055

F8,32;(Fd2) Wheat, Amylase

1317. MEREDITH (P) and JENKINS (LD)
Amylases of developing wheat, barley,
and oat grains. Cereal Chem 50(3);
1973; 243

F8,32;F38M Wheat, Mycotoxin

1318. VANDEGRAFT (EE) and others
Mycotoxin production affected by
insecticide treatment of wheat.
Cereal Chem 50(3); 1973; 264

F8,32;P7 Wheat, Polysaccharide

1319. MARES (DJ) and STONE (BA)
Studies on wheat endosperm. III.
Galactose-rich polysaccharides.
Australian J Biol Sci 26(4); 1973; 1005

F8,32;T Wheat, Protein, Concentration

1320. RANHOTRA (GS)
Factors affecting hydrolysis during
breadmaking of phytic acid in wheat
protein concentrate. Cereal Chem
50(3); 1973; 353

F8,32-0(a2;3L) Wheat, Flour, Thiocctic
Acid

1321. SWATDITAT (A) and TSEN (CC)
Determining thiocctic acid (Lipoic
Acid) in wheat flours and germs by
thin-layer chromatography. Cereal
Chem 50(3); 1973; 372

F8,32-0(a2;3c);C4 Wheat, Flour,
Rheological property

1322. SHUEY (WC) and GILLES (KA)
Rheological properties of water-
extracted air-classified spring wheat
flours. Cereal Chem 50(3); 1973; 281

F8,32-0(a2;3c);T Wheat, Flour, Protein

1323.

COLE (EW) and others

Further studies on the fractionation and characterization of the gel proteins of wheat flour by column chromatography. Cereal Chem 50(3); 1973; 336

F8,32-0(a6;4) Wheat, Heated, Starch-water, Suspension, Viscosity

1324.

MILLER (BS) and others

A pictorial explanation for the increase in viscosity of a heated wheat starch-water suspension. Cereal Chem 50(3); 1973; 271

P768 Barley, Starch

1325.

GEORING (KJ) and others

Barley starch. V. A comparison of the properties of waxy compared barley starch with the starches of its parents. Cereal Chem 50(3); 1973; 322

F8,36-0(Ob) Barley, Grits, Trypsin

1326.

WARCHALEWSKI (JR) and SKUPIN (J)

Isolation and properties of trypsin and chymotrypsin inhibitors from barley grits after storage. J Sci Food Agric 24(9); 1973; 995

F8,36-ZB Barley, Germination, Invertase activity

1327.

PRENTICE (N)

Invertase activities during the germination of barleys that differ in malting properties. Cereal Chem 50(3); 1973; 346

F8,37E,k2 Sorghum, Nutrition value

1328.

N722 YOUSIF (YB)

Nutritive values of Sudan foodstuffs, Part I - Sorghum vulgare. Sudan J Food Sci Tech 4; 1972; 39

F8,37B;R Sorghum, Amino Acid

1329. N72 KHATTAB (AH) and others
Amino acid composition of some
sorghum grain varieties. Sudan J
Food Sci Tech 4; 1972; 27

F8,37M=G7-0(a2;47) Corn germ, Cooked

1330. N73 GARDNER (HW) and others
Cooked corn germ: composition of
fractions separated according to
particle size by sieving and air
classification. Cereal Chem 50(3);
1973; 303

F8,39b Pea, Lipoxidase

1331. HAYDAR (M) and HADZIYEV (D)
A study of lipoxidase in pea seeds and
seedlings. J Sci Food Agric 24(9);
1973; 1039

F8,39h Soyabean, Composition, Storage

1332. LAKSHMINARAYANA (T) and others
Indian soybean: composition and
storage. Oils and Oilseeds J 26(2);
1973; 7

F8,39h;eF31 Soyabean Flavour

1333. MAGA (JA)
A review of flavor investigations
associated with the soy products raw
soybeans, defatted flakes and flours
and isolates. J Agric Food Chem
21(5); 1973; 864

F8,39f1;T Vicia faba (Broad Bean);
Protein

1334. FLINK (J) and CHRISTIANSEN (I)
The production of a protein isolate
from vicia faba. Food Sci Technol
6(3); 1973; 102

F8,390n-0(a2;3c) Oil seed, Flour,
Quality, Control

1335. ACARMA (MT)
Quality control of oilcake and edible
oilseed flours for new protein-rich
foods. ISI Bul 25(10); 1973; 403

F8,390n-0(a2;3c) Oilseed, Meal

1336. BHATTY (RS) and FINLAYSON (AJ)
Extraction of nonprotein nitrogen
from oilseed meals with different
solvents. Cereal Chem 50(3);
1973; 329
- F8,399Z:6 Fruit & Vegetable Preservation
1337. CHAHAL (GCN)
Fruit and vegetable preservation industry
in India and the fifth five year plan.
Indian Food Packer 27(2); 1973; 24
- F8,39A Vegetables, Deep frozen
1338. PAKULSKI (J)
Deep-frozen vegetables from Poland.
Food from Poland 1(51); 1973; 14
- F8,39C1;a06 Onion, Quality
1339. HASSAN (MS) and MOHAMED (BB)
Quality aspects of some onion
varieties. Sudan J Food Sci Tech
5; 1973; 46
- F8,39E1:8;A Potato, Storage
1340. MUSA (SK)
Preliminary investigation of potato
storage in Khartoum Province. Sudan J
Food Sci Tech 5; 1973; 48
- F8,39E1-0(a2;4H) Potato, Baked,
Volatile Components
1341. BUTTERY (RG) and others
Volatile components of baked potatoes.
J Sci Food Agric 24(9); 1973; 1125
- F8,39E2;A Sweet Potato, Toxicity
1342. WILSON (DJ)
Toxicity of mold-damaged sweetpotatoes.
Nutr Reviews 31(3); 1973; 73
- F8,39F4-0(s);T Alfalfa Juice, Protein
1343. DONALD de FREMERY and others
Centrifugal separation of white and
green protein fractions from alfalfa
juice following controlled heating.
J Agric Food Chem 21(5); 1973; 886

F8,39H1;ac Tomato, Chemical composition

1344.

HOUR (AA) and others

Preliminary study of a rapid method for the determination of total solids in tomatoes grown in shambat (Sudan). Sudan J Food Sci Tech 5; 1973; 52

F8,39H1;e Tomato, Chemical Property

1345.

N72

EL TINAY (AH)

Chemical characteristics of thirty tomato varieties. Sudan J Food Sci Tech 4; 1972; 2

F8,39H2-0(q) Tomato Paste

1346.

N73

QUINN (JG)

Nigeria: prospects for a tomato paste industry. Span 16(1); 1973; 25

F8,39H1-0(q)-0(a7;M) Tomato Paste, Canned

1347.

N72

SAEED (A) and others

Storage stability of canned tomato paste under elevated tropical temperature. Sudan J Food Sci Tech 4; 1972; 21

F8,39K23 Musk-melon, Chemical Composition

1348.

N73

HINDRA (U) and others

A study on the chemical composition and characteristics of musk-melon (cucumis melo L) variety hara-madhu. Indian Food Packer 27(2); 1973; 41

F8,39N-0(a6;4);z15 Fruit, Dried, Moisture, Context

1349.

PIXTON (SW) and WAREBURN (S)

Determination of moisture content and equilibrium relative humidity of dried fruit-sultanas. J Stored Products Res 8(4); 1973; 263

F8,39P71,eF316 Black current, Aroma

1350.

KARLSSON-EKSTROM (G) and ERIK VON SYDOW

The aroma of black currants VI. co-relations between instrumental and sensory data from unheated and heated black currants. Food Sci Technol 6(3); 1973; 86

F8,39PL;a06 Pineapple, Quality

1351. PY (C) and NAVILLE (R)
Economic production of quality
pineapples. Span 16(1); 1973; 21

F8,39PM;e Orange, Chemical Property

1352. N72 HAMED (MGE) and others
Effect of gibberellin treatments
applied to thompson seedless grapes
on their chemical properties and
quality characteristics of raisins
prepared therefrom. Sudan J Food
Sci Tech 4; 1972; 52

F8,39PR Banana

1353. N73 PEACOCK (BC)
Effect of vitamin K on the precli-
macteric life of bananas. Queensland
J Agric & Ani Sci 30(1); 1973; 41

F8,39PR-ZT Banana, Ripening

1354. SADASIVAM (S) and MUTIUSWAMY (S)
Regulate banana ripening. Indian
Hort 18(1); 1973; 20

F8,39QB;g7 Orange, Storage Behaviour

1355. EL-ZEFTAWI (BM) and PEGGIE (ID)
Effect of pre-harvest sprays on the
storage behaviour of navel oranges
during an export season. Food
Technol in Australia 25(7); 1973; 359

F8,39QB;F38 Oranges, Insecticide Residue

1356. WESTLAKE (WE) and others
Persistence of residues of the
insecticide phosphamidon on and in oranges,
lemons, and grapefruit, and on and in
orange leaves and in dried citrus pulp
cattle feed. J Agric Food Chem 21(5);
1973; 846

F8,39R1:g Mango, Evaluation (for)
Canning

1357. PALANISWAMY (KP) and others
Studies on the evaluation of certain
mango varieties of Tamil Nadu for
canning. Indian Food Packer 27(3);
1973; 9

F8,39R3-0(a3;4) Apricot, Sun dried,
Chemical composition

1358. N72 FODA (YH) and others
Changes occurring to certain chemical
components in sun dried apricot sheets
with relation to discoloration during
storage. Sudan J Food Sci Tech 4;
1972; 57

F8,39S3-ZT Pear, Ripening, Storage
Treatment

1359. N73 KNEE (M)
Effects of storage treatments upon
the ripening of conference pears.
J Sci Food Agric 24(9); 1973; 1137

F8,39S7;P815 Papaya, Pectin, Quality

1360. SHETTY (SR) and DUBASH (PJ)
Relationship of pectin content of
papaya fruit to its firmness and
maturity. Indian Food Packer 27(3);
1973; 5

F8,39ZC:2 Bread, Production

1361. MUSTAFA (AMI)
Production of bread from composite
flour. Sudan J Food Sci Tech 5;
1973; 41

F8,39Zd Starch Industry

1362. CEPL (F)
Starch industry in Czechoslovakia.
Prumysl Potravin 24(6); 1973; 137

F8,39Zd Starch, Dissolution

- *1363. KURTZMAN (RH) and others
Dissolution of starches in diethylsul-
foxide and variations in starches of
several species, varieties, and
maturities. Cereal Chem 50(3); 1973; 312

F8,39Zd Starch

1364. OGIWARA-ISMAIL (F) and SOLMS (J)
The formation of inclusion compounds of
starches with flavor substances.
Food Sci Technology 6(4); 1973; 147

F8,39(I):7;N-Z1 Idli, Canning

1365.

KADKOL (SB) and others

Canning of idlies. Indian Food
Packer 27(3); 1973; 17

F8,3B-0(a2;1) Dairy Product, Fermented

1366.

HYLMAR (V) and others

Application of stabilizers in
fermented dairy products manufacturing
processes. Prumysl Potravin 24(5);
1973; 155

F8,3B-0(a6;4) Dairy Products, Dried

1367.

BEEELIN (E) and others

Water sorption by dried dairy products
stabilized with carboxymethyl cellulose.
J Dairy Sci 56(6); 1973; 685

F8,3C Milk, Freezing Rate

1368.

WEESE SJ)

Effect of freezing rate and thawing
rate on milk properties. J Dairy Sci
56(2); 1973; 168

F8,3C;ac Milk, Chemical composition

1369.

TUCKER (VC)

The value of controlling the chemical
composition of milk. Australian J
Dairy Technol 28(2); 1973; 51

F8,3C;F38CHL Milk, Chlorfenvinphos
Residue, Quantity, Analysis

1370.

IVEY (MC) and others

Gas-liquid chromatographic determination
of chlorfenvinphos in milk, eggs, and
body tissues of cattle and chickens.
J Agric Food Chem 21(5); 1973; 822

F8,3C;T Milk, Protein

1371.

SEDMEROVA (V) and others

Some properties of x-casein, one
of the principal components of
milk proteins. Prumysl Potravin
24(5); 1973; 157

F8,3C;Va Milk, Fat, Triglyceride

1372. KUKSIS (A) and others
Triglyceride structure of milk
fats. J American Oil Chemists 50(6);
1973; 193-201

F8,3C;Va Milk, Fat Globule

1373. PATTON (S)
Origin of the milk fat globule.
J American Oil Chemists Soc 50(6);
1973; 178-185

F8,3C;Za Milk, Lipid

1374. JENSEN (RG)
Composition of bovine milk lipids.
J American Oil Chemists Soc 50(6);
1973; 186-192

F8,3C;Za Milk, Lipid

1375. SMITH (LM)
Introduction to the symposium on
milk lipids. J American Oil Chemists
Soc 50(6); 1973; 175-177

F8,3C-0(a2;5M) Milk, Skimmed,
Concentrated

1376. PARKS (OW) and ALLEN (C) Jr.
Previously unreported odorous
compounds in sterile concentrated
skimmilk. J Dairy Sci 56(3);
1973; 328

F8,3C-0(a2;5M) Milk, Concentration

1377. PERI (C) and POMPEI (C)
Concentration and purification of
milk and whey proteins by ultrafiltration
and diafiltration. Food Sci Technol
6(4); 1973; 133

F8,3C-0(a2;9M) Milk, Condensed

1378. TEMPLY (H) and CERM (E)
International standards for dried
and condensed milk products.
Prumysl Potravin 24(6); 1973; 175

F8,3C-0(a6;4) Milk Product, Dried

1379.

KIESEKER (FG)

Some production aspects and uses
of dried milk products. Australian
J Dairy Technol 28(2); 1973; 48

F8,3C-0(a6;4-za) Milk, Foam Spray-
Dried, Physical
Properties

1380.

TAMSMA (A) and others

Comparison of flavor and physical
properties of foam spray-dried whole
milks prepared from concentrates foamed
with air and with nitrogen. J Dairy
Sci 56(2); 1973; 161

F8,3C11;T Cow's milk, Protein

1381.

RAMACHANDRAN (N) and others

Electrophoretic studies on cow and
buffalo milk proteins. Indian J Dairy
Sci 26(3); 1973; 143

F8,3H Yoghourt

1382.

DAVIS (JG)

Yoghourt manufacture. Food Manufacture
48(6); 1973; 23

F8,3J4 Ghee

1383.

THOMAS (CA)

Tests for detecting adulteration in
ghee. Indian Farming 23(6); 1973; 37

F8,3J4;A Ghee, Residue, Phospholipid

1384.

PRUTHI (TD)

A method for recovering phospholipids
from ghee residue. Indian J Dairy Sci
26(3); 1973; 151

F8,3K Whey

1385.

PATEL (PC) and ADHIKARI (HR)

Effect of gamma-irradiation on gel
chromatographic pattern of cottage
cheese whey. J Dairy Sci 56(3);
1973; 406

F8,3M Cheese

1386.

BARABAS (F)

New method of processing the surplus of sheep lump cheese. Prumysl Potravin 24(6); 1973; 180

F8,3M Cheese

1387.

HAVLICEK (Z)

Application of microbial rennet in cheese making industry. Prumysl Potravin 24(6); 1973; 187

F8,3M;a06 Cheese, quality

1388.

MINARIK (R) and DOLEZALEK (J)

Effects of some technologic factors upon the salting process and quality of edam cheese. Prumysl Potravin 24(5); 1973; 141

F8,3M;ac Cheese, Chemical composition

1389.

AHMED (NS) and others

Effect of some additives on the yield, quality and chemical composition of domiati cheese I. Sudan J Food Sci Tech 5; 1973; 18

F8,3M-ZT Cheese; Ripening

1390.

NATH (KR) and LEDFORD (RA)

Growth response of Lactobacillus casei to proteolysis products in cheese during ripening. J Dairy Sci 56(6); 1973; 710

F8,3Zc Meat

1391.

VELISEK (J) and DAVIDEK (J)

Creatine phosphate and products of its decomposition in meat and meat products. Prumysl Potravin 24(5); 1973; 145

F8,3Za Meat, seasoning

1392

FORMANEK (B) and JUNA (V)

Contributions of meat industry to state budget. Prumysl Potravin 24(5); 1973; 135

F8,3Za Meat, Seasoning

1393.

HILL (MH)

Compounded seasons for meat products. Flavour Indus 4(4); 1973; 164

F8,3Za;C Meat, Physical property

1394.

KLIMA and D. - VESELA (V)

Physical and chemical processes taking place in meat during cutting operation in meat processing plant. Prumysl Potravin 24(4); 1973; 108

F8,3Za-0(a6;J) Meat, Cured, Pigments formation

1395.

HOWARD (A) and others

Possible substitutes for nitrite for pigment formation in cured meat products. J Agric Food Chem 21(5); 1973; 894

F8,3Zb1 Beef

1396.

ABDALLA (Z1)

Projection of beef and mutton production and consumption in Sudan for 1975. Sudan J Food Sci Tech 5; 1973; 57

F8,3Zb1:7;M-Z1 Beef, Packaging

1397.

GORDON (A) and ROSS (A)

The clarofresh system: a procedure for vacuum packaging primal cuts of fresh beef. Food Trade Review 43(6); 1973; 8

F8,3Zb1-0(a2;47) Beef, Cooked, Pyrazine

1398.

RUSSIMAN (CJ) and others

Isolation and identification of pyrazines present in pressure-cooked beef. J Agric Food Chem 21(5); 1973; 871

F8,3Zb1-0(a2;47);cF Beef, Cooked, Tenderness

1399.

GALLOWAY (DG) and others

Relationship of penetrometer readings on raw beef with cooked tenderness. J Agric Food Chem 21(5); 1973; 880

F8,3Zb1-0(a2;47);z1s Beef, Cooked,
Sulphur

1400. WILSON (RA) and others
Isolation and identification of some
sulfur chemicals present in pressure-
cooked beef. J Agric Food Chem 21(5);
1973; 873

F8,3Zd1-0(a2;6);g7 Chicken, Dressed,
Keeping Quality

1401. PANDA (PC)
Effect of different methods of
slaughter on the keeping quality of
dressed chicken. Indian Poultry
Gazette 57(2); 1973; 35

F8,3Zn Fish, Processing

1402. GOPALAKRISHNA IYER (TS)
A deodorant for use in fish processing
establishments. Res and Indus 18(1);
1973; 23

F8,3Zn;T Fish, Protein

1403. LEE (SY) and RICHARDSON (T)
Use of thiolated aminoethyl cellulose
to remove mercury bound to solubilized
fish protein. J Milk & Food Technol
36(5); 1973; 267

F8,3Zn;T Fish, Protein

1404. UNDERDAL (B) and others
The effect of ionizing radiation on
the nutritional value of fish (cod)
protein. Food Sci Technol 6(3);
1973; 90

F8,3ZvE;z1P Halibut, Phosphorus,
Quantity, Analysis

1405. LUNDE (G)
Analysis of trace elements, phosphorus
and sulphur, in the lipid and the non-
lipid phase of halibut (*Hippoglossus*
hippoglossus) and tunny (*Thunnus thynnus*).
J Sci Food Agric 24(9); 1973; 1029

F8,3Zr5;Va Sardine, Oil

1408.

SEN (DP) and REVANKAR (GD)
Use of sardine oil in oil sardine
packs. Indian Food Packer 27(3);
1973; 20

F8,3Zr9L Mackerel

1409.

MACKEREL - a tasty and salubrious fish.
Food from Poland 1(51); 1973; 16

F8,3Zt8-0(a6;c) Shrimp, Frozen,
Organoleptic qualities

1408.

VANDERZANT (C) and others
Microbiological, Chemical, and
organoleptic characteristics of
frozen breaded shrimp. J Milk &
Food Technol 36(5); 1973; 253

F8,3Zz1=86 Egg Yolk, Lipo, protein

1400.

KAMAT (VB) and HART (CJ)
The contribution of egg yolk lipo-
proteins to cake structure. Food
Trade Review 43(6); 1973; 9

F8,3Zz1-H Egg shell, Bacterial
Penetration

1410.

TRYHNEW (LJ) and others
Effect of selected coating materials
on the bacterial penetration of the
avian egg shell. J Milk & Food Technol
36(5); 1973; 272

F8,3Z7 Fruit juice

1411.

AMBA DAN
Some new fruit beverages. Indian Hort
13(1); 1973; 5

F8,3Z1;(C) Beverage, (made from) Milk,
Standardisation

1412.

JACOBSEN (DH)
Double standardized milk for increased
beverage consumption. J Dairy Sci
56(2); 1973; 292

F8,3Z1;(C);Va Beverage (made from),
Milk, Fat, Consume Acceptance

1413. DEVERO (JE)
Effects of varying nonfat solids and fat on consumer acceptance of milk beverages. J Dairy Sci 56(2); 1973; 286
F8,3Z7;(9R1);g7 Fruits juice (made from) Mango, Storage life
1414. N72 SAEED (A)
Technological studies on mango squash
III. Storage quality of squash prepared from peeled and unpeeled pulp. Sudan J Food Sci Tech 4; 1972; 46
F8,cZ7;(9R3);e Fruit Juice (made from) Apricot, Chemical property
1415. SARHAN (MAI) and others
Chemical and physical studies on apricot juice. Sudan J Food Sci Technol 4; 1972; 6
F8,3Z7;(9S7)Fruits juice (made from) Apple, Clarified
1416. N73 JALEEL (SA) and others
Some investigations on the production of clarified apple juice. Indian Food Packer 27(2); 1973; 37
F8,3Z9a;eF316 Alcoholic Beverage, Aroma
1417. N72 SUOMALAINEN (H) and NYKANEN (L)
Formation of aroma compounds in alcoholic beverages. Wallerstein Labs Commun 35(118); 1972; 185
F8,3Z9b1 Wine, Spoilage
1418. N73 RANKINE (BC) and PILONE (DA)
Saccharomyces bailii, a resistant yeast causing serious spoilage of bottled table wine. American J Enol and Viticul 24(2); 1973; 55-58

F8,3Z9b1 Wine

1419. ZAPPAVIGNA (R) and CERUTTI (G)
Non-volatile amines in Italian wines.
Food Sci Technol 6(4); 1973; 151

F8,3Z9b1;T Wine, Protein

1420. SOMERS (TC) and ZIEMELIS (G)
Direct determination of wine proteins.
American J Enol and Viticul 24(2);
1973; 47-50

F8,3Z9b2 Beer

1421. POLISH beer - blends tradition and
modernity. Food from Poland 1(51);
1973; 13

F8,3ZA Spice, Oil

1422. GOVINDARAJAN (VS) and RAGHUVeer (KG)
Evaluation of spice oils and oleoresins
part 1-A three dimensional procedure for
thin layer chromatography of essential
oils and oleoresins. Laboratory Practice
22(6); 1973; 414

I N D E X

Alcoholic Beverage 1417
 Alfalfa juice 1343
 Amino acid, Sorghum 1329
 Ammonia, Food 1292
 Amylase, Wheat 1317
 Analysis, Organic acid quantity, Food 1298
 — Quantity, Chlorfen-vinphos residue,
 Milk 1370
 Analysis, Quantity, Fat, Plant product 1303
 — — Phosphorus, Halibut 1405
 — — ~~Staphylococcus~~, Food 1399
 Apricot 1358
 Aroma, Alcoholic Beverage 1417
 — Black Currant 1350
 — Food 1290
 Bacterial penetration, Egg shell 1410
 Baked, Potato 1341
 Baking (during), Lipid, Flour, Cereal 1307
 Banana 1353, 1354
 Barley 1325, 1326, 1327
 Beef 1396 - 1400
 Beer 1421
 Beverage 1412, 1413
 Black currant 1350
 Bread 1361
 Canned, Food 1302
 — Tomato paste 1347
 Canning (for), Evaluation, Mango 1357
 — Idli 1365
 Cereal 1304 - 1308
 Cheese 1336 - 1390
 Chemical composition, Cheese 1389
 — — Milk 1369
 — — Musk, melon 1348
 — — Sun dried, Apricot 1358
 — — Tomato 1344
 — — Wheat 1314, 1315
 — property, Apricot, Fruit juice (made from) 1415
 — — Orange 1352
 — — Tomato 1345
 Chicken 1401
 Chlorfervinphos risidue, Milk 1370
 Clarified, Fruit juice (made from) Apple 1416
 Colouring, Food 1295
 Composition, Soybean 1332
 Concentrated, Skimmed, Milk 1376
 Concentration, Milk 1377
 — Protein, Wheat 1320
 Condensed, Milk 1378
 Conditioning, Wheat 1312, 1313
 Consumer Acceptance, Fat, Milk, Beverage (made from) 1413
 Cooked, Beef 1398 - 1400
 — Corn germ 1330

Cooking quality, Flour, Cereal	1305
Corn germ	1330
— soya milk blend (made from), Food	1294
Cow's milk	1381
Cured, Meat	1395
Dairy product	1366, 1367
Deep frozen, Vegetables	1338
Defence (for), Canned, Food	1302
Dehydrated, Food	1301
Dissolution, Starch	1363
Dough, Cereal	1306
Dressed, Chicken	1401
Dried, Dairy products	1367
— Fruit	1349
— Milk product	1379
Egg shell	1410
— yolk	1407
Evaluation, Mango	1357
Fat globule, Milk	1372
— Milk	1372
— — Beverage (made from)	1413
— Plant product	1303
Fermented, Dairy product	1366
Fish	1402 - 1404
Flavour, Soybean	1333
Flour, Cereal	1305, 1307
— Oil seed	1335
— Wheat	1321 - 1323
Foam-spray dried, Milk	1380
Food	1289 - 1302
Fortification, Cereal	1308
Fortified, Food	1300
Freezing rate, Milk	1368
Fried, Food	1299
Frozen, Shrimp	1408
Fruit	1349
— and vegetable preservation	1337
— juice	1414, 1415, 1416, 1411
— — (made from) Apple	1416
— — — Apricot	1415
Germination, Barley	1327
Ghee	1383, 1384
Grits, Barley	1326
Halibut	1405
Heated, Wheat	1324
Idli	1365
Insecticide residue, Oranges	1356
Instant, Corn soya milk blend (made from), Food	1294
Invertase activity, Germination, Barley	1327
Keeping quality, Dressed, Chicken	1401
Lipid, Flour, Cereal	1307
— Milk	1374, 1375
Lipo, Egg-yolk	1409

Lipoxidase, Pea 1331
 Mackerel 1407
 Mango 1357
 — Fruit juice (made from) 1414
 Meal, Oilseed 1336
 Meal 1391 - 1395
 Milk 1368 - 1378, 1380
 — Beverage (made from) 1412, 1413
 — product 1379
 Milling, Wheat 1310, 1316
 Moisture, Cereal 1304
 — Dried, Fruit 1349
 Musk melon 1348
 Mycotoxin, Wheat 1318
 N-Nitrosophyrrolidine, Fried, Food 1299
 Nutritive value, Food 1291
 — — Sorghum 1328
 Oil, Sardine 1406
 — seed 1335, 1336
 — Spice 1422
 Onion 1339
 Orange 1352, 1355, 1356
 Organic acid quantity, Food 1298
 Organoleptic qualities, Frozen, Shrimp 1408
 Packaging, Beef 1397
 Papaya 1360
 Pea 1331
 Pear 1359
 Pectin, Papaya 1360
 Pesticide residue, Food 1297
 Phospholipid, Residue, Ghee 1384
 Phosphorus, Halibut 1405
 Physical properties, Foam Spray-dried, Milk 1380
 — property, Meat 1394
 Pigments formation, Cured, Meat 1395
 Pine apple 1351
 Plant product 1303
 Polysaccharide, Wheat 1319
 Potato 1340, 1341
 Processing, Fish 1402
 Production, Bread 1361
 Property, Wheat 1311
 Protein, Alfalfa juice 1343
 — Cow's milk 1381
 — Fish 1403, 1404
 — Flour, Wheat 1323
 — (with), Fortified, Food 1300
 — Lipo, Egg-yolk 1409
 — Milk 1371
 — Milk 1371
 — Viciafaba (Broad bean) 1334
 — Wheat 1320
 — Wine 1420
 Pyrozone, Cooked, Beef 1398

Quality, Cheese	1388	
— Flour, Oil seed	1335	
— Food	1289	
— Onion	1339	
— Pectin, Papaya	1360	
— Pine apple	1351	
Quick cooking, Rice	1309	
Residue, Ghee	1384	
Rheological property, Flour, Wheat	1322	
Rice	1309	
Ripening, Banana	1384	
— Cheese	1390	
— Pear	1359	
Sardine	1406	
Seasoning, Meat	1392, 1393	
Shrimp	1408	
Skimmed, Milk	1376	
Sorghum	1328, 1329	
Soybean	1332, 1333	
Spile	1422	
Spoilage, Wine	1418	
Standardisation, (made from) Milk, Beverage	1412	
Staphylococci, Food	1296	
Starch	1363, 1364	
— Barley	1325	
— Industry	1362	
— water, Heated, Wheat	1324	
Storage behaviour, Orange	1355	
— Composition, Soybean	1332	
— life, Dehydrated, Food	1301	
— — Mango, Fruits juice (made from)	1414	
— Potato	1340	
— treatment, Ripening, Pear	1359	
Sun-dried, Apricot	1358	
Sulphur, Cooked, Beef	1400	
Suspension, Starch-water, Heated, Wheat	1324	
Sweet potato	1342	
Tenderness, Cooked, Beef	1399	
Thioctic acid, Flour, Wheat	1321	
Tomato	1344, 1345	
Tomato paste	1346, 1347	
Toxicity, Sweet potato	1342	
Triglyceride, Fat, Milk	1372	
Trypsin, Grits, Barley	1326	
Vanilla, Food	1293	
Vegetables	1338	
Vicia faba (Broad bean)	1334	
Viscosity, Suspension, Starch-water, Heated, Wheat	1324	
Volatile components, Baked, Potato	1341	
Wheat	1310 - 1324	
Whey	1385	
Wine	1418, 1419, 1420	
Yeasted, Dough, Cereal	1306	
Yoghourt	1382	

FOOD TECHNOLOGY

DOCUMENTATION LIST



8

December 1973

No. 12

CENTRAL FOOD TECHNOLOGICAL
RESEARCH INSTITUTE
MYSORE-13, INDIA

CONTENTS

	<u>Page</u>
Food (General	1 - 3
Cereal	3 - 4
Millet	4 - 5
Pulses	5 - 6
Nuts	6
Vegetables	6 - 8
Fruits	8 - 9
Bakery products	9
Milk and Milk products	9 - 11
Meat and Meat products	12 - 14
Poultry	14
Sea food and fresh water food	15
Egg	16
Beverages	16 - 17
Alcoholic beverages	17
Spices	18

F8,3 Food

1423. N73 BRISKEY (EJ)
Future trends in industrial food
research. Food Technol 27(7);
1973; 24
1424. JONES (JJ)
Utilization of dairy ingredients in
other foods. Milk Food Technol 36(6);
1973; 323
- F8,3 Food, Technology
1425. WEISBERG (SM)
Grass-roots food technology.
Food Technol 27(5); 1973; 70
- F8,3:7;M Food, Packaging
1426. ASEPTIC flexibles for foods-back in the
can. Modern Packaging 46(8); 1973; 30
1427. CLAUSEN (DF)
Vacuum reconstitution: a possible new
snack-food package. Modern Packaging
46(8); 1973; 62
1428. SACHAROW (S)
Design for disposal in food packaging.
Food Engng 45(6); 1973; 82
- F8,3;eF31 Food, Flavour
1429. CHANG (SS)
Flavor component identification.
Food Technol 27(4); 1973; 27
- F8,3;(0a) Food, Additive
1430. ANGELINE (JF) and LEONARDOS (GP)
Economics of food additives. Food
Technol 27(4); 1973; 40
- F8,3;F2 Food, Antibacterial Residue
1431. D'AUBERT (S)
A method for detecting residues of
antibacterial substances in foods.
J Applied Bacteriol 36(1); 1973; 189

F8,3;F4SAL Food, Salmonella, Detection

1432. BOOTHROYD (M) and BAIRD-PARKER (AC)
The use of enrichment serology for salmonella detection in human foods and animal feeds. J Applied Bacteriol 36(1); 1973; 165
- F8,3;P Food, Carbohydrate
1433. BIRCH (GG)
Gas-liquid chromatography of food carbohydrates with special reference to trimethylsilyl derivatives. A review. J Food Technol 8(3); 1973; 229
- F8,3-0(a2;1) Food, Fermented
1434. MORCOS (SR) and others
Fermented foods in common use in Egypt. I. The nutritive value of kishk. J Sci Food Agric 24(10); 1973; 1153
1435. MORCOS (SR) and others
Fermented foods in common use in Egypt. II. The chemical composition of bouza and its ingredients. J Sci Food Agric 24(10); 1973; 1157
- F8,3-0(a6;C) Food, Frozen, Organoleptic Assessment
1436. HILL (MA) and GLEW (G)
Organoleptic assessment of products frozen by two methods: liquid nitrogen and blast freezing. J Food Technol 8(2); 1973; 205
- F8,3-0(a7;M-Z1) Food, Canned
1437. CHANG (P) and AKHTAR (SM)
Simplified method of resealing inoculated cans of food. Canadian Inst Food Sci Technol J 6(4); 1973; 294
- F8,3-8(MV41) Food (for) Defence
1438. RAMA RAO (MV) and others
Chemical score of the proteins of rations developed for defence forces. J Food Sci & Technol 10(3); 1973; 89

F8,3-13 Food, (for) Infant (made from),
Buffalo milk, Spray-Dried

1439.

EL-SALAM (MHA)

The use of spray-dried buffalo milk as
a potential infant food. J Sci Food
Agric 24(10); 1973; 1163

F8,3-SA Food, Snack, (made from) Soya-
bean, Onion

1440.

COLLINS (JL) and SANDERS (GG)

Soybean-onion snack food. Food Technol
27(5); 1973; 46

F8,3-W Food, Waste

1441.

CHURCH (BD)

Fungi digest food wastes. Food Technol
27(2); 1973; 36

F8,31 Rice, Physical property

1442.

N72

CHAUDHRY (MA) and GLEW (G)

The effects of ionizing radiations on
some physical and chemical properties
of Pakistani rice. I. effect on
gelatinization, pasting and hydration
characteristics of rice grains. J
Food Technol 7(2); 1972; 163

F8,31;P768 Rice, Starch Fractions

1443.

N73

CHAUDHRY (MA) and GLEW (G)

The effect of ionizing radiations on
some physical and chemical properties
of Pakistani rice. II. The effect on
starch fractions. J Food Technol 8(3);
1973; 295

F8,32;a06 Wheat, Quality, Evaluation

1444.

SEBESTYEN (EJ)

Evaluation of wheat and flour quality.
J Flour & Ani Feed Milling 155(7);
1973; 26

F8,32;z1Hg Wheat, Mercury

1445.

MAGOS (L) and JAWAD (AM)

Method for screening barley and wheat
samples for mercury. J Sci Food Agric
24(10); 1973; 1305

F8,32;T Wheat, Protein

1446. REDMAN (DG) and EWART (JAD)
Characterisation of three wheat proteins
found in chloroform-methanol extracts of
flour. J Sci Food & Agric 24(5); 1973;
629

F8,33 Oat, Amino Acid

1447. DRAPER (SR)
Amino acid profiles of chemical and
anatomical fractions of oat grains.
J Sci Food Agric 24(10); 1973; 1241

F8,37B;F4A Sorghum, Aflatoxin

1448. TRIPATHI (RK)
Aflatoxins in sorghum grains infected
with head moulds. Indian J Exptl Biol
11(4); 1973; 361

F8,37M:8;A Sorghum, Storage

1449. TOMEU (A) and others
Sorghum seed storage. Cuban J Agric
Sci 7(1); 1973; 107

F8,37M;a06 Maize, quality

1450. BETANCUR (LH) and others
A rapid and simple method to determine
maize quality. Archivos Latinoamericanos
De Nutricion 23(3); 1973; 409

F8,37M;a06 Corn, quality

1451. LASSERAN (JC) and others
Incidences of drying and storing
conditions of corn (maize) on its
quality for starch industry. die
starke 25(8); 1973; 257

F8,37M;z15 Sorghum, Moisture

1452. HARDY (C)
Determination of the optimum stage of
maturity for harvesting grain sorghum.
2. Relationship between grain moisture
content and starch and protein content.
Cuban J Agric Sci 7(1); 1973; 37

F8,37M;z15 Sorghum, Moisture

1453.

HARDY (C)

Ensiled high moisture sorghum grain.
2. influence of moisture content at
harvest on fermentation parameters.
Cuban J Agric Sci 7(1); 1973; 61

F8,37M-0(a8;A);F38 Corn, Stored, Insect
infested

1454.

JAY (EG) and PEARMAN (GC) Jr.

Carbon dioxide for control of an insect
infestation in stored corn (maize).
J Stored Prod Res 9(1); 1973; 25

F8,39b;cF Peas, Texture

1455.

WAGER (HG) and PORTER (FAE)

The effect of maturity on the texture
of the testa and cotyledon of peas.
(Pisum sativum). J Food Technol 8(2);
1973; 121

F8,39b-0(a2;3c) Pea, Flour

1456.

HARTMAN (CP) and others

Detection of corn products in flours
of pea, bengal gram and wheat products
by the use of free proline content of
corn. J Food Sci & Technol 10(3);
1973; 129

F8,39f-k-0(a7;M-Z1) Bean, Green, Canned

1457.

LIFOWSKI (J) and others

Estimation of the optimal sterilization
parameters for chosen canned products.
Part II sterilization parameters for
canned green beans. Prace Instytutow i
Lab Bad Przem Spoz 23(1); 1973; 9

F8,39h;T Soya, Protein, Degradation

1458.

ROOZEN (JP) and PILNIK (W)

Ultrafiltration controlled enzymatic
degradation of soy protein. Process
Biochem 8(7); 1973; 24

F8,39l;T Rapeseed, Protein

1459.

GIRAULT (A)

The study of some properties of rapeseed
protein with a view to protein concen-
trate production. J Sci Food & Agric
24(5); 1973; 509

1460. KODAGODA (IP) and others
Some functional properties of rapeseed
protein isolates and concentrates.
Canadian Inst Food Sci Technol J 6(4);
1973; 266
-
F8,39zn;F4A Coconut, Aflatoxin
1461. N72 SAMARAJEEVA (U)
Aflatoxins in coconut products.
Ceylon Coconut Quarterly 23(3&4);
1972; 108
- F8,39On;F4A Groundnut, Aflatoxin
1462. N73 MAGGON (KK) and VENKITASUBRAMANIAN (TA)
Effect of groundnut on aflatoxin
production. Indian J Exptl Biol
11(4); 1973; 356
- F8,39On;T Groundnut, Protein
1463. DAWSON (R) and MCLINTOSH (AD)
Varietal and environmental differences
in the proteins of the groundnut
(*Archis hypogaea*). J Sci Food & Agric
24(5); 1973; 597
- F8,399Z Fruits and Vegetable products
1464. DABROWSKA (D) and KRAJEWSKA (K)
Determination of physical features of
fruit and vegetable half-products and
products. Part IV. Determination of
viscosity. Prace Instytutow i Lab
Bad Przem Spoz 23(1); 1973; 149
- F8,39cl;P815 Onion, Pectic Substance
1465. ALEXANDER (MI) and SULEBELE (GA)
Pectic substances in onion and garlic
skins. J Sci Food & Agric 24(5);
1973; 611
- F8,39D3-0(a8;A) Carrot, Stored
1466. N72 THRONE (SN)
Studies of the behaviour of stored
carrots with respect to their invasion
by Rhizopus stolonifer lind. J Food
Technol 7(2); 1972; 139

F8,39E1;k2 Potato, Nutritive Value

1467. 1173 D'MELLOW (JPF) and others
The influence of processing upon the nutritive value of the potato. Studies with young chicks. J Sci Food & Agric 24(5); 1973; 533

1468. WHITTEMORE (CT) and others
The influence of processing upon the nutritive value of the potato. Digestibility studies with pigs. J Sci Food & Agric 24(5); 1973; 539

F8,39E1;Za Potato, Lipid

1469. GALLIARD (T)
Lipids of potato tubers. I. Lipid and fatty acid composition of tubers from different varieties of potato. J Sci Food & Agric 24(5); 1973; 617

1470. GALLIARD (T) and MATHEW (JA)
Lipids of potato tubers. II. Lipid-degrading enzymes in different varieties of potato tuber. J Sci Food & Agric 24(5); 1973; 623

F8,39E1-0(d);eE2 Potato, crisp, Colour

1471. MITCHELL (RS) and RUTLEDGE (PF)
Control of colour in potato crisps by water treatment before frying. J Food Technol 8(2); 1973; 133

F8,39E2-0(a2;3c) Sweet Potato, Chip

1472. HOOVER (MW) and MILLER (NC)
Producing sweetpotato chips. Food Technol 27(5); 1973; 74

F8,39F;T Leaf, Protein

1473. ARKCOLL (DB) and HOLDEN (M)
Changes in chloroplast pigments during the preparation of leaf protein. J Sci Food Agric 24(10); 1973; 1217

F8,39H1:8;A Tomato, Green, Storing

1474. LOCKHART (CL) and STARK (R)
Storing green tomatoes in SO₂ brine for chow-chow. Canadian Inst Food Sci Technol J 6(4); 1973; 216

F8,39H1-ZT Tomato, Ripening

1475. TOMPKINS (DR) and others
Evolution of ethylene and tomato fruit ripening as influenced by P-(β chloroethyl)-N-isopropyl phosphonamidic acid. Hort Sci 8(3); 1973; 221

F8,39P14-0(a7;M-Z1) Strawberry, Canned, Anthocyanin
1476. ADAMS (FB) and ONGLEY (MH)
The degradation of anthocyanins in canned strawberries. I. the effect of various processing parameters on the retention of pelargonidin-3-glucoside. J Food Technol 8(2); 1973; 139

F8,39P14-0(a7;M-Z1) Strawberry, Canned
1477. ADAMS (FB) and ONGLEY (MH)
The degradation of anthocyanins in canned strawberries. Part II. The effect of various additives on the retention of pelargonidin-3-glucoside. J Food Technol 8(3); 1973; 305

F8,39Q8-0(a8;A) Lime, Stored, Chilling injury
1478. WARDOWSKI (WF) and others
Chilling injury of stored limes and grape-fruit as effected by differentially permeable packaging films. Hort Sci 8(3); 1973; 173

F8,39R3-0(a7;M-Z1) Apricot, Canned, Texture
1479. HARPER (KA) and others
Texture changes in canned apricots. II. study of infection with Rhizopus stolonifer under commercial conditions. J Sci Food & Agric 24(5); 1973; 527

F8,39S1 Apple
1480. KNEE (M)
Effects of controlled atmosphere storage on respiratory metabolism of apple fruit tissue. J Sci Food Agric 24(10); 1973; 1289

F8,39S3 Pear, Storage Decay

1481. BEN-ARIE (R) and GUELFAT-REICH (S)
Preharvest and postharvest applications
of benzimidazoles for control of
storage decay of pears. Hort Sci 8(3);
1973; 181

F8,39ZC;M2 Bread, Baking property

1482. YANEZ (E) and others
Nutritive value and baking properties
of bread supplemented with *Candida*
utilis. J Sci Food & Agric 24(5);
1973; 519

F8,39ZC-0(a2;3c) Bread, Dough, Water
Binding

1483. N72 WOOD (PS) and others
The effect of water on liquid binding
in doughs mixed to low work levels.
J Food Technol 7(2); 1972; 183

F8,39ZQ Spaghetti, Quality

1484. N73 LARMOND (E) and VOISEY (PW)
Evaluation of spaghetti quality by a
laboratory panel. Canadian Inst
Food Sci Technol J 6(4); 1973; 209

F8,3B Dairy products, Phosphate

1485. GORDON (A)
Use of phosphates in dairy products.
Food Processing Indus 42(501); 1973; 35

F8,3C Milk, Lactose

1486. JAYNES (HO) and ASAN (T)
Determination of lactose in milk by
gas liquid chromatography. Milk
Food Technol 36(6); 1973; 333

F8,3C Milk

1487. KALAB (M) and HARWALKAR (VR)
Milk gel structure. I. Application
of scanning electron microscopy to
milk and other food gels. J Dairy
Sci 56(7); 1973; 835

F8,3C Milk, Clotting Enzyme

1488. KRISHNAMURTHY (TS) and others
Comparative studies on microbial
milk clotting enzymes. J Food Sci
and Technol 10(3); 1973; 118

F8,3C;a06 Milk, Quality

1489. CERNA (E) and DOLEZALEK (F)
Effects of year seasons and specific
regional conditions upon the chemical
physical and biochemical components of
milk quality. Food Indus 24(8);
1973; 241

F8,3C;T Milk, Protein

1490. KOHRAD (H)
Studies on the determination of milk
protein by means of dye binding.
Nahrung Food 17(3); 1973; 357

F8,3C15 Buffalo milk

1491. BARAKAT (MZ) and others
Cysteinimetry. Determination of the
potassium bromate content of buffalo
milk. J Sci Food Agric 24(10);
1973; 1175

F8,3J Butter, Spreadability

1492. AMER (MA) and MYHR (AN)
Modification of butter to improve low
temperature spreadability. Canadian
Inst Food Sci Technol J 6(4); 1973;
261

F8,3J4;eF31;a86 Ghee, Flavour, Variation
(during) Storage

1493. GABA (KL) and JAIN (MK)
A note on the flavour changes in ghee
on storage: their sensory and chemical
assessment. Indian J Ani Sci 43(1);
1973; 67

F8,3K Whey

1494. BUTANY (G) and INGLEDEN (WM)
Whey utilization by bacteria. Canadian
Inst Food Sci Technol J 6(4); 1973; 291

F8,3M Cheese, Shelf life

1495. KALRA (MS) and others
Use of nisin for extending shelf life
of processed cheese and Khoa. J
Food Sci & Technol 10(3); 1973; 92
- F8,3M Cheese
1496. MIKOLAJCIK (EM) and others
Fate of bacillus cereus in cultural
cheese. Milk Food Technol 36(6);
1973; 317
- F8,3M Cheese, Salting treatment
1497. OSMAN (OM)
Modification of cooking temperature,
pH at drain and salting treatments for
granular cheddar cheese. Sudan J
Food Sci Technol 5; 1973; 35
- F8,3M Cheese, Proteolysis
1498. PUHAN (Z) and IRVINE (DM)
Proteolysis by proteases of bacillus subtilis
used to make Canadian cheddar
cheese. J Dairy Sci 56(3); 1973; 317
1499. PUHAN (Z) and IRVINE (DM)
Reduction of proteolytic activity of
bacillus subtilis proteases by
acidification of milk before cheddar
cheese manufacture. J Dairy Sci 56(3);
1973; 323
- F8,3N Khoa, Quality
1500. MULAY (CA) and LADKANI (BG)
Comparative assessment of quality of
Khoa and their products from homogenised
and unhomogenised milk. J Food Sci &
Technol 10(3); 1973; 110
- F8,3R Ice cream
1501. GOYAL (GK) and SRINIVASAN (MR)
The quality of soft serve ice cream as
influenced by the levels of fat,
emulsifier, sucrose substitutes and
processing conditions. J Food Sci &
Technol 10(3); 1973; 122

F8,3Za Meat

1502. CHOLESTEROL-free meat substitute-creating the product. Food Engng 45(6); 1973; 60
1503. ELLIOTT (RP)
Red meat and poultry inspection; microbiology of equipment and processing. Milk Food Technol 36(6); 1973; 337
1504. SCHARDING (JH) and others
Experimental survival studies of sporothrix schenckii in a meat product. Milk Food Technol 36(6); 1973; 311
- F8,3Za Meat, Consumer Acceptance
1505. McFADYEN (SC) and others
Factors influencing consumer acceptance of meats. Canadian Inst Food Sci Technol J 6(4); 1973; 219
- F8,3Za Meat, Emulsion
1506. SULZBACHER (WL)
Meat emulsions. J Sci Food & Agric 24(5); 1973; 589
- F8,3Za Meat, Bacteria
1507. BACHNIL (VN) and AHLUWALIA (SS)
Studies on bacterial load of raw meat. J Food Sci & Technol 10(3); 1973; 128
- F8,3Za;a06 Meat, Quality
1508. CARSE (WA)
Meat quality and the acceleration of post-mortem glycolysis by electrical stimulation. J Food Technol 8(2); 1973; 163
- F8,3Zb1 Beef, Tenderness
1509. LOCKER (RH) and DAINES (GJ)
The effect of repeated freeze-thaw cycles on tenderness and cooling loss in beef. J Sci Food Agric 24(10); 1973; 1273

F8,3Zb1 Beef, Prepackod, Discoloura-tion

1510. HOOD (DE) and RIORDAN (EB)
Discolouration in pre-packaged beef;
measurement by reflectance spectropho-
tometry and shopper discrimination.
J Food Technol 8(3); 1973; 333
- F8,3Zb1-0(a2;3G) Beef, Ground, vacuum-
packed
1511. OKAFOR (N)
Microbial flora of gamma-irradiated
vacuum-packed ground beef stored at
different temperatures. J Food Sci
& Technol 10(3); 1973; 95
- F8,3Zb1=B Beef carcass chemical
composition
1512. DOCKERTY (TR) and others
Carcass development in beef cattle
subsequent to interrupted growth.
J Ani Sci 36(6); 1973; 1057
1513. POWELL (WE) and HUFFMAN (DL)
Predicting chemical composition of beef
carcasses from easily obtainable
carcass variables. J Ani Sci 36(6);
1973; 1069
- F8,3Zb3 Mutton, Eating Quality
1514. WENHAM (LM) and others
Eating quality of mutton compared with
lamb and its relationship to freezing
practice. J Ani Sci 36(6); 1973; 1081
- F8,3Zb3 Lamb meat, Myoglobin
1515. PAUL (P) and KUMTA (US)
Microheterogeneity of lamb meat
myoglobin. Indian J Exptl Biol 11(4);
1973; 285
- F8,3Zb4 Pork
1516. N72 ASHWORTH (J) and SPENCER (R)
The perigo effect in pork. J Food
Technol 7(2); 1972; 111

F8,3Zb4 Pig

1517. N73 TAYLOR (AA) and others
Processing wiltshire bacon from PSE-prone pigs. J Food Technol 8(2); 1973; 167

F8,3Zb4-0(a6;C) Pork, Frozen

1518. BAILEY (C) and others
The influence of slaughter weight on the stability of pork sides in frozen storage. J Sci Food Agric 24(10); 1973; 1299

F8,3Zb4-B Pork carcass, Cutability

1519. HENNING (WR) and others
Characteristics of hams and loins from high and low cutability pork carcasses. J Ani Sci 36(6); 1973; 1063

F8,3Zb4-B Pork, Carcass, Salmonellae

1520. CARPENTER (JA) and others
Isolation of salmonellae from pork carcasses. Appl Microbiol 25(5); 1973; 731

F8,3Zd1 Poultry

1521. SCOTT (R)
Poultry-The new meat source.
Flavour Indus 4(5); 1973; 208

F8,3Zd1-0(a2;6G) Chicken, Eviscerated
Bacterial Condition

1522. MEAD (GC) and THOMAS (NL)
The bacteriological condition of eviscerated chickens processed under controlled conditions in a spin-chilling system and sampled by two different methods. British Poultry Sci 14(4); 1973; 413

F8,3Zd11;F4A Chicken, Aflatoxin

1523. MABEE (MS) and CHIPLEY (JR)
Tissue distribution and metabolism of aflatoxin B₁-14C in broiler chickens. Appl Microbiol 25(5); 1973; 763

F8,3Zn Fish, Polyphosphates

1524. GIBSON (DM) and MURRAY (CK)
Polyphosphates and fish: some chemical
studies. J Food Technol 8(2); 1973; 197

F8,3Zn Fish, Nitrogen, Quality

1525. NITROGEN contents of raw fish. Analyst
98(1167); 1973; 456

F8,3Zb;Va Fish, Fat

1526. STOREY (RM) and WINDSOR (ML)
A rapid dielectric measurement of fat
in fish and fish products. J Food
Technol 8(3); 1973; 259

F8,3Zn-0(a2;3C) Fish, Meal, Drying

1527. MYKLESTAD (O)
Physical aspects of the drying of
fish meals. J Sci Food Agric 24(10);
1973; 1209

F8,3Zr93;T Bombay Duck, Protein

1528. WARRIER (SBK) and others
Differences in sarcoplasmic and
fibrillar proteins of Bombay duck (*Harpodon
nehereus*) to heat and radiation induced
denaturation. J Food Technol 8(3);
1973; 283

F8,3Zr9A Cod, Sodium Triphosphate, Hydrolysis

1529. SUTTON (AH)
The hydrolysis of sodium triphosphate
in cod and beef muscle. J Food Technol
8(2); 1973; 185

F8,3Zr9L;ac Mackerel, Chemical composition

1530. N72 HARDY (R) and KEAY (JN)
Seasonal variations in the chemical
composition of cornish mackerel,
scomber scombrus (L), with detailed
reference to the lipids. J Food Technol
7(2); 1972; 125

F8,3Zz1;F2 Egg, Microbial Spoilage

1531. N73 VADEHRA (DV) and BAKER (RC)
Effect of egg shell sweating on
microbial spoilage of chicken eggs.
Milk Food Technol 36(6); 1973; 321

F8,3Zz1-0(a2;3L) Egg, Powder, Spray-dried,
Packaged

1532. LANGAR (SS) and others
Packaging studies on spray dried whole
egg powder in pouches of flexible films
and laminates. J Food Sci & Technol
10(3); 1973; 101

F8,3Zz1-0(a2;3C);g7 Egg, Powder, Keeping
Quality
1533. SRIVASTAVA (IP) and others
Studies on the keeping quality of
whole egg powder in light-weight flexible
packaging. J Food Sci & Technol 10(3);
1973; 112

F8,3Zz1-0(a8;Z5) Egg, Liquid, Microflora
1534. MULDER (RWAU) and VAN DER HULST (MC)
The microflora of liquid whole egg
made from incubator reject eggs.
J Applied Bacteriol 36(1); 1973; 157

F8,3Zz9x Sausage, Smoked
1535. MIHAJLOVSKIJ (EH) and USZKOV (VJ)
Examination of the automatisisation of
smoked sausage production. Husipar
22(3); 1973; 114

F8,3Zz9x Sausage, Non-meat protein
1536. THOMAS (MA) and others
Evaluation of some non-meat proteins
for use in sausage. J Food Technol
8(2); 1973; 175

F8,3Z01 Yeast food
1537. LIPIEC (M) and ILNICKA-OLEJNICZAK (O)
Effect of processing on the content
of methionine and tryptophan in food
yeast preparations. Prace Instytutow i
Lab Bad Przem Spoz 23(1); 1973; 27

F8,3Z2 Soft, Drink, Fortification
1538. HOLSINGER (VH)
Fortifying soft drinks. Food Technol
27(2); 1973; 59

F8,3Z451 Tea, Instant

1539. CHANG (RL) and others
Studies on instant tea. I. A comparison of the composition of instant teas with their original teas. J Food Technol 8(2); 1973; 217
1540. CHANG (RL) and LI (CF)
Studies on instant tea. II. An improved spray drying with ammonium carbonate as foaming agent. J Food Technol 8(3); 1973; 345
- F8,3Z7;(9Q2) Fruit juice (made from) Grape fruits, Canned
1541. SAGUY (I) and others
The role of sulphur di-oxide and nitrate on detinning of canned grapefruit juice. J Food Technol 8(2); 1973; 147
- F8,3Z7;(9Q) Fruit Juice (made from) Citrus
1542. GUDAGNI (DG) and others
Effect of some citrus juice constituents on taste thresholds for limonin and naringin bitterness. J Sci Food Agric 24(10); 1973; 1277
- F8,3Z7;(9S1) Fruit juice (made from) Apple, Yeast
1543. GORECKA (H) and St. BUJAK
Osmophilic yeast of concentrated apple juice. Part I. Botanic composition of yeast present in concentrated apple juice and effect of medium de composition on yeast sporulation. Prace Instytutow i Lab Bad Przem Spoz 23(1); 1973; 133
- F8,3Z9b2 Beer
1544. STRZELEC (B)
Studies on application of polish cellulolytic enzymes in beer production. Prace Instytutow i Lab Bad Przem Spoz 23(1); 1973; 43
1545. BRAITHWAITE (PF)
Iodophors as an aid to sanitation in beer, canning plants. J Food Technol 8(3); 1973; 269

F8,3ZG1:8;A Ginger, Storage

1546. N72 BROWN (EI)
Ginger storage in acidified sodium
metabisulphite solutions. J Food
Technol 7(2); 1972; 153
- F8,3ZM1 Pepper
1547. N73 KORMENDY (L)
Examination of domestic and foreign
spices and spice oils I. Comparing
pepper and pepper extracts. Husipar
22(3); 1973; 123
- F8,3ZM6 Coriander
1548. SEN (AR) and others
Suggested modification of PFA
specification in case of coriander
(Dhania). J Food Sci & Technol 10(3);
1973; 126

I N D E X

Additive, Food 1430
Aflatoxin, Chicken 1523
— Coconut 1461
— Groundnut 1462
— Sorghum 1448
Aminoacid, Oat 1447
Anthocyannin, Canned, Strawberry 1476
Antibacterial residue, Food 1431
Apple 1480
Apricot 1479
Bacteria, Meat 1507
Bacterial condition, Eviscerated, Chicken 1522
Baking property, Bread 1482
Bean 1457
Beef 1509-1513
Beer 1544, 1545
Bombay duck 1528
Bread 1482, 1483
Buffalo milk 1491
— — (for) infant (made from), Food 1439
Butter 1492
Canned, Apricot 1479
— Food 1437
— Grape fruits (made from), Fruit juice 1541
— Green, Bean 1457
— Strawberry 1476, 1477
Carbohydrate, Food 1433
Carrot 1466
Cheese 1495 - 1499
Chemical composition, Beef Carcass 1512, 1513
— — Mackerel 1530
Chicken 1522, 1523
Chilling injury, Stored, time 1478
Chip, Sweet Potato 1472
Citrus (made from), Fruit juice 1542
Clothing enzyme, Milk 1488
Coconut 1461
Cod 1529
Colour, Crisp, Potato 1471
Coreander 1548
Corn 1451, 1454
Crisp, Potato 1471
Cutability, Pork carcass 1519
Dairy products 1485
Defence (for) Food 1438
Degradation, Protein, Soya 1458
Detection, Salmonella, Food 1432
Discolouration, Prepacked, Beef 1510
Dough, Bread 1483
Drying, Meal, Fish 1527
Egg 1531 - 1534
Emulsion, Meat 1506
Evaluation, Quality, Wheat 1444

Eviscerated, Chicken	1522
Fat, Fish	1526
Fermented, Food	1434 - 1435
Fish	1524 - 1527
Flavour, Food	1429
— Ghee	1493
Flour, Pear	1456
Food	1423 - 1441
Fortification, Soft drink	1538
Frozen, Food	1436
— Pork	1518
Fruit and Vegetable products	1464
— juice	1541 - 1543
Ghee	1493
Grape fruits (made from), Fruit juice	1541
Green, Bean	1457
— Tomato	1474
Ground, Beef	1511
Groundnut	1462, 1463
Hydrolysis, Sodium triphosphate, Cod	1529
Ice cream	1501
Insect infested, Stored, Corn	1454
Instant, Tea	1539, 1540
Keeping quality, Powder, Egg	1533
Khoa	1500
Lactose, Milk	1486
Lamb meat	1515
Lime	1478
Lipid, Potato	1469, 1470
Liquid, Egg	1534
Mackerel	1530
Maize	1450
Meal, Fish	1527
Meat	1502 - 1508
Mercury, Wheat	1445
Microbial spoilage, Egg	1531
Microflora, Liquid, Egg	1534
Milk	1486 - 1490
Moisture, Sorghum	1452, 1453
Multon	1514
Myoglobin, Lamb meat	1515
Nitrogen, Fish	1525
Non-meat protein, Sausage	1536
Nutritive value, Potato	1467, 1468
Oat	1447
Onion	1465
Onion, Soyabean (made from), Snack, Food	1440
Organoleptic Assessment, Frozen, Food	1436
Packaged, Spray dried, Powder, Egg	1532
Packaging, Food	1426 - 1428
Pea	1455, 1456
Pear	1481
Pectic substance, Onion	1465

Pepper	1547	
Phosphate, Dairy products	1485	
Physical property, Rice	1442	
Pig	1517	
Polyphosphates, Fish	1524	
Pork	1516, 1518 -	1520
— Carcass	1519, 1520	
Potato	1467 -	1471
Poultry	1521	
Powder, Egg	1532, 1533	
Prepacked, Beef	1510	
Protein, Bombay duck	1528	
— Groundnut	1463	
— Leaf	1473	
— Milk	1490	
— Rapeseed	1459	
— Soya	1458	
— Wheat	1446	
Proteolysis, Cheese	1498, 1499	
Quality, Corn	1451	
— Khoa	1500	
— Meat	1508	
— Maize	1450	
— Milk	1489	
— Nitrogen, Fish	1525	
— Shaggetti	1484	
— Wheat	1444	
Rapeseed	1459, 1460	
Rice	1442, 1443	
Ripening, Tomato	1475	
Salmonella, Food	1432	
— Pork carcass	1520	
Salting treatment, Cheese	1497	
Sausage	1535, 1536	
Shelf life, Cheese	1495	
Smoked, Sausage	1535	
Snack, Food	1440	
Sodium triphosphate, Cod	1529	
Soft drink	1538	
Sorghum	1448, 1449, 1452, 1453	
Soya	1458	
Soyabean (made from), Snack, Food	1440	
Spaghetti	1484	
Spray-dried, Buffalo milk, (for) infant (made from), Food	1439	
Spray dried, Powder, Egg	1532	
Spreadability, Butter	1492	
Starch fractions, Rice	1443	
Storage decay, Pear	1481	
— Ginger	1546	
— Sorghum	1449	
— (during) variation, Flavour, Ghee	1493	

Stored, Carrot 1466
— Corn 1454
— Lime 1478
Storing, Green, Tomato 1474
Strawberry 1476, 1477
Sweet potato 1472
Tea 1539, 1540
Tenderness 1509
Texture, Canned, Apricot 1479
— Peas 1455
Tomato 1474, 1475
Vacuum packed, Ground, Beef 1511
Waste, Food 1441
Water binding, Dough, Bread 1483
Wheat 1444, 1445, 1446
Whey 1494
Yeast, Apple (made from) Fruit juice 1543
— Food 1537

.
.
.
.

